K

Boerhaave's TREATISE

OF THE

MATERIA MEDICA.

AND

FORMS of MEDICINES,

Adapted to his APHORISMS, on the KNOWLEDGE and CURE of

DISEASES.

Tranſlated from the laſt Genuine EDITION of the *Latin.*

LONDON:

Printed for W. INNYS and R. MANBY, at the Weſt-End of St. *Paul's*; G. HAWKINS, at *Milton's-Head*, between the *Temple-Gates*; and E. LITTLETON, at the *Mitre*, over-againſt St. *Dunſtan's-Church*, *Fleet-ſtreet*, 1739.

Boerhaave's TREATISE

OF THE

MATERIA MEDICA,

AND

FORMS of MEDICINES,

Adapted to his APHORISMS, on the KNOWLEDGE and CURE of

DISEASES.

BRITISH MUSEUM

Translated from the Genuine EDITION of the Latin.

LONDON:

Printed for W. INNYS and R. MANBY, at the West-End of St. Paul's; G. HAWKINS, at Milton's-Head, between the Temple-Gates; and E. LITTLETON, at the Mitre, over-against St. Dunstan's-Church, Fleet-street, 1739.

H. BOERHAAVE

TO HIS

PUPILS.

GENTLEMEN,

HAVING, by the Authority of my academical Superiors, applied myſelf to teach Phyſick, I thought it my principal Buſineſs, with Candour and Simplicity, to lay before you what was ſolid and founded on undoubted Experiments in this Art. — It was with this View I

ſearched into thoſe Remains left us by the Antients, the Fruits of their learned Induſtry and Experience. In reality, upon comparing them with thoſe Obſervations which occurred in my own Practice, I perceived they had carefully followed Nature; ſo that, upon the Whole, greater Certainty cannot be hoped for, nor a more valuable Collection made from any other Quarter. — I had alſo an Inclination to examine, in ſome Meaſure, what the Arabs, *Succeſſors to the Antients, while* Europe *was over-run with Barbariſm, had added to their Inventions; to which I had acceſs, by Means of* Latin *Tranſlations. — But was highly concerned, upon finding that this ingenious People, though ſo amply aſſiſted, had rather injured than improved Medicine by their*

their Subtilties. With equal Care I examined the Opinions of the Moderns, which indeed are ſufficiently ſhowy and ſpecious; whether we conſider the Advantages of their phyſical Improvements, or the great Influence of the liberal Arts, when applied to the Advancement of Medicine. —— This indeed gave me a ſenſible Pleaſure; but then the Intereſt of Phyſic ſeemed to ſuffer very much by a certain licentious Boldneſs in aſſuming and framing Hypotheſes, by too eager and haſty a Deſire of advancing Medicine to its Perfection, and by a contemptuous Neglect, or even Ignorance of its principal Authors. —— As I congratulate the Art, on the Richneſs of the Stock of Materials laid up for its Improvement, ſo I deplore its Fate

as overwhelmed, rather than advanced by ſo tumultuary and confuſed a Compilation.

This Inquiry being made, what could be more natural, than to reduce under common Heads, whatever in all theſe was found ſufficiently ſolid, to convince an intelligent Perſon of its Truth and Certainty; and afterwards, from theſe ſcattered ſhreds, to erect a Syſtem according to the Laws of the Art; which I myſelf might conſult in the Courſe of my Practice, and thereto refer any Thing new or uncommon that ſhould preſent itſelf; and laſtly, by this Means, having ſolid and well digeſted Impreſſions of thoſe Things on my own Mind, might, with more Facility and Advantage, communicate them to you. —— It was thus

my

my Book of Aphoriſms on the Knowledge and Cure of Diſeaſes *had its Origin, in which I adventured to increaſe the Number of medical Writings; whoſe Defects, upon Reflection, have often made me bluſh, and eſpecially when I compare it with the Works of the Antients. —— In the Compariſon I find myſelf by much the inferior, and unworthy the Name of a good Author. —— And yet I could not avoid the publiſhing thoſe Aphoriſms, in Juſtice to the Truſt repoſed in me by that Authority, to which I owe all Submiſſion. —— After having attempted that Work, I ever thought, that I muſt religiouſly avoid giving the leaſt Handle to any dangerous Error in this Art, and conſequently not mention any Medicine in the*

whole Performance. — *And with all the Reaſon in the World; for I know nothing more pernicious, than for* Quacks, *upon barely hearing the Name of a Medicine, together with that of the Diſeaſe, to pretend to practice, to the Ruin of Mankind; 'till they are too late convinced of their Folly, by the Death of their unhappy Patients.*—*As it was neceſſary to ſupply my Pupils with Examples, I gave ſome Lectures on the* Materia Medica *and its Laws; for the Benefit of ſuch as had heard me diſcourſing in my private College on the Occaſions, whereon theſe Preſcriptions could alone be uſeful.* — *You are my Witneſſes, with what Circumſpection and tedious Minuteneſs I proceeded, before I could venture to recommend any Thing to you as a* Medi-

Medicine, *being ſufficiently aware, that there is nothing proper on all Occaſions; on the contrary, what is uſeful in ſome Circumſtances, I have found, in others, pernicious.* —— *Scrupling therefore to publiſh this Performance under the* Title of Preſcriptions, *I only gave it to be tranſcrib'd by my Pupils, on whom, according to the beſt of my Capacity, I endeavoured to inculcate the neceſſary Precautions. But, notwithſtanding all my Care, I had the mortification of finding it publiſhed without my Knowledge or Deſire, by a learned Gentleman at* London, *who entertained too great an Opinion of this mean Performance and its Author; nor was this Edition without its Faults.* — *For which Reaſon, being forc'd to it, I reviſed, corrected, and enlarged*

larged ſome Things, ſo that you may now have the uſe of it without the Labour of tranſcribing. — In the mean Time, I can with Confidence aſſert, that 'till you are full Maſters of the Hiſtory of a Diſeaſe, and ſufficiently acquainted with the noxious, as well as the ſalutary Effects of Medicines, you are in no Condition able to arrive at a good and uſeful Remedy. — As to others, this Work will do them more harm than good. — The learned Dr. Samuel Du Ry, *a great Promoter of Phyſick, has taken Care to make this Edition as correct as poſſible, and has for your Uſe added an Index.*

Adieu.

Leyden, 1719.

BRITISH 4 NO 85 MUSEUM

In

In the CURE of

DISEASES

From a WEAK and LAX

FIBRE.

SECT. 28. N. 1. P. 7.

Medicines, containing Principles proper for making a ſtrong Fibre.

THE Milk of a ſound full grown Woman, uſing gentle Exerciſe and wholeſome Food, either ſuck'd or drank preſently, warm, without undergoing any Change from Fire, and the better if drank after a perfect Digeſtion

geſtion in the Nurſe. The next to this in Virtue and Goodneſs is *Aſſes* Milk, which is better than that of *Goats*, and this laſt is preferable to that of *Cows*. *Their Uſe is determined by the ſame Laws.*

The white of a new laid Egg ſtill warm, diluted in equal Quantities of Milk and Water without the Application of Fire.

The beſt Broths for this purpoſe, are thoſe prepared from the Fleſh of a ſound young exerciſed Animal, carefully cleared of its Fat, bruiſed, minced, and ſtewed in *Papin's* Digeſtor, then cooled, and again freed of its Fat and Dregs.

In Defect of this Machine, a Kettle or Pot may be uſed, but the more ſubtle Parts then evaporate. ——— Hence the Cauſe of the Fierceneſs of thoſe Animals that feed upon others alive.

That prepared of the Pullet Kind is the beſt, then Veal, next Mutton, and laſtly Beef Broth. That made of a Mixture is the ſtrongeſt.

Decoction of Bread.

Take eight Ounces of Biſket made of Wheat, with the Bran duely leavened, and three Pints of clear Spring Water; boil

boil them together in a close earthen Vessel for an Hour, always adding as much Water as is spent in the Evaporation; then strain the Decoction through a hair Sieve.

Jelly of Bread.

Is made by evaporating the former Decoction to such a Consistence, that a small Quantity thereof, when poured on a cold Stone, thickens.

Cream of Bread.

If the former Decoction, when cold, be of the Thickness of a Cream, mixing a little of this *Jelly* with Milk, Broth, Wine, Ale, or Water, it will make several Kinds of light Nutriment.

If a Pint of the preceding Decoction be taken, with half an Ounce of Lemon Juice, two Drams of Cinnamon Water, a Gill of *Rhenish* Wine, and a sufficient Quantity of Sugar; you will then have a very grateful and wholesome Bread Decoction: *An Ounce of which is to be taken every Hour warm.*

Again, if Yolks of Eggs be mixed with the same, you have another sort of Food,

of

of a like Virtue: *But to be taken in a leſs Quantity, though in other Reſpects after the ſame manner.*

Auſtere *Florence* and rough red *French* Wines, alſo blackiſh *Grecian* Wines, of an aſtringent Taſte, are recommended; by reaſon they abound in Spirits, and are endued with a Faculty of corroborating the Fibres.

Sect. 28. N. 4. P. 7.

Acido-auſtere Vegetables.

ACACIA, *Egyptian* Thorn. Its Juice, Flower, and Bark. *Its inſpiſſated Juice may be given from 4 Grains to a Dram.*

Acacia Germanica [*Prunus Sylveſtris*] black Thorn. *Its inſpiſſated Juice is given from 6 Grains to a Dram and a half.*

Acetoſa, Sorrel. The Herb and Juice.

Alchimilla, Lady's Mantle.

Anſerina, Silver-weed, wild Tanſy, or Gooſe-graſs.

Bellirica, Ox-eye Daiſy. *Its Doſe is from 1 to 4 Drams.*

Berberis, Barberry-buſh. Its Fruit and Juice.

Biſtorta,

Biſtorta, Biſtort. Its Root.

Capparis, Caper-buſh. Its Fruit, Bark, and Root.

Cornus, the Corneil Tree. Its unripe Fruit and Leaves.

Cypreſſus, the Cypreſs Tree. Its Nuts and Leaves.

Cynosbatos, the wild-roſe. Its Flowers, Fruit and Sponges.

Cydonia mala, & pyra, Quinces with their Jelly.

Filix, Fern. Its Root.

Fragaria, Strawberry.

Fraxinus, the Aſh Tree. Its Bark.

Granata mala, the Pomegranate Tree. Its Fruit and Bark, or Rind.

——— *Sylveſtris*, the wild Pomegranate. Its Flowers, called Balauſtines.

Hypericum, *St. John's* Wort. All Parts of it.

Hypociſtis, the Holly Roſe. *Its inſpiſſated Juice is given from* 1 *to* 5 *Drams.*

Lapathum, Dock. Its Leaves, Flower, Seed and Root.

Meſpilus, the Medlar Tree. Its unripe Fruit.

Myrobalani omnes, Myrobalans of all ſorts. *Their Doſe is from* 5 *Grains to* 2 *Drams.*

Myrtus, the Myrtle Tree. Its Leaves.

Nymphæa,

Nymphæa major, the greater Water-Lilly. Its Leaves and Flowers.

Omphacium, Verjuice.

Pimpinella, Burnet. The Root, Herb and Seed.

Portulaca, Purſlain.

Pruna Sylveſtra, Sloes.

Pyra auſtera, ſour Pears.

Quercus, the Oak. Its Leaves and Acorns.

Quinquefolium, Cinquefoil.

Rhabarbarum, Rhubarb. *From a half Dram to 2 Drams.*

Rhus Obſoniorum, the officinal Sumach. Its Leaves and Seed.

Roſæ, Roſes. Their Flowers.

Sanguiſorba, Burnet. The Herb.

Sedum majus, the greater Houſeleek.

Sorbus, the Service-tree. Its Fruit.

Tamarindus, Tamarind. The Fruit. *From 1 to 2 Ounces. The Pulp*, when well preſſed and cleaned, *from half an Ounce to 2 Ounces.*

Tamariſcus, Tamarisk. Its Bark.

Terra, improperly called *Catechu*, *Japan* Earth.

Tormentilla, Tormentil. Its Root.

From theſe are eaſily prepared *Infuſions*, *Decoctions*, *Extracts*, *Conſerves*, *Pills*, and *medicated Wines* of different Forms, e. gr.

Infuſion.

Infuſion.

Take of wild Tanſy, a handful; Burnet, half a handful; and of Tormentil-root, half an Ounce; ſlice and infuſe them in a Pint and a half of boiling Water for an Hour. *Of which an Ounce may be taken every third Hour.*

Decoction.

Take of ſharp-pointed Dock-leaves a handful; red Roſe Flowers, four Ounces; Tamarisk Bark, two Ounces; Sorrel Root, four Ounces; and of Dock-ſeed bruiſed, two Drams: Boil them in a Quart of chalybeated Water for fifteen Minutes; afterwards ſtrain the Decoction. *An Ounce of this may be taken three or four times a day.* Or,

Take of Sorrel, two Handfuls; Biſtort Root, half an Ounce; and of Pomegranate Flowers, two Drams: Boil them in a ſufficient Quantity of Water for fifteen Minutes; mix a Pint of the filtreted Decoction, with one Ounce of Myrtle Syrup. *Its Uſe is the ſame as the former.*

Conſerve.

Conſerve.

Take of Quince Jelly, one Ounce; Conſerve of red Roſes, half an Ounce; Pomegranate Flowers, one Dram; and of Myrtle Syrup a ſufficient Quantity: Mix and make them into a Conſerve; *of which a Dram may be taken three or four times a day.*

Extract.

Take of Sorrel, eight handfuls; *Monk's* Rhubarb, four handfuls; and of Cinquefoil, ſeven handfuls: Boil them in a ſufficient Quantity of Water, when cut ſmall and well cleaned, then preſs out the Decoction and filtre it; afterwards evaporate it in a large Veſſel to the Conſiſtence of an Extract. *Which may be given from* 10 *Grains* to 2 *Drams.*

Or you may add to this Extract, as much dryed Biſtort-root as will bring it into a Maſs proper for making Pills; *whoſe Doſe may be given from* 4 *to* 15 *Grains.*

Medicated Wines.

Take of common Sorrel Seed bruiſed, 6 Drams; Pomegranate Flowers 5 drams; Ca-

Caper-buſh-root, two Ounces; Aſh Tree Bark, ten Drams; and of Burnet Leaves, two handfuls. Slice and bruiſe them; afterwards infuſe them into three Pints of red *Graviſh* or *Pontacque* Wine. *An Ounce of this may be taken three or four Times a Day.*

Take of the Bark and Root of Caparbuſh, and of Tamarisk, each one Ounce; and the Stalks and Flowers of *St. John's* Wort, two Ounces. Of which make a medicated Wine according to Art, with three Pints of rough red Wines.

Acido-auſtere Foſſils.

Acids, abſorbed by Earths, are by that means the ſtronger; and the weightier the Acid is, the greater Quantity of Earth it has imbibed.

Iron, diſſolved in *Rheniſh* Wine, *may be given from* 1 *to* 4 *Drams.*

— diſſolved in Wine Vinegar, *from* 10 *to* 30 *Drops.*

— diſſolved in Oil of Vitriol, *from* 1 *to* 6 *Grains.*

Red Ochre.

White native Vitriol, *from* 1 *to* 4 *Grains.*

Tin,

Tin, *from* 1 *to* 6 *Grains.*
Roman Alum, *from* 1 *to* 30 *Grains.*
Of theſe are made an infinite Number of different Forms, or Preparations.

Powder.

Take of Allum, ten Grains; Rhubarb, five Grains; and of Pomegranate Bark, three Grains: Mix and make them into a Powder *for one Doſe.*

Pills.

Take of Salt of Steel, calcined to a Whiteneſs, half a Dram; Oak Galls, ten Grains; Tormentil-root, one Dram; and of the Juice of Holly Roſe, a ſufficient Quantity: Mix and make them up into Pills, each weighing two Grains: *Of which the Patient is to take one three or four times a Day.*

In the Cure of DISEASES, *arising from a rigid and elastick Fibre.*

SECT. 35. N. 1. P. 9.

α. *Thinner Decoctions of Bread.* See 28. N. 1.

β. *Juices of ripe Summer Fruit, either crude or boiled a little in clear Water, and sweetened with Sugar.*

AURANT. *Malorum succus*, Orange Juice.

Baccarum Sambuci succus, Elder-berry Juice.

Ceraſorum dulcium omnia Genera, all Kinds of ſweet Cherries.

Citrea poma benè matura, dulcia, ripe and ſweet Citrons.

Cucumeres mites, ſweet Cucumbers.

Cucurbitæ mites, ſweet Gourds.

Ficus, Figs.

Fraga, Strawberries.

Granata Poma matura, ripe Pomegranates.

Jujubæ, Jujebs.

Limonia dulcia, ſweet Lemons.

Mala Armeniaca, Apricocks.

Melones.

Melones, Melons.
Mora, Mulberries.
Perſica mala, Peaches.
Poma acido-dulcia, acid-ſweet Apples.
Pruna dulcia, ſweet Prunes.
Ribeſia rubra, *alba*, *nigra*, red, white, and black Currants.
Rubi Idæi fructus, Raſp-berries.

From theſe a great many ſorts of *Foods* may be prepared, by *boiling*, *roaſting*, &c. e. gr.

Take of paired ripe Apples, ten Ounces, boiled for an Hour in Water; bruiſe them, and ſtrain the Decoction through a Hair Sieve; then to a Pint and half of this Decoction add a Dram of grated Nutmeg, an Ounce of pounded Bisket, half a Gill of *Rheniſh* Wine, and a ſuffi- Quantity of Sugar.

The tendereſt Pot Herbs and ſoft Meals.

Pot Herbs, or Herbs of a like kind.

Ariplex, Orach.
Battatas, Potatoes.
Beta, Beet.
Borrago, Borage.
Braſſica rubra, red Cabbage.
Bulbocaſtana, Cheſnuts.
Chærephyllum, Chervill.

Cichorea,

Cichorea omnia, all Kinds of Succory.
Cinara, Artichoke.
Cucumeres, Cucumbers.
Dens Leonis, Dandelion.
Endivia, Endive.
Lactucæ omnes fere, almoſt all ſorts of Lettices.
Paſtinacæ, Parſnips.
Portulacæ, Purſlains.
Siſari radix, Carrot.
Scorzoneræ radix, Viper's Graſs. Its Root.
Spinachia, Spinage.
Tragopogoni radix, Goat's-beard. Its Root.
Valeriana prateńſis, wild Valerian.

Mealy Plants.

Amygdalæ dulces, ſweet Almonds.
Avena, Oats.
Fagopyrum, [*Frumentum Saracenicum*] Beach white. *Du Sarazin*.
Hordeum, Barley.
Mays, Indian Wheat.
Milium, Millet.
Oryza, Rice.
Panicum, Panick.
Piſtachia, Piſtachio Nuts.
Secale, Rye.
Spelta, Spelt.

Tri-

Triticum, Wheat.

Of theſe are made *Decoctions*, *Creams*, *Gruels*, *as of Bread.* § 28. N. 1.

Of theſe, when crude, Emulſions are made.

Take of ſhelled Oats, three Ounces; blanched ſweet Almonds, an Ounce; and of Barley-water, a Pint and a half. Make an Emulſion, with twenty four Ounces of which, when ſtrained, mix half an Ounce of the Syrup of Violets, and the like Quantity of Cinnamon-water: *Of which let the Patient take an Ounce every Hour.*

Decoction.

Take of Borage, Lettice, and wild Valerian Leaves, when freſh, each a handful and a half; Viper's Graſs Roots, freſh bruiſed, four Ounces; and of pounded Barley, two Ounces. Boil them in ſuch a Quantity of Water for fifteen Minutes, as will make two Quarts of ſtrained Decoction, with which mix an Ounce of the Syrup of Marſh Mallows, and the like Quantity of the Syrup of Violets. *Two Ounces of which may be drank every Hour.*

Sect. 35. N. 3. P. 9.

Aqueous, ſub-farinaceous, ſub-oleaginous, ſmooth, emollient Medicines.

α. *Aqueous Decoctions with farinaceous ones,* N. 1. of this §.

β. ——— ——— ——— *emollient ones,* N. 1. of this §.

Abutilon, yellow Mallow.

Alcea, Vervain Mallow. The Root, Leaves, Flowers, and Seed.

Alſine, Chick-weed.

Althæa [*Biſmalva Ibiſcus*] Marſh-mallows. The Leaves, Flowers, and Root.

Bellis, the white Daiſy.

Bonus Henricus, Engliſh Mercury.

Branca urſina, Brank Urſin, or Bear's Breech.

Conſolida major, Comfry the greater.

——— *minor,* ——— the leſſer.

——— *media,* ——— the middle.

Cynogloſſum, Hound's Tongue.

Hyoſcyamus, Henbane. The Leaves.

Lilia alba, white Lillies. Their Roots.

Linaria, Toad-flax.

Linum, Flax.

Lotus hæmorrhoidalis, hemorrhoidal Trefoil.

Lotus

Lotus odora, ſweet Trefoil.

Malvæ, Mallows. The Herb, Flowers, and Root.

Melilotus, Melilot. The Flowers and Leaves.

Mercurialis, Mercury.

Parietaria, Pellitory.

Populus, Poplar. Its Leaves and Buds.

Prunella, [*Brunella*] Self Heal.

Pulmonaria, Lung-wort.

Sambucus, Elder. The Flowers and Leaves.

Scabioſa, Scabious

Sigillum Salomonis, [*Polygonatum*] Solomon's Seal.

Solanum, Nightſhade.

Telephium, wild Purſlain.

Trifolium bituminoſum, bituminous Trefoil.

Verbaſcum, Mullen.

Violaria, Mother of Violats.

Vulneraria ruſtica, Clown's All-heal.

℞. *Butyrum recens*, freſh Butter.

Cremor lactis, Cream of Milk.

Pinguedo Volucrum, Duck, Gooſe and Fowl's Fat.

Medulla Bovis, Cow or Ox's Marrow.

Olea lenia ex farinoſis blandis, ſmooth Oils from ſoft mealy plants.

Ol. Amygdal amarar, Oil of bitter Almonds.

Ol.

Ol. Amygdal dulc.	Oil of ſweet Almonds.
— *Lini,*	— Linſeed.
— *Mucaginum,*	— Mucilages.
— *Olivarum,*	— Olives.
— *Palmæ,*	— Palm.
— *Papaveris albi,*	— WhitePoppies.
— *Solani,*	— Nightſhade.
— *TrifoliiOdorati,*	— Sweet Trefoil.
— *Violarum,*	— Violets.

Syrups of a like Kind.

Syrupus Althææ Fernelii,	Syrup of Marſhmallows by *Fernelius.*
— *Boraginis,*	— Borage.
— *Capillorum Veneris,*	— Maiden Hair.
— *Jujubinus,*	— Jujebs.
— *Papaveris albi,*	— WhitePoppies.
—— *erratici,*	— Wild Poppies.
— *Symphyti* Fernelii,	— Comfrey, by *Fernelius.*
— *Violaceus ſimplex,*	— Violets alone.
Mel Mercurialis,	Honey of Mercury.

Ointments of a like Sort.

Unguentum Althææ compoſitum,	Ointment of Marſhmallows.
— *Aureum,*	The Golden Ointment.
— *Baſilicon,*	The Royal Ointment.
— *Pupulueon,*	Ointment of Poplar.

Of theſe are made *Baths*, *Vapours*, *Fomentations*, *Unctions*, *Decoctions*, *Drinks*, *Glyſters*, &c. The Herbs, called *Hound's-tongue* and *Henbane*, are only uſed externally.

Againſt DISEASES *ariſing from the too rigid and contracted Fibres of the Entrails.*

SECT. 54. N. 2. P. 16.

PLENITUDE is diminiſhed by letting Blood.

Denſity is leſſened, 1. by hot Water and Whey; 2. by leſſening the Quantity; and 3. by abating the Preſſure.

Preſſure

Preſſure is impared; 1. by diminiſhing the Quantity; 2. by leſſening the Denſity; and 3. by retarding the Motion.

Sect. 54. N. 3.

Reſt, both of Body and Mind belongs to this Section.

Sect. 54. N. 4.

Moiſtening or diluting Medicines, conſiſt of a ſaponaceous or farinoſe Subſtance, mixed with a large Quantity of Water, e. gr.

α. Water boiled with mealy Subſtances, 35, N. 1.
β. ——— Emollients, 35. N. 1.
γ. ——— Summer Fruits, 35. N. 1.
δ. ——— Pot Herbs, 35. N. 1.
ε. ——— Freſh Fleſh, without, or with the Bones and Horns.
ζ. ——— With River Fiſh, Sea Crabs, Lobſters, Oyſters, Vipers, &c.

Moiſtening, allaying, mollifying, and opening Broth of Fleſh.

Take of lean chopped Veal, two Pounds; and of clean Barley, two Ounces; put them into a Gallon of Water, and boil them in a cloſe covered Veſſel for three Hours; then add half a Pound of freſh young Lettice, four Ounces of Lamb's Tongue, and ſix Ounces of Viper's Graſs Roots; afterwards boil them for fifteen Minutes, always adding as much Water as will make three Quarts of boiled Broth.

Cray-fiſh Soop.

Take three Pounds of live Cray-fiſh; boil them for an Hour in a Gallon and a half of Water; then take them out, and bruiſe them with their Shells; boil them again in their own Broth four Hours, always adding as much Water as will make a Gallon after boiling; ſtrain the Broth, and mix with it an Ounce and a half of Borage Flowers, one Ounce of Bugloſs Flowers, and two Ounces of Viper's Graſs Roots; afterwards boil them four Minutes. *Of which two Ounces and a half may be taken every two Hours.*

Moiſten-

Moiſtening Decoction.

Take of white Poppy pounded Seed, an Ounce; Oats, four Drams; red Chiches bruiſed, an Ounce and a half; Borage and Marſhmallow Leaves, each ſeven Drams; Viper's Graſs Root, two Ounces; Liquoriſe, two Drams; and of Mallow and Pellitory Leaves, each half a handful; boil them in as much Water for 15 Minutes as will make a Quart of ſtrained Decoction; with which mix an Ounce of Currant Juice, and the like Quantity of Elder Juice: *Afterwards let the Patient take two Ounces every Hour.*

Lenients

Are thoſe which take off the Hardneſs, that is, the Rigidity. *See* §. 35.

Emollients

Are almoſt of the ſame Nature with the former.

Diluents.

Theſe are the chief.

1. *Pure Water*, uſed milk warm, for a Bath, Fomentation, Purgation, Steam, and Drink.

2. *Freſh Whey*, uſed in the ſame Manner.

Reſolvents

Are theſe which ſerve to reduce that which was firſt a Fluid, then a concrete Subſtance, again into a Fluid.

1. *Diluting Medicines.*

2. *Saline ones*, conſiſt of *Sea Salt*, *Sal Gem*, *Nitre*, *Ammoniac*, *Borax*, *alcaline*, *volatile* or *fixed*. Well fermented Acids, *&c.* are compounded of theſe, *Sal Polychreſtum*, *Tartariſed Tartar*, Sennertus's *purging Tartar*, *Duke of* Holſtein's *Panacæa duplicata*, *ſtibiated Nitre*; Tachenius's *ſaturated Salt of Vipers*, &c.

3. *Saponaceous Medicines* are ſpirituous, volatile, aromatic, and oily Salts.

4. *Chemiſts Soap*, compoſed of a diſtilled Oil and a fixed alcaline Salt. *Family Soap*, of an expreſſed Oil and a fixed alcaline Salt.

5. *Honeys.*

6. *Ripe Summer Juices*, and Aloetics.

7. *Mechanic Remedies*, Frictions, *&c.*

Theſe may again be applied as many different Ways. e. gr.

In

In Form of a Mixture.

Take of diſtilled Rue Water, three Quarters of a Pint; *Venetian* Borax, two Drams; *Sal volatile oleoſum*, three Drams; and of the pureſt Honey, three Ounces: *Of which, when mixed, take one Ounce every Hour.*

In Drops.

Take of *Elixir Proprietatis* prepared with Salt of Tartar, and *Sal volatile oleoſum*, and of *Sennertus*'s purging Salt, each half an Ounce. *Of which take twenty five Drops four Times a Day in a Glaſs of Wine.*

In Form of Pills.

Take of *Venetian* Soap, Borax, and of pure Aloes, each two drams; mix and make them up into Pills, each weighing three Grains. *Of which take one four Times a Day.*

In Form of a Decoction.

Take of freſh Soap-wort Herbs, three handfuls; Brook-lime, two handfuls;

Fumatory, one handful; freſh Graſs Roots, and of Succory Roots, each two Ounces; boil them in a cloſe Veſſel, with a ſufficient Quantity of Water, for ſeven or eight Minutes; then ſqueeze the Decoction through a Cloath, and ſtrain it off when ſettled; afterwards with three Pints thereof, mix two Ounces of Elder Juice, and the like Quantity of ſimple Oxymel. *Of which take two Ounces every Hour hot.*

In Powder.

Take of Sperma-Ceti, and of Borax, each two Drams; mix and make them into a Powder, to be divided into eight Doſes. *Of which take one every two Hours in a Glaſs of Wine.*

Abſtergents.

Are thoſe that drive out of their Places viſcid Fluids, or half corrupted Solids, to which they have adhered by their Tenacity, and are

1. *Diluting.*
2. *Opening.*
3. Eſpecially *ſaponaceous, lixivious, fixt* Salts, and Honey with Vinegar.

Againſt

Againſt ſpontaneous DISEASES *ariſing from an acid Humour.*

SECT. 66. N. 1. P. 19.

Broths made of Fowl, Fiſh, and Quadrupedes. Their Fleſh chiefly roaſted. Gellies of inſpiſſated Broth. Wine mixed with a little alcaline Salt.

TAKE of Salt of Wormwood, two Drams; and of white *French* Wine, a Pint and a half: *Of which, when mixed, drink an Ounce every three Hours.*

Ant-acid Vegetables.

Abſinthium,	Wormwood.
Allia,	Garlicks.
Alliaria,	Sauce alone.
Anethum,	Dill.
Angelica,	Angelica.
Aniſum,	Aniſe.
Anthora, [*Antithora*]	Yellow Helmet Flowers.
Apium Celeri,	Smallage.

Ariſtolochia longa,	Long Birthwort.
—— *rotunda,*	Round Birthwort.
Armoracia,	Horſe-radiſh.
Arum,	Wake-Robin.
Aſclepias,	Swallow-wort.
Aſparagus,	Aſparagraſs.
Aſphodelus albus,	White Aſphodel.
Baſilicum,	Baſil.
Braſſica,	Cabbage.
Calamentha,	Calamint.
Calamus Aromaticus, [*Acorus*]	Sweet Cane.
Carduus Benedictus,	Bleſſed Thiſtle.
—— *Mariæ;*	Mary's Thiſtle.
Carum, [*Carui*]	Carraway.
Caryophyllata,	Avens.
Caryophylli aromatici,	Spicy Clove Trees.
Centaurium minus,	The leſſer Centory.
Cepæ,	Onions.
Cochlearia,	Scurvy-graſs.
Dauci,	Carrots.
Eruca,	Rocket.
Eryngium,	Eryngo.
Eryſimum,	Hedge-muſtard.
Eupatorium,	Hemp Agrimony.
Galanga major,	Large } Galangal.
—— *minor,*	Small }
Helenium, [*Enula Campana*]	Elicampane.
Lepidium,	Dittander.

Marjo-

Majorana,	Marjoram.
Marrubium,	Hore-hound.
Matricaria,	Fever-few.
Mezereon,	Mezereon.
Napus,	Turnip.
Naſturtium,	Creſſes.
Nepeta, [*Mentha Cataria*]	Cat-mint.
Origanum,	Origanum.
Piper,	Pepper.
Porrum,	The Leek.
Pyrethrum,	Pellitory.
Raphani,	Radiſhes.
Ruta,	Rue.
Sabina,	Savin.
Saponaria,	Soap-wort.
Satureia,	Savory.
Satyrion,	Satyrion.
Sedum acre vermicul.	The Worm-like Houſe-leek.
Serpillum,	Wild-Thyme.
Sinapi,	Muſtard.
Squilla,	Sea-onion, or Sea-leek.
Thlaſpi,	Treacle-muſtard.
Thymus,	Thyme.
Victorialis,	Victory.
Urtica,	Nettle.
Zedoaria,	Zedoary.
Zinziber,	Ginger.

SECT.

Sect. 66. N. 2.

Such are the larger and leſſer Birds that feed upon Inſects, but chiefly thoſe which live upon Fiſh; as the *Duck*, *Gooſe*, *Oſtrich*, *Chaffinch*, *Lark*, *Thruſh*, *Partridge*, *Gull*, or *Sea-mew*, and the *Quail*, with their Eggs.

Sect. 66. N. 3.

Strengtheners.

Are theſe, which add an elaſtic Force to the Fibres, Veſſels, Membranes, and the Viſcera; 28. N. 1. 4. Likewiſe ſpirituous Fermentations, as *Ale*, *Wine*, *Mead*, and *Vinous Spirits*.

Sect. 66. N. 5.

Abſorbents of Acids.

Are theſe, in which Acids being immerſed, ſo loſe their acrid Force, that they cannot act as Acids, or Acrids; while they have no Acrimony, whereby they can hurt the Body; hence they are often preferred to other Medicines. By this

this one Thing prejudicial, if, mixed with taſteleſs Phlegm, they hurt by their Bulk and Weight.

Theſe are dried Fiſh-bones, the *Jaw-bones* of a Jack.

Stone, *Claws* and *Shells of Crabs*, *Lobſters*.

Oyſter-ſhells, their back Part; *Limpin-ſhells*, &c.

Corals, *Pearls*, *Mother of Pearl*, &c.

Chalk, *Bole*, *Bone-binder*, *Marl*.

Blood-ſtone, 15 *Grains*.

Filings of Tin, 8 *Grains*.

——— Iron, 12 *Grains*.

Diluters of Acids.

Are Water and aqueous Medicines, 54. N. 4.

Obtunders of Acids.

Are theſe which inveigle or invelope Acrids and Acids, ſo by their ſoft mucilaginous Subſtance, that their Points grow blunt, and loſe their noxious Quality, while they defend the Membranes from being hurt by acid Spiculæ; therefore they likewiſe remove their impreſſed effects. They ſometimes only hurt theſe, by which the Body becomes too lax and weakened beyond its Strength.

1. *Olea-*

1. *Oleaginous Medicines.*
Almonds, *ſweet* and *bitter.*
Piſtachio-Nuts.
Filbirts, Wall-nuts, Cocoa-nuts.
White Poppies Seed.
Oils by Expreſſion, as Olive-Oil, *&c.*
2. *Gellies* made of inſpiſſated Fleſh and Fiſh Soops.
3. *Aromatic Oils, more ſoftening in reſpect of the Oil.* See §. 66. N. 1.
Of theſe an infinite Number of Forms are prepared.

Immutants of Acids.

Whatever is mixed with Acids, it immediately effervesces with them; therefore raiſes a Motion, ſtimulates and agitates the Fibres; and, after united with the Acids, form a new Kind of a Salt, ſtill of ſtimulating, diaphoretic, diuretic, and opening Quality. Changes of Acids are only hurtful to thoſe who are of a hot and ſanguine Conſtitution.

Salts alcaline fixed, prepared of any combuſtible Vegetable. *6 Grains.*

—— Volatile, prepared by diſtilling Animals, putrified Roots or Stalks, and freſh ant-acid Plants. (*See* §. 66. N. 1.) 10 *Grains.*

Sapo-

Saponaceous fixed Salts, *Venetian* Soap, *&c.* 1 *Dram.*

—— Volatiles, ½ *Dram.*

Which conſiſt chiefly of three Kinds.

1. Volatile Spirits, oily Saline, of Blood, Urine, Harts-horn, *&c.*

2. *Offa Helmontiana*, made of the pureſt alcohol of Wine, and the ſtrongeſt Spirit of Sal Ammoniac, mixed and united by Diſtillation.

3. The ſtrongeſt volatile Alcaline Salts, mixed with aromatic Oils often ſublimed, and thus united. e. gr.

Take of the fineſt dried Salt of Hartſhorn, one Ounce; and of Oil diſtilled from Citron Peel, a Dram; ſublime it often from a tall Phial. Alſo Preparations of theſe.

Againſt

Againſt DISEASES *ariſing from a ſpontaneous Viſcidity.*

SECT. 75. N. 1. P. 21.

Victuals and Drink, well-ſeaſoned with Salt and Spices, are here the principal Medicines to be made uſe of.

Cinnamomum,	Cinnamon.
Macis,	Mace.
Nux myriſtica,	Nutmeg.
Cortex aurantiorum,	Orange-peel.
Thymus,	Thyme.
Origanum,	Origanum.
Caryophyllus aromaticus,	Cloves.
Zinziber,	Ginger.
Piper,	Pepper.
Galanga minor,	The ſmall Galangal.
Cortex Citrei,	Citron Peel.
Aniſum,	Aniſe.
Coriandrum,	Coriander.
Serpillum,	Wild Thyme.
Cardamomum,	Cardamom.

Theſe Medicines are of great ſervice, when fermented with Bread, Wine, and Ale.

SECT.

Sect. 75. N. 2.

See 66. N. 1. 2.

Sect. 75. N. 3.

See 28, *and* 47.

Sect. 75. N. 5.

Diluents and Resolvents. See 54. N. 4.

Stimulating Medicines.

Are these which increase the contractile Force of the Vessels by their Weight, Figure, and Mobility. The Principal are,

1. *Acid Salines.*

Native.

Succi Citrei,	Juices of Citrons.
—— *Aurantii,*	—— Oranges.
—— *Uvarum,*	—— Grapes.
—— *Horæi acidi,*	—— Sour Summer Fruit.

Salts

Salts made of vegetable Juices by Expreſſion, are ſlowly prepared.

Ferments.

Vinum Rhenanum,	*Rheniſh* Wine.
——— Moſſellanum	*Moſſell* Wine.
Acetum Vini,	Wine Vinegar.
——— *Cerviſiæ,*	Beer Vinegar.
Spiritus Aceti,	Spirit of Vinegar.
Tartarus,	Tartar.
Cremor Tartari,	Cream of Tartar.
Lac aceſcens,	Sour Milk.
Serum lactis acidum,	Sour Whey.

Produced by Fire.

Sp. ſalis Marini,	Spirit of Sea-ſalt.
——— *Gemmæ,*	——— Gem.
——— *Nitri,*	——— Nitre.
——— *Vitrioli,*	——— Vitriol.
— *Sulphuris per Campanum,*	——— Sulphur by the Bell.

2. *Alcaline Salines.*

Fixed.

All theſe made of the Aſhes of Plants, *viz.*

Sales

Sales Abſynthii,	Salts of Wormwood.
—*Cardui benedicti,*	—— Holy Thiſtle.
—*Tartari,*	—— Tartar.
Cinares Clavellati,	Aſhes of Hearts-eaſe, *6 Grains.*

Volatile Salts.

Are all prepared from diſtilled or putrified Animals, *viz.*

Sales et Spiritus, C. C.	Salts and Spirits of Hartſhorn.
—*Humani ſanguinis,*	—— Human Blood.
—*Oſſium,*	—— Bones.
—*Salis Ammoniaci,*	—— Sal Ammoniac.

3. *Compound Salines.*

Sal. Marinum,	Sea-ſalt.
—*Gemmæ,*	Salt Gem.
—*Ammoniacum natiyum,*	Sal Ammoniac native.
—— —— *artificiale,*	—— —— artificial.
—*Nitri,*	Salt Nitre.
—*Borax,*	—Borax.
Tartarus Tartariſatus,	Tartariſed Tartar.
—*regeneratus,*	Regenerated Tartar.

4. *Acrid*

4. *Acrid aromatic, or empyreumatic Oils.*

Olea ſtillatit. Abſinthii,	Oils diſtilled from Wormwood.
—*Cortic. Citrei,*	—Citron Bark.
——*Aurantiorum,*	—Orange Peel.
—*Caſſiæ Ligneæ,*	—Woody Caſſia.
—*Chamæmeli,*	—Camomile,
—*Cinnamomi,*	—Cinnamon,
—*Caryophyll. arom.*	—Cloves.
—*Hyſſopi,*	—Hyſſop.
—*Ligni Guajaci,*	—Guaiacum Wood.
——*Juniperi,*	—Juniper Wood.
——*Saſſafras,*	—Saſſafras Wood.
—*Macis,*	—Mace.
—*Marjoranæ,*	—Marjoram.
—*Menthæ,*	—Mint.
—*Nucis Myriſticæ,*	—Nutmeg.
—*Origani Cretici,*	—Origanum.
—*Pulegii,*	—Penny-royal.
—*Rhodii Ligni,*	—Rhodium.
—*Roriſmarini,*	—Roſemary.
—*Rutæ,*	—Rue.
—*Sabinæ,*	—Savin.
—*Salviæ,*	—Sage.
—*Spicæ,*	—Lavender.
—*Tanaceti,*	—Tanſey.
—*Sem. Aniſi, Anethi,*	—Seeds of Aniſe, dill.

Olea

Olea Stillatit. Cari,	Oils distilled from
Fæniculi,	Carraway, Fennel.
—*Succini,*	—Amber.
—*Terebinthinæ,*	—Turpentine.

Oils by Expreſſion.

Ol. Amygdalarum amararum,	Oils of bitter Almonds.
—*Laurinum,*	—Bays.
—*Macis,*	—Mace.
—*Nucis Myriſticæ,*	—Nutmegs.

Natural Oils.

Balſamus Hierochuntanus,	Balſam of Jericho.
—*Tolutanus,*	—Tolu.
—*Palmæ,*	—Palm.
—*Peru,*	—Peru.
—*Copaibæ,*	—Capivi.
—*Meccæ,*	—Mecha.
—*Terebinthinæ,*	—Turpentine.

Empyreumatic, Acrid, Oils diſtilled by the Retort.

Ol. Ambuſt. Sanguinis,	Oils Empyreumatic of Blood.
—*Oſſium,*	—Bones
—*Cornuum,*	—Horns.

Ol.

Ol, Ambuſt. Urinæ,	Oils Empyreumatic of Urine.
—*Lignorum,*	—Woods.
—*De Lateribus, &c.*	—Bricks, &c.

5. *Fermented inflammable Spirits.*

Of Meal and Summer Juices.

6. *Acrid Plants, called Aromatic, which abound with Salt,* N. 2. *and Oil.* N. 4.

Folia Abrotani,	Leaves of Southernwood.
—*Abſinthii,*	—Wormwood.
—*Agerati,*	—Maudlin.
—*Anethi,*	—Dill.
—*Aniſi,*	—Aniſe.
—*Ariſtolochiæ,*	—Birthwort.
—*Ari,*	—Wake-Robin.
—*Betonicæ,*	—Betony.
—*Calaminthæ,*	—Calamint.
—*Cardiacæ,*	—Motherwort.
—*Chamædryos,*	—Germander.
—*Chamæpityos,*	—Ground-pine.
—*Chelidonii maj.*	—The greater Celandine.
—*Cochleariæ,*	—Scurvy-graſs.
—*Dictamni,*	—Dittany.
—*Eryſimi,*	—Hedge-muſtard.
—*Eupator. cannab.*	—Eupatory.

Fæniculi,

—*Fæniculi*,	—Fennel.
—*Hederæ terreſtr.*	—Ground Ivy.
——— *Arbor*,	—The Ivy Tree.
—*Hepaticæ nobilis*,	—Noble Liverwort.
—*Hyſſopi*,	—Hyſſop.
—*Lauri*,	—Laurel.
—*Leviſtici*,	—Lovage.
—*Marjoranæ*,	—Marjoram.
—*Marrubii*,	—Hore-hound.
—*Matricariæ*,	—Feverfew.
—*Meliſſæ*,	—Baulm.
—*Menthæ*,	—Mint.
—*Naſturtii*,	—Creſſes.
—*Nepetæ*,	—Catmint.
—*Nicotianæ*,	—Tobacco.
—*Origani*,	—Origanum.
—*Perſicariæ acris*,	—Pepperwort.
—*Piperitidis*,	—Bitter Arſmart.
—*Porri*,	—The Leek.
—*Pulegii*,	—Penny-royal.
—*Roriſmarini*,	—Roſemary.
—*Rutæ*,	—Rue.
—*Sabinæ*,	—Savin.
—*Salviæ*,	—Sage.
—*Satureiæ*,	—Savory.
—*Scordii*,	—Scordium.
—*Serpilli*,	—Wild Thyme.
—*Soldanellæ*,	—Bind-weed.
—*Tanaceti*,	—Tanſey.
—*Thlaſpi*,	—Treacle-muſtard.
—*Thymi*,	—Thyme.

Folia

Folia Veronicæ,	Leaves of Paul's Betony.
—*Urticæ,*	—The Nettle.

Stimulating aromatic Flowers.

Of Herbs, whoſe Plants have been juſt mentioned, are, chiefly,

Flores Agerati,	Flowers of Maudlin.
—*Aurantiorum,*	—Oranges.
—*Calthæ,*	—Marygold.
—*Caryophyll. hortenſis,*	—The Garden Clove Tree.
—*Centaur. minor,*	—the leſſer Centory.
—*Chamæmeli,*	—Camomile.
—*Citrei,*	—Citron.
—*Croci,*	—Saffron.
—*Eupatorii,*	—Hemp.
—*Lilior convall.*	—Lillies of the Valley.
—*Lupuli,*	—Hops.
—*Mari Syriaci,*	—*Syrian* Marum.
—*Meliloti,*	—Melilot.
—*Salviæ,*	—Sage.
—*Scabioſæ,*	—Scammony.
—*Schoenanthi,*	—Squinanth.
—*Spicæ,*	—Lavender.
—*Stoechad. Arab.*	—*Arabian* Stæchas.
—*Tanaceti,*	—Tanſey.
—*Tiliæ,*	—The Lime Tree.

Stimu-

Stimulating aromatic Roots.

Radices Acori,	The Roots of Sweet-flag.
—*Allii,*	—Garlick.
—*Angelicæ,*	—Angelica.
—*Anthoræ,*	—Yellow Helmet-Flower.
—*Ariſtolochiæ,*	—Birthwort.
—*Armoraciæ,*	—Horſe-radiſh.
—*Carlinæ,*	—Carline.
—*Caryophyllatæ Mont,*	—Mountain Avens.
—*Ceparum,*	—Onions.
—*Chelidon. maj.*	—The greater Celandine.
—*Contrayervæ,*	—Contrayerva.
—*Coſti hortenſis,*	—Garden Coſtus.
—— *Orientalis,*	—Oriental Coſtus.
—*Curcumæ,*	—Turmerick.
—*Cyclaminis,*	—Sow-bread.
—*Cyperi,*	—Cyperus.
—*Doronici,*	—Leopard's Bane.
—*Fraxinellæ,*	—The Aſh Tree.
—*Fumar. bulb.*	—Fumitory.
—*Galangæ,*	—Galangal.
—*Gentianæ,*	—Gentian.
—*Helenii,*	—Elecampane.
—*Imperatoriæ,*	—Maſterwort.
—*Iridis,*	—Orrice.
—*Leviſtici,*	—Lovage.

Radices Mei,	The Roots of Spignel.
—*Ninzing,*	—Ginſeng.
—*Ononidis,*	—Reſt Harrow.
—*Petaſitidis,*	—Butter-bur.
—*Petroſelini,*	—Parſley.
—*Peucedani,*	—Hogs-fennel.
—*Pæoniæ,*	—Piony.
—*Porri,*	—The Leek.
—*Ptarmicæ,*	—Sneezing-wort.
—*Pyrethri,*	—Pellitory of *Spain.*
—*Raphani,*	—Radiſh.
—*Rubiæ,*	—Madder.
—*Ruſci,*	—Butcher's Broom.
—*Satyrionis,*	—Satyrion.
—*Scrophulariæ,*	—Fig-wort.
—*Seſeli,*	—Hart-wort.
—*Squillæ,*	—Sea-leek.
—*Valerianæ,*	—Valerian.
—*Victorialis,*	—Tongue-laurel.
—*Vincetoxici,*	—Swallow-wort.
—*Zedoariæ,*	—Zedoary.
—*Zingiberis,*	—Ginger.

Stimulating Aromatic Seeds.

Semina Anacardii.	Seeds of Anacardium.
—*Anethi.*	—Dill.
—*Aniſi.*	—Aniſe.

—*Apii,*

—*Apii*,	—Smallage.
—*Aquilegiæ*,	—Columbine.
—*Bardanæ*,	—Burdock.
—*Cardamomi*,	—Cardamom.
—*Cari*,	—Carraway.
—*Celeri*,	—Salery.
—*Chermes*,	—Kermes.
—*Coriandri*,	—Coriander.
—*Cubebæ*,	—Cubebs.
—*Cumini*,	—Cumin.
—*Dauci*,	—Carrot.
—*Erucæ*,	—Rocket.
—*Eryſimi*,	—Hedge-muſtard.
—*Fænigræci*,	—Fenugreek.
—*Juniperi*,	—Juniper.
—*Lauri*,	—The Bay-tree.
—*Leviſtici*,	—Lovage.
—*Napi*,	—Navew.
—*Naſturtii*,	—Creſſes.
—*Nigellæ*,	—Fennel-flowers.
—*Paſtinacæ*,	—Parſnip.
—*Petroſelini*,	—Parſley.
—*Porri*,	—The Leek.
—*Raphani*,	—Horſe-radiſh.
—*Santonici*,	—Wormwood.
—*Seſelios*,	—Hartwort.
—*Sinapi*,	—Muſtard.
—*Thlaſpi*,	—Treacle-muſtard.
Nux Myriſtica,	Nut-meg.
Nuclei Perſicorum,	Peach-kernels.

Stimulating Aromatic Barks.

Cortices Guajaci,	Barks of Guaiacum.
—*Saſſafras,*	—Saſſafras.
—*Juniperi,*	—Juniper.
—*Aurantorium,*	—Oranges.
—*Citreorum,*	—Citrons.
—*Limoniorum.*	—Lemons.
—*Caſcariglias,*	—Caſcarilla.
—*Cinnamomi,*	—Cinnamon.

Stimulating Aromatic Roſins or Gums.

Aloë,	Aloes.
Ambra griſea,	Amber-greaſe.
— *liquida,*	— Liquid.
Ammoniac Gum,	Gum Ammoniac.
Anime,	—— Anime.
Aſa fætida,	Fetid Aſſa.
Bdellium,	Bdellium
Benzoin,	Benjamine.
Elemi,	Gum Elemi.
Galbanum,	Galbanum.
Juniperi,	Juniper.
Labdanum,	Labdanum.
Lacca,	Lacca.
Maſtiches,	Maſtich.
Myrrha,	Myrrh.
Sagapenum,	Sagapenum.

Styrax,

Styrax,	Storax.
Tacamahaca,	Tacamahac.
Tus,	Frankincenſe.

7. *Inſects.*

Aſelli,	Wood-lice.
Cantharides,	Spaniſh-flies.
Formicæ,	Ants.
Vermes majales,	Hog-lice

Parts of Animals,

Caſtoreum,	Caſtor.
Zibethum,	Civit.
Moſchus,	Musk.
Urina,	Urine.
Stercora avium parum bibentium,	The Dung of Birds that drink but little.

8. *Stimulating Compoſitions,*

Are Decoctions, Extracts, Conſerves, Preſerves, Tinctures, Spirits, Waters, Salts Volatile, Oily Pills, Powders.

Decoction againſt viſcid Juices.

TAKE of the Leaves of round Birthwort, Germander, and of Rue, each a handful; the Flowers of Marygolds, and of Eupatory, each half an Ounce; the Roots of Angelica, and of Maſterwort, each ſix Drams; the Seeds of Sallery, and of Garden Radiſh, each four Drams; Saſſafras-bark, one Ounce; and of *Magellanic*-bark, two Drams; infuſe them for two Hours in boiling Water; then boil them together in a cloſe Veſſel for four Minutes, ſo as to make about two Pints and a half of ſtrained Decoction. *Of which take an Ounce every Hour hot.*

An Extract againſt viſcid Juices.

Take of the Leaves of freſh Wormwood, Eupatory, Hore-hound, and of Tanſey

Tanſey, each a ſufficient Quantity; cut and bruiſe them very ſmall, then expreſs the Juice and let it ſtand to ſubſide on a gentle Fire, afterward evaporate it to the Conſiſtence of Honey, to which add one fortieth Part of *Tachenius*'s Salt of Wormwood. *Of which take half a Dram Morning and Evening in a Glaſs of* French *Wine on an empty Stomach.*

Extracts of the like kind are made from inſpiſſated Decoctions by Expeſſion.

Conſerve.

Take of the Tops of freſh Rue and of Tanſey, each one Ounce; of *Syrian* Marum, Roſemary, and of Lavender, each four Drams; the Roots of freſh Elicampane, and of Swallow-wort, each an Ounce; the Seeds of Radiſh, and of Creſſes, each half an Ounce; bruiſe them, afterwards add four Ounces of white Sugar. *Of which take one Dram four Times a Day on an empty Stomach in a Glaſs of* French, Spaniſh, *or* Canary *Wine.*

Preſerve.

Take of preſerved Ginger, preſerved Elicampane, and of *Magellanic*-bark, each an Ounce; and as much of the

Syrup of Mint as will make it into a Preſerve. *Of which take half a Dram ſix Times a Day.*

Tincture.

Take the Roots of Gentian, and of yellow Helmet-flower, each an Ounce; the Flowers of the leſſer Centory, an Ounce, and of Saffron, a Dram; Laurel and Juniper-berries, and of Rocket and Muſtard-ſeed, each an Ounce and a half; infuſe them for twelve Hours in three Pints of Spirit of Wine in a Bolt-head; then ſtrain off the Tincture. *Of which take two Drams three Times a Day on an empty Stomach, mixed with an Ounce of Mead.*

Spirit.

Take of the Leaves of Lavender, Tanſey, Roſemary, and of Orange, each an Ounce; the Roots of Angelica, Elicampane, Maſterwort, and of Lovage, each an Ounce and a half; the Leaves of Calamint, Scurvy-graſs, and of Feverfew, each a handful; the Seeds of Carraway, Sallery, Rocket, Feverfew, and of Creſſes, each an Ounce; the Barks of Juniper, Saſſafras, and of Cinnamon, each

each an Ounce and a half; and put them into three Quarts of the Spirit of Wine, which diſtil to one half. *Of which take two Drams three Times a Day in a Glaſs of Wine or Mead.*

Water.

If Water is taken in lieu of the foregoing Spirit, you will have an Aromatic Water: *Of which an Ounce and a half may be taken three Times a Day.*

Volatile oily Salt.

Take a Quart of the former Spirit, the Aſhes of Hearts-eaſe, an Ounce and a half; and of *Sal Ammoniac*, three Ounces; and diſtil them in a Retort to a Pint; in which diſſolve the Oil of Citron-bark, and of Marjorum, each ſix Drops, and of the Oil of Lavender, twenty Drops. *Take nine Drops of this three or four Times a Day in a Glaſs of Wine or Mead.*

Pills.

Take of the Gums of Ammoniac, and of Opopanax, each a Dram; freſh Cuckow-pint Root, two Drams; *Vene-*

tian Soap, a Dram; and of the Oil of Tanſey, ten Drops. Mix and make them into Pills, each weighing three Grains. *Of which take one every three Hours.*

Powder.

Take of the Oils of Mint, Majoram, and of Tanſey, each ſix Drops; and of double refined Sugar, an Ounce; mix and make an Elæoſaccharum, to which add the Roots of white Ginger and of *Magellanic* Bark, each ſix Drams. *Of which take half a Dram three Times a Day in a Glaſs of Wine.*

Medicated Wine.

Make it according to the *Spirit* deſcribed in this Section, or the *Tincture*, by boiling the ſame Ingredients with Wine, in lieu of Spirit of Wine. *Of which take a Gill three or four Times a Day.*

Medicated Ale.

The ſame Ingredients of the Spirit, and the like Quantity are to be infuſed in a Barrel of Ale when working; *which uſe as a common Drink.*

Biblious

Bilious Medicines.

Are the Galls of Quadrupeds and Fiſh, eſpecially the Sturgeon and the Eel. *e. gr.*

Take of Bull's and Sturgeon's Gall, each four Drams; evaporate them on a gentle Fire to the Conſiſtence of Honey, then add a ſufficient Quantity of the Meal of freſh Arum Root for making them into a maſs of Pills, each weighing three Grains. *Of which take one in the Morning, another at Noon, and a third at Night, an Hour before Meals.*

Here may come in the *Porcupine* Bezar, which, being infuſed in Carduus-water or in *Rheniſh* Wine, may be taken to two or three Ounces. Likewiſe the *Helmontian* Medicine, made of the Liver and Gall of an Eel, toaſted to Powder on a gentle Fire, then given to a Dram in a Glaſs of *Rheniſh* Wine.

Sapa-

Saponaceous Medicines.

See §. 54. N. 4. Among *Reſolvents.*

Sect. 75. N. 6. P. 21.

A Bath for viſcid Juices.

Take of the Tops of Rue, Savin, Wormwood, Tanſey, and of Camomile, each three handfulls; and a Gallon and a half of boiling Water; in which afterward diſſolve four Ounces of *Venetian* Soap, and an Ounce of fixed Salt.

Bliſters.

Take half an Ounce of bruiſed Horſeradiſh, freſh and full of Juice, and apply it to the Skin for half an Hour, or till the burning Pain raiſes a pretty large Inflamation, and the Redneſs of the Part begins to ſwell.

Take four Drams of Muſtard ground with Vinegar, and apply it to the Skin for four Hours.

Take two Drams of Cantharides finely pulverized, and mix them with ſix Drams of fermented Leaven, kneaded with a little Vinegar; afterward apply

ply it to the Skin for twelve Hours, or till the Scarff-skin is visibly raised.

Against DISTEMPERS *arising from a Spontaneous Alcali.*

SECT. 76. P. 22.

Alcalescent Herbs generating in the Human Body an Alcaline Substance.

Eatables, those used for Seasoning, the poisonous.

A *Bsinthium,*	Wormwood.
Alliaria,	Sauce-alone.
Allium,	Garlick.
Alysson,	Alysson.
Armoracia,	Horse-radish.
Arum,	Wake-robin.
Atriplex olida,	Stinking-Orach.
Asparagus,	Asparagrass.
Barbarea,	Wall-Cress.
Brassicæ,	Cabbage.

Bryonia

Bryonia alba,	White } Briony.
——— *nigra*,	Black }
Bunium,	Turnep
Camelina,	Treacle.
Capſica,	Guiney-pepper.
Cardiaca,	Motherwort.
Cardamine,	Ladies-ſmock.
Cataputia,	Spurge.
Centaurium minus,	The leſſer Centory.
Chamædrys,	Germander.
Chelidonium majus,	Greater } Celan-
——— *minus*	Leſs. } dine.
Cochlearia,	Scurvy-graſs.
Cepæ,	Onions.
Dentillaria,	Tooth-wort.
Digitalis,	Fox-glove.
Eruca,	Rocket.
Eryſimum,	Hedge-muſtard.
Eſula,	Spurge.
Eupatorium Cannabinum,	Eupatory of *Avicen.*
Gratiola,	Hedge-hyſſop.
Iberis,	Cuckow-flower.
Laureola,	Spurge-laurel.
Lepidium,	Dittander.
Napus,	Turnep.
Naſturtium aquaticum,	Water-creſſes.
——— *hortenſe*	Garden-creſſes.
Nerium,	Roſe-laurel.
Perſicaria acris,	Biting-arſmart.

Porrum,

Porrum,	The Leek.
Raphanus,	Radiſh.
Ruta,	Rue.
Sabina,	Savin.
Satureia,	Savory.
Sedum acre min.	The leſſer bitter Houſe-leek.
Sinapi,	Muſtard.
Squilla,	Sea-onion.
Thlaſpi,	Treacle-muſtard.
Victorialis,	Laurel of Alexandria.

SECT. 78.

Animals that chew, or do not chew the Cud.

As the Aſs, Cow, Goat, Mare, Sheep, *&c.* give Milk that will ſower; Animals which feed upon Vegetables, Graſs, Summer Fruits, or Corns, afford Fleſh and Juices that eaſily turn into an Alcaleſcent Putrefaction; hence a Man ſhould not eat Victuals of this Kind while hot. Such are,

Agnus,	A Lamb.
Anas cicur, vel domeſticus, cerealibus paſtus,	Tame or Houſe-Duck, feeding upon Corn.

Anſer

Anſer cicur, vel domeſticus,	Tame, or Houſe Gooſe.
Aper,	Boar.
Aries,	Ram.
Bos,	Cow.
Capella,	A young Goat.
Capo,	Capon.
Capra,	Goat.
Caprillus,	Wild young Goat.
Cervus,	Stag.
Columba,	Dove.
Coturnix,	Quail.
Cuniculus,	Rabbit
Gallinæ domeſticæ,	Houſe Hens.
Hædus.	Kid.
Lepus,	Hare.
Perdix domi Saginata,	Houſe Partridge.
Phaſianus domeſticus,	——Pheaſant.
Porcus,	Hog.
Sturnus,	Starling.
Turdus,	Thruſh.
Turtur	Turtle.
Vervex,	Wether Sheep.
Vitulus,	Calf.

To this Claſs may be added Shell-fiſh and Snails.

Sect. 79.

Every kind of Fiſh almoſt, both Sea and River, ſhelled, unſhelled, or bony, ſcarce any one excepted, e. gr.

Alauda,	A Lark.
Anas fluviatilis,	Wild-duck.
Anſer Marinus,	Sea-gooſe.
Cygus,	Swan.
Gallinago major,	Wood-cock.
——*minor.*	Snipe.
Merula,	Black-bird.
Ardalus,	Bittern.
Paſſer,	Sparrow.
Phaſianus Sylveſtris	Wood-pheaſant.
Vanellus,	Lap-wing.

Likewiſe ſeveral Sorts of ambigous or amphibous Birds which feed upon Inſects and Vegetables.

Sect. 88. N. 1. p. 25.

See 35. N. 1.

Sect. .88 N. 2.

See 75. N. 5.

Stimulating acid Salines.

Sect. 88. N. 5.

A ſoftening ſower Decoction.

Take of unſhelled Oats, two Ounces; and of Water, three Pints; boil them together, ſo as to make a Quart of ſtrained Decoction; then add an Ounce of freſh Citron Juice; two Drams of ſtrong Cinnamon-water; and an Ounce of Mulberries. This Decoction may ſerve in lieu of Victuals and Drink. *Or,*

Take of ſhelled Oats, two Ounces; and of Water, three Pints; boil them to a Quart; then ſtrain off the Decoction, and let it ſtand over a gentle Fire for twelve Hours, or till it begins

to

to grow ſomewhat tart; afterwards add an Ounce and a half of Syrup of Violets, half a Pint of *Rheniſh* Wine, and an Ounce and a half of diſtilled Citron-water. *This may be taken as the former.*

An Emulſion of the like Kind.

Take of ſhelled Oats, three Ounces; and make an Emulſion with a ſufficient Quantity of Water; to a Pint and a half of which add half a Dram of refined Nitre, an Ounce of Syrup of Violets, and two Drams of Vinegar of Squills.

SECT. 88. N. 6. P. 26.

Take of Oxymel of Squills, three Ounces; Vinegar of Squills, two Drams; Tincture of Myrrh in Vinegar, a Dram; and of Succory-water, ſix Ounces; and mix them. *Of which take half an Ounce every Hour.* Or,

Take of Vinegar, evaporated to the Conſiſtence of Honey, half an Ounce; of pure Honey, an Ounce; Syrup of Succory, an Ounce and a half; and of Fumatory-water, ſix Ounces; mix them

them. *Afterward take half an Ounce every Hour.* Or,

Take of Currant and Elder Juice, each two Ounces; ſimple Oxymel, an Ounce; Spirit of common Salt, twenty Drops; and of Barley-water, two Quarts. *Of which make a Mixture, and uſe it for common Drink at Pleaſure.*

Againſt DISEASES *ariſing from too great a Velocity of the Blood.*

SECT. 105. P. 29.

Anodynes.

See §. 202, 228, 229, *&c.* where we have treated of thoſe Medicines.

Againſt

Againſt DISEASES *ariſing from a too languid Motion of the Blood, and a Plethora.*

SECT. 106. L. ζ. P. 30, 31.

Sharp Diet.

See §. 76.

Sauces, Acrid and Aromatic, §. 75. N. 1.
—— Acid, §. 75. N. 5. in the firſt Claſs under the Title of *Acid Salines.*

Againſt DISEASES *ariſing from Obſtructions.*

SECT. 135. N. 3. P. 38.

NATURAL *Soaps*, conſiſting of an Oil and Alcali, are freſh ripe Juices, by Expreſſion from all ſorts of Herbs full of an Alcaline Acrimony, §. 75. or very Aromatic. §. 76. N. 6.

Soaps

Soaps *compounded by Art*, of an Alcali and Oil.

Soap black,
——*Venetian*, } from 1 to 2 *Drams.*
——*Starkeyan*, *Helmontian*, or *Matthews's* Pill, from 4 *Grains* to 1 *Scruple.*
Soaps, *Sooty volatile.*
Spirits, oily, Alcaline, conſiſting of Alcaleſcent Aromatics (§. 76.) 15 *Drops.*
——Soot 15 *Drops.*
——every kind of Moiſture, or of the ſolid Part of Animals, 18 *Drops.*
Soot itſelf.

Sect. 135. N. 4. P. 39.

Mercury ſweet, to 10 *Grains.*
——— Sublimate corroſive, $\frac{1}{8}$ *Grain* diluted.
——— Red precipitate, to 2 *Grains.*
——— White precipitate, to 4 *Grains.*
——— Yellow precipitate, or turbith, to 2 *Grains.*
———Brown precipitate, to 16 *Grains.*

Attrahents.

Are thoſe which relax the Place where there is a Fluxion, and contract where a Diſcharge is forming itſelf. *See* §. 35. 28. N. 4. *Deri-*

Derivatives.

Are thoſe which drive the Fluids into a given Place, ſuch are Evacuations in the Place, artificial Friction in the adjacent Parts.

Propellers.

Are Stimulants. §. 75. N. 5.

In WOUNDS.

SECT. 198. P. 55.

Vulnerary Decoctions and Drinks.

1. *Attenuating.*

Take of the Leaves of Tongue-laurel, Paul's-betony, and of Rue, each a handful and half; Clove-root, an Ounce; of the Flowers of the leſſer Centory, two Pugils; and as much Water as will make a Decoction of three Pints when ſtrained; then add a Dram of Carduus Salt, and three Ounces of the Syrup of the five opening Roots. *Of which take a Gill warm four Times a Day.*

2. *In-*

2. *Inſpiſſating.*

Take of Wild-purſlain, the greater and leſſer Comfrey, Mallows, and of Pellitory, each an handful; to three Pints of this Decoction made with Water, add two Ounces of the Syrup of Marſh-mallows. *It is to be taken as the former.*

3. *Mitigating.*

Take of white bruiſed Poppy-ſeeds, three Ounces, Longwort Flowers, two Ounces; Bugle-leaves, two handfuls; Viper's graſs-root, two Ounces; Liquorice, an Ounce; on which pour three Pints of boiling Water. *Uſe this Decoction in the ſame manner as the former.*

Stimulating.

Take of the Roots of Maſter-wort and Swallow-wort, each an Ounce; the Leaves of Rue and Scordium, each an handful; bruiſed Seeds of Burdock, ten Drams; the bruiſed Seeds of Cardamom, half an Ounce; the Leaves of Lavender and the leſſer Centory, each two Ounces; on

on which pour three Pints of boiling Water. *This Decoction is to be taken as the former.*

5. *A correcting Decoction by its peculiar Virtue.*

1. *Of a glutinous or viſcid State.* See the *Attenuating Decoction.*

2. *Of an Acid.*

Take of Muſtard-ſeed, half an Ounce; Horſe-radiſh, Hedge Muſtard-leaves, and Creſſes, each two Ounces; and pour upon them in a cloſe Veſſel a Quart of boiling Water. *Take half a Gill of this Decoction four Times a Day.*

3. *Of Alcaline.*

Take of ſharp-pointed Dock-root, an Ounce; Trefoil and Sorrel-leaves, two handfuls; Wood-ſorrel-root, an Ounce; and of Borrage-leaves, an Ounce and a half; on which pour a Quart of boiling Water. *This Decoction is to be taken in the ſame manner as the former.*

4. *Of an oily State.*

Take of Tamarinds, two Ounces; the Cryſtals of Tartars, ſix Drams; Graſs-roots, five Ounces; on which pour a Quart of boiling water, afterwards add two Ounces of Elder-juice. *This is to be taken like the two former.*

5. *Opening.* See *attenuating Decoction.*

6. *Relaxing.* See 54. N. 4. *Humecting Decoction.*

7. *Aſtringing.* See §. 28. N. 4. *Titled Decoction.*

Sect. 201. P. 55.

Emollients for the Belly.

α. *Fat freſh Meat Broths.*

β. *Soft Herbs* boiled in Broth, §. 35. N. 1.

γ. *Emollient* or *Humecting-broths*, either drunk or injected, §. 35. N. 3 §. 54. N. 4.

δ. *Freſh Oils by Expreſſion*, as thoſe of Sweet-almonds and Olives.

Relaxers of the Belly are almoſt of the ſame Nature with Emollients.

Gentle cooling Purges.

α. Ripe Summer Acido-ſweet, pulpous and ſucculent Fruit, *as*,

Alkekengi,	Winter Cherries.
Baccæ Ebuli,	Dwarf Elder-berries.
—— *Sambuci*,	Elder-berries.
Caricæ,	Figs.

Ceraſa

Ceraſa horſtenſia quæcunq;	All Sorts of Garden Cherries.
Chamæmora,	Knot-berries.
Chamærubi,	Bramble-berries.
Fraga,	Straw-berries.
Jujubæ,	Jujebs.
Mala Armenica,	Apricocks.
——*Perſica,*	Peaches.
——*Vulgaria,*	Orchard Apples.
Pruna hortenſia, alba cærulea,	Garden Prunes, white and blue.
——*Damaſcena, Gallica,*	Damaſcenes, *French.*
——*Prignolenſia rubra,*	Red Prunelloes.
Ribeſia alba, nigra, rubra,	Currans, Red, White, and Black.
Rubi vulgares nigri,	Raſp-berries, common and black.
——*Idæi albi rubri,*	——Red and white.
Sebeſten,	Sebeſtens.
Tamarindi,	Tamarinds.
Uvæ vitis omnes Species,	Grapes of all Sorts.
——*Gruinæ,*	Crane-berries.
——*Criſpæ,*	Gooſe-berries.

℞. *Their freſh Juice and Muſt.*

℥. *Caſiæ,*	Of Caſſia, 2 *Ounces.*
Mannæ,	Manna, 2 *Ounces.*
Tamarindi,	Tamarinds, 2 *Ounces.*
Pulpæ Tamarindor.	Pulp of Tamarinds, 2 *Ounces.*
Succi Roſar. pallidar.	The Juice of Damask Roſes, 1 *Ounce.*
Aloës roſati,	Roſated Aloes, 6 *Grains.*
Paſſulæ,	Raiſons, 4 *Ounces.*
Galbani,	Galbanum ½ *Scruple.*
Radic. Polypodii Quercini,	The Root of Polypody of the Oak, 1 ½ *Ounce.*
Rabarbari,	Rhubarb 1 ½ *Scruple.*
——*in infuſio,*	—— in Infuſion, 1 *Dram.*
Syrup. Althaeæ Fernelii,	*Fernelius*'s Syrup of Marſhmallows, 3 *Ounces.*
—— *Chichorei cum Rheo,*	The Syrup of Succory with Rhubarb, 1 ½ *Ounce.*
—— *Fumariæ,*	—— Fumatory, 2 *Ounces.*

—— *Roſ.*

——— *Roſ. Solutiv.* ——— Solutive Roſes, 1 ½ *Ounce.*

———*Violar. Simpl.* ——— Violets, 2 *Ounces.*

Mellis ſimplicis in aqua dilut. Plain Honey diluted in Water, 2 *Ounces.*

Pilulæ Ruſi. *Ruffy's* Pills, to 6 *Grains.*

SECT. 202.

Anodynes are

Thoſe Medicines, which either remove or leſſen the Cauſes of Pain.

1. *Dilutors*, §. 54. N. 4.
2. *Laxatives*, §. 35. N. 1.
3. *Moiſteners*, §. 35. N. 4.
4. *Correctors of Acidities*, §. 66. 88.
5. *Reſolvents of diſtended Tumors*, §. 54. N. 4.

Narcotics are,

Theſe Medicines which obtund the Acuteneſs of Senſation; and are

1. *The moſt mild Paragoricks*, as the Bruiſed Seeds of White Poppies, 2 *Ounces.*

Syrup of the Tops of White Poppies, 1 ½ *Ounce.*

——— Diacodium, 1 ½ *Ounce.*

——— Red Pooppies, 3 *Ounces.*

Several Forms of Medicines may from hence be prepared, and carefully administred, *e. gr.*

Composing Draught.

Take of Red-poppy Flower-water, three Ounces; Bean-flower-water, an Ounce; Piony and Elder-flower-water, each an Ounce and a half; Lime-tree-flower-water, an Ounce; and of the Syrup of Red-poppies, an Ounce and a half. Mix them.

The same Draught, a little more Hypnotick.

Take in lieu of the former Mixture, the Syrup of Red Poppies, and as much of the Syrup of *Diacodium*, or of the Syrup of White Poppy-heads.

A quieting Emulsion.

Take of sweet Almonds, Pine-apples, and of white Poppy-seeds, each an Ounce;

Ounce; and a ſufficient Quantity of red Poppy-flower-water: make an Emulſion; to ten Ounces of which add an Ounce of red Poppy-ſyrup.

The ſame Emulſion ſome what more ſomniferous.

Take, in lieu of the Syrup of red Poppies, the ſame Quantity of the Syrup of *Diacodium*, or of the Syrup of white Poppy-heads in the preceeding Emulſion.

2. *Stronger Narcotics.*

Take two Grains of the pureſt Opium, and make it into three Pills; *Let one of which be given for a Doſe, repeat the ſecond an Hour after, if the former has had no Effect; and ſo the third.*

Powder.

Take of the fineſt Opium a little dried, two Grains; red Coral and Pearl Sugar, each half a Dram, and make thereof a Powder, which divide in three Doſes. *Each to be taken after the ſame manner as the Pills.*

Preſerve.

Take of the former Opium pulverized, one Doſe, and of Quince Marmalade, a Dram; mix and make them into a Bolus. *Which may be taken and repeated like the former.*

Draught in Drops.

Take of Opium a little dried, a Dram; and of rectified Spirit of Wine an Ounce; make them into a Tincture. *Of which take thirty Drops in two Ounces of Balm-water, and half an Ounce of the Syrup of red Poppies.* Or,

Take a Dram of Opium gently dried, and an Ounce of Spirit of Vinegar; make them into a Tincture. *Whereof take thirty Drops in two Ounces of red Poppy-water, and half an Ounce of red Poppy-Syrup.*

Hot Mixture.

Take of Liquid Laudanum made with rectified Spirit of Wine, 70 Drops; Syrup of white Poppies, ſix Drams; Citron, Orange and Cinnamon-water, each two Ounces;

Ounces; mix them. *Of which take a Spoonful every half Hour till the Pain ceaſes.*

Cold Mixture.

Take of Liquid Laudanum made with Spirit of Vinegar, eighty Drops; Syrup of Mulberries, ſix Drams; Borrage and wild Poppy-water, each three Ounces. *Of which make a Mixture and uſe it in the ſame Manner as the hot.*

Emulſion.

Take of white Poppy-ſeeds bruiſed, two Ounces; and make an Emulſion with a ſufficient Quantity of Barley-water; to ten Ounces of which add an Ounce and a half of the Syrup of Diacodium, twenty Drops of Liquid Laudanum made with rectified Spirit of Wine, two Drams of ſtrong Cinnamon-water, and ten Drams of Citron-water. *Of which take an Ounce and a half of this every half Hour till the Pain begins to ceaſe.*

Epithem.

Take of Liquid Laudanum made with Spirit of Vinegar, three Drams; Elder

and Roſe-Vinegar, each half an Ounce; mix and make an Epithem, *and apply it to both Temples with Cloths.*

It is here very proper ſo to apply Demulcents, that the Cauſe may be removed which deprives the Patient of Reſt, and that is the Pain of the Part: Therefore the following applied warm, and their Heat continued till the Pain ceaſes, are highly ſerviceable.

Cataplaſm.

Take of freſh Garden Poppy-leaves, a handful; Henbane-leaves, half a handful, and of Marſhmallow-leaves, four handfuls; boil them in freſh Milk, and about the end add an Ounce of Linſeed, and two Ounces of Linſeed-oil. *Of which make a Cataplaſm.*

Fomentation.

Take three Pints of the Decoction of the former Cataplaſm, a little more diluted, and mix with it half a Dram of pure Opium. *Of which make a Fomentation.*

Sect. 204. P. 56.

Soft Vulnerary Balsams.

1. *Natural Balsams.*

Copaibæ,	Balsam Capivi.
De Gilead,	—— of Gilead.
Liquidambar,	—— of Liquid Amber.
De Mecha,	——Mech.
Opobalsamum,	Opobalsam.
Palmæ,	Balsam of the Palm-tree.
De Peru,	—— Peru.
—*Tolu,*	—— Tolu.
—*Terebinthina,*	—— Turpentine.

2. *Artificial Simple Balsams.*

Oleum rectificat. Ceræ,	Oil rectified of Wax,
—*Terebinth. crassum,*	—of Turpentine, thick.
—*Lini,*	—Linseed.
—*Hyperici,*	—St. John's-wort,
—*Rosarum,*	—Roses.
—*Solani,*	—Night-shade.

Oleum

Oleum Trifol. Odorat. Oil of Odoriferous Trefoil.
Bytyrum recens, Freſh Butter.

3. *Compound artificial Balſams.*

Take of the Flowers of Sulphur, four Drams; of Linſeed, or Olive-Oil, four Ounces, and boil them on a gentle Fire till the Sulphur is wholly diſſolved. Take of the fineſt Gum Elemi cut very ſmall, one Pugil; diſſolve it on a gentle Fire, then add a Pugil of pure native *Venice* Turpentine; melt and ſtrain them; afterward add two Pugils of Oxe's Marrow when depurated. *This is an Univerſal Balſam like that of* Arcæus's.

Take of red Saunders, a Pound; common Water, half a Gallon; boil it for two Hours, then ſtrain it; afterward evaporate it to a thick Extract, to which add two Drams of Dragon's-blood finely pulverized.

Mix a ſmall Quantity of this with the former Balſam, till it makes an agreeable red Colour; and you will have a *red Balſam.*

Take of Olive Oil, a Pound and half; of red Saunders, half an Ounce; boil them gently till the Oil becomes red, then ſtrain it while hot; afterward diſſolve

ſolve in it, upon a gentle Fire, a Pound of Citron coloured Wax and a Pound and a half of the beſt Turpentine.

This is like *Lucatellus*'s Balſam; and if you add to it an Ounce of the Balſam of *Peru*, it will be preferable.

The Uſe of theſe Balſams; drop them into the Wound when warm, then lay over it a Pleget tinged with the Balſam, *and dreſs it once every twenty four Hours.*

SECT. 205.

Red Defenſive Plaiſter.

Take of Oil of Roſes, and of white Wax, each ſix Ounces; *Armenian* Bole and of Dragon's Blood, each an Ounce and a half; of red Roſes pulverized, half an Ounce; mix and ſtir them till they grow cold.

Blue

Blue Defenſive Plaiſter.

Red Lead Plaiſter.

SECT. 207.

Digeſtive.

Take of native Turpentine an Ounce, with the white of an Egg; and, when well mixed, add half an Ounce of the Honey of Roſes.

An Abſtengent.

Take of Aloes, Myrrh, the Leaves of Scordium, finely pulverized, each two Drams; *Venetian* Soap very ſmall ſcrap'd, a Dram; bruiſe them well together, afterward add three Ounces of the former Digeſtive.

Corroders.

1. *Gentle.*

Alumen uſtum, Burnt Alum.
Cinis Ligni viridis combuſti, The Aſhes of green burnt Wood.

Mer-

Mercurius dulcis,	Mercurius dulcis.
—*albus præcipitatus,*	White Precipitate.
Vitriolum Album,	White Vitriol.

2. *Stronger.*

Mercurius ruber præcipitatus.	Red Præcipitate.
Vitrioli Colcothar,	The Colcothar, or Caput mortuum, of Vitriol.
Trochſci de Minio Vigonis,	*Vigo*'s Troches of red Lead.

3. *Strongeſt.*

Butyrum Antimonii,	Butter of Antimony.
Lapis infernalis,	Infernal Stone.
Mercurius ſublimatus corroſivus,	Corroſive ſublimate.
Oleum Tartari per deliquium	Oil of Tartar *per deliquium*
Oleum Vitrioli,	Oil of Vitriol.

The ſtronger Medicines are, they therefore ought to be the more cautiouſly preſcribed.

Take

Take of Aloes, and of Myrrh, each a Dram; Salt of Tartar, two Drams; and of common Water two Ounces: *Mix and boil them to an Elixir.*

Driers.

Take of Verdigreaſe, five Ounces; Crude Alum, an Ounce; ſtrong Vinegar, ſeven Ounces; and of Honey fourteen Ounces; boil them to the Conſiſtence of an Ointment †.

Alumen leviter calcinatum,	Alum gently calcined.
Aqua Calcis vivæ,	Lime-water.
Lapis Hæmatitis,	Blood-ſtone.
Maſtiche,	Maſtick.
Sanguis Draconis,	Dragon's Blood.
Sarcocolla,	Sarcocol.

† This Medicine is of very conſiderable Virtue, and may be frequently uſed externally by Chirurgeons to keep down Fungous Fleſh; take off Excreſcences and the like; but in thoſe Caſes where it is too ſharp or corroſive, its Qualities may be abated by the Addition of Frankincenſe.

SECT. 209. P. 57.

Sarcoticks.

Vulnerary Balſams, §. 204.

Take of yellow Wax, black Pitch, and of common Roſin, each half a Pound; and of Linſeed-Oil, two Pound; make them into a Balſam.

This is the Royal Ointment, or Medicine of four Ingredients.

Take of yellow Wax, Six Ounces; and of the Oil of Flowers of St. John's-wort, prepared by Infuſion, two Pound and a half; melt them together over a gentle Fire; then add of the dried Roſin, when bruiſed, and of choice common Colophony, each an Ounce and a half. When they are diſſolved, remove them from the Fire, and ſtrain them through a Piece of Linnen-cloth; afterward put in two Ounces of pure *Venice*-Turpentine; an Ounce of the beſt Maſtich, with the ſame Quantity of pure Olibanum; and a Dram of Saffron bruiſed very ſmall, and ſtir them about with a wooden

a wooden Spatula till they become an Ointment.

This is the Golden Ointment.

SECT. 212. P. 57.

Adheſive Plaiſters.

Take a ſufficient Quantity of Diapalma, with a little Olive Oil and make them up into a Plaiſter.

Take a ſufficient Quantity of common Pitch, and apply it, when ſpread on a Piece of Linnen-cloth.

SECT. 217. P. 59.

Cicatrizers, or Eupoloticks.

Unguentum deſiccativum rubrum,	The red drying Ointment.
—— *Diapompholyg.*	Ointment of Pompholyx.
—— *Calcis,*	—— Lime.
—— *Nutritum,*	The Ointment called Nutritum.
—— *Album Rhaſis,*	White Ointment made with a hard Pitch.

Empla-

Emplaſtrum album coctum,	White Plaiſter boiled.
—— *de Lapide Calaminar. ſeu griſeum,*	The Calamine Plaiſter.
—— *Minio rubrum,*	Red Lead Plaiſter.
Sparadrapum Gualtheri,	*Walter's* Cerate.
Colophonia ex Terebinth. cocta in farinam redacta,	Colophony of Turpentine digeſted and reduced to Powder.
Tus,	Frankincenſe.
Olibanum,	Male Frankincenſe.
Maſtiche,	Maſtich.

Againſt HEMORRHAGIES.

SECT. 218. P. 59.

Corroſives.

Vitriolum Album,	White Vitriol.
Lapis Infernalis,	The Infernal Stone.
Oleum Vitrioli,	Oil of Vitriol.

Ad-

Adſtringents.

1. *Thoſe which contract the Veſſels.*

Alcohol,	Alcohol.
Sp. Terebinth.	Spirit of Turpentine.
Succus Cydoneorum recens immaturorum,	The Juice of freſh unripe Quinces.
Sanguis Draconis,	Dragon's Blood.
Crepitus Lupi,	The Flowers of Hops.
Crocus Martis,	Saffron of Iron.

2. *Thoſe which coagulate the Curor.*

Alcohol,	Alcohol.
Spirit. Nitri,	Spirit of Nitre.
Spirit. Sulphuris,	Spirit of Sulphur.
Vitriolum calcinatum,	Calcined Vitriol.
Sacchar. Saturni,	Sugar of Lead.
Granatorum Cortex,	Pomegranate-Bark.
——— *Flores,*	Pomegranate Flowers.
Lapis Hæmatitis,	Blood-ſtone.

Againſt PAINS.

SECT. 228, and 229. P. 61.

SECT. 202.

Againſt CONVULSIONS

SECT. 234. N. 2. P. 62.

See 66. 88.

SECT. 234. N. 4.

Such is the Broth of freſh Fleſh.

SECT. 235.

Antiſpaſmodicks.

1. *Laxatives,*	3. *Reſolvents.*
2. *Diluters,*	4. *Abſorbents.*
Lapis Cancrorum,	Crabs-eyes.
Margarita,	Pearl.
Ebur,	Ivory.

Cornu

Cornu Cervi,	Hartshorn.
Sanguis Hirci,	Goat's Blood.
Dens Apri,	Boar's Tooth.
Ungula Alcis, &c.	Elk's Hoof, *&c.*§. 66. N. 5.

5. *Opiats.* §. 202.

Sect. 236.

Coagulated and extravaſated Blood is diluted by theſe, or others of a like Nature.

Take of common Honey, two Ounces; *Venetian*-Soap, two Drams; Sea-ſalt, half an Ounce; and of Rain-water, twelve Ounces. Mix them.

Take of Sal-Ammoniac, and of Nitre, each three Drams; the freſh Urine of a healthy Perſon, twelve Ounces; and of common Honey, two Ounces; Mix them.

Take of Aloes diſſolved in Water, then ſtrained of its reſinous fæces, and afterward gently evaporated to the Conſiſtence of a Honey, half an Ounce; Sal Ammoniac, and Borax, each two Drams; pure Honey, two Ounces; Rain-water, nine Ounces; and of *French* White-wine, two Ounces. Mix them.

A care-

A careful Injection of theſe when warmed, afterward gently ſhaking the Part with the ſtagnating Blood there, dilutes, reſolves, preſerves from Corruption, and prepares an Exit for the corrupted Blood: Whence the chief Uſe of theſe Medicines is to unite where the Blood is elapſed beyond the Veſſels, and ſtagnates in the large Cavities.

In WOUNDS *of the* HEAD.

SECT. 247. P. 64.

For digeſting Bruiſes.

Whatever Medicines attenuate, dilute, and preſerve from Corruption, are here ſerviceable.

1. Apply the following Ointment ſpread upon Plegets.

Take two Ounces of Turpentine and the Yolk of an Egg, mix them well together, then add two Ounces of the Baſilicon Ointment, with half an Ounce of pure Aloes.

2. Lay on the following Plaiſter.

Take of depurated Galbanum, and after-

afterward dissolved with the Yolk of an Egg, four Ounces; yellow Wax, two Ounces; and of the Oil of St. *John*'s-wort, three Drams. Mix them.

3. Lastly, apply above this Apparatus Woollen-cloaths, as hot as can be endured, diped into, and afterwards wrung out of the following Fomentation.

Take of the Leaves of fresh Rue and Scordium, each two handfuls; the Leaves of the lesser Centory, Elder, and of Roses, each three Ounces; with thirty Ounces of boiling Water, when strained, add five Ounces of Spirit of Wine, with two Drams of *Venetian*-Soap.

Sect. 252. N. 2. P. 65.

Take of Spirit of Wine, once rectified, an Ounce; Rose-water, half an Ounce; and of pulverized Mastich, three Drams. Preserve the Decoction in a tall Phial for Use.

Sect.

Sect. 279. P. 71.

A Cathartic is here ſerviceable.

A gentle purging Draught.

Take fourteen Grains of pure *Syrian* Scammony, with two Drams of the Queen of *Hungary*'s Spirit; having ground them in a Glaſs-mortar according to Art, and freed them of their Fæces; afterward add ſix Drams of the Syrup of Solutive Roſes with Senna. *Of which make a Draught.*

Take a Dram of Jalap Root pulverized, with two Drams of fine Sugar, and grind them for ſometime in a Glaſs-mortar; then add by Degrees, three Ounces of Rain-water: Make an Emulſion according to Art; with which afterward mix half an Ounce of the Syrup of Rhubarb, *and make a Draught.*

Sect. 281. N. 2.

Attenuating, diluting, and aqueous Medicines are here proper.

Take of white Saunders, half an Ounce; yellow Saunders, an Ounce; Saſſafras-wood, half an Ounce; Rue-leaves, half a handful; Agrimony-leaves, a handful; the Flowers of *Arabian*-Stoechas and Lavender, each two Drams; the Roots of Fennel, Parſley, and of Butcher's-broom, each an Ounce: On which pour two Quarts of boiling Water, and let them ſtand in a cloſe Veſſel for fifteen Minutes. *Afterward drink two Ounces, when ſtrained, every half Hour.*

Sect. 281. N. 3.

See 247. N. 2. 3.

Sect. 295. P. 74.

We have treated of theſe Remedies particularly in the Hiſtory of the Diſeaſes.

Againſt

Againſt WOUNDS *of the* THORAX.

SECT. 303. N. 3. P. 77.

See 236.

Againſt WOUNDS *of the* ABDOMEN.

SECT. 315. P. 80.

A proper Fomentation here.

TAKE a ſufficient Quantity of the Inteſtines of a clean young Animal, and boil them about four Minutes in a ſufficient Quantity of Water; then add of Camomile, Lavender, and of Centory-flowers, each half a handful; and of Mint-leaves, a handful; afterwards let them infuſe for four Minutes. *This Decoction will ſerve for a Fomentation, to be applied with Cloths.*

An Extemporanous Fomentation.

Uſe freſh Milk warmed.

SECT. 319.

Fomentations.

See 315.

SECT. 320.

Glyſter.

Take of Honey, three Ounces; common Salt, a Dram; and of Barley-water, ſeven Ounces: *Mix them and make a Glyſter to be thruſt in Morning and Evening, for the firſt three Days, after receiving the Wound.*

Let the Diet be only Fleſh-broth, a little ſalted.

For CONTUSIONS.

SECT. 334. P. 83.

A ſtrong cooling Cathartic.

Take two Drams and a half of Agaric, with a Scruple of Sal Polychreſtum. *Mix them up for a Purge.*

Take an Ounce of the freſh middle Bark of Dwarf-elder, or Elder; bruiſe it, then boil it a few Minutes in ſuch a Quantity of Rain-water as will make four Ounces of ſtrained Decoction, *for a Draught.*

Take of prepared Jalap, as in SECT. 279.

Take a Dram and a half of Jalap Root pulverized.

Take two Drams of Mechoacan Root pulverized.

Take an Ounce of the freſh Leaves of Bind-weed.

Take of Agaric, two Drams; Senna-leaves, three Drams; Mechoacan-root, a Dram; and of Tamarinds, two Ounces; ſlice, bruiſe, and let them macerate in Rain-water for half an Hour; then boil them gently for eight Minutes; afterward mix with nine Ounces

of the ſtrained Decoction half a Dram of Salt-prunella, and nine Drams of the Syrup of Solutive Roſes with Senna. *Of which let the Patient take an Ounce every half Hour till he is well purged.*

The ſame in a leſſer Quantity.

Take of *Syrian* Scammony, thirteen Grains; Diaphoretic Antimony, a Scruple; and of the Syrup of Solutive Roſes with Senna, ſix Drams: Bruiſe well in a Mortar, afterward add half an Ounce of Succory-water. *Of which make a Draught.*

Fomentation for Contuſions.

Take of white Bryony-root, two Ounces; round Birthwort-root, an Ounce; the freſh Leaves of Rue and Savin, each a handful; Tanſey, Camomile, and Feverfew-flowers, each an Ounce; with ſix Ounces of freſh Onions: Digeſt them in a cloſe Veſſel in boiling hot Water for half an Hour, then let them boil a Minute; and to twenty-five Ounces of the ſtrained Juice through a Cloth by Expreſſion, add half

an

an Ounce of Flax-meal. Boil them again for a ſhort Time; afterward mix with the whole Decoction, when cold, two Ounces of Treacle-ſpirit of Wine and an Ounce of Sal-Ammoniac. *Apply it with woollen Cloths.*

Cataplaſm.

Make a Cataplaſm of the former Ingredients; about the End add a ſufficient Quantity of Flax-meal; an Ounce of Galbanum, diſſolved in the Yolk of an Egg; and half an Ounce of Camomile Oil.

Plaiſter.

Take of Bryony-root, ground into Meal, two Ounces; Flowers of Sulphur, an Ounce; Æthiops, three Drams; pure Galbanum, diſſolved according to Art, four Ounces; Melilot-plaiſter, nine Ounces; with a ſufficient Quantity of Camomile-oil: *Of which make a Plaiſter.*

The following Plaiſters are here proper.

Emplaſtra de Galbano, ſeu Ceratum Matricale, vel Antidotar. correctius Gaudavenſe,	Plaiſters of Galbanum, or the Anti-hyſteric Cerate, or more properly the *Gaunt* Antidote.
—*Baccis Lauri Meſue*	—Bay-berries.
—*Betonica,*	—Betony.
—*Cumino,*	—Cummin.
Emplaſtrum Cephalicum,	Cephalic Plaiſter.
—*Diachyl. cum gummis,*	Diachylon with Gums.
—*Diaphorecticum,*	Diaphorectic Plaiſter.
—*Iſchiadicum,*	Iſchiadic.—
—*de Meliloto,*	Melilot.—
——*Mucilaginibus,*	Mucilage.—
—*Oxycroceum,*	Oxycroceum.
— *de Ranis,*	Frog-plaiſter.
——*cum Mercurio.*	—with Mercury.

Internal Reſolvents.

See in §. 54. N. 4.

Sudorifics are,

1. *Diluents,* drunk hot; §. 54. N. 4.

2. *Inter-*

2. *Internal Resolvents*; §. 54. N. 4.
3. *Stimulants*; §. 75. N. 5.
4. *Laxatives*; §. 35. N. 3.
5. *Sweating*.

Diuretics are,

1. *Diluents*, drunk cold or hot; §. 54. N. 4.
2. *Internal Resolvents*; §. 54. N. 4.
3. *Stimulants*, chiefly Saline, Saponaceous; §. 75. N. 5.
4. *Laxatives*, applied to the Kidnyes; chiefly by Fomentation, Clyster, §. 35. N. 3.
5. *Heat* applied to the Kidneys, Hypogastric Region and Perinæum; but the remaining Part of the Body being a little cooler than usual.

Sect. 336. P. 83.

See 88. N. 1. and 35. N. 1.

In an Inflammation.

Sect. 396. N. 2. P. 97.

A cooling Cathartic.

Cremor Tartari,	Cream of Tartar, 6 *Drams.*
Cryſtalli Tartari,	Cryſtals of Tartar, 6 *Drams.*
Ipſe Tartarus,	Tartar itſelf, 6 *Drams.*
Sal Polychreſt.	Sal Polychreſtum, 5 *Scruples.*
Pulp. Tamarind.	Pulp of Tamarinds, 3 *Ounces.*
Tamarindi,	Tamarinds, 4 *Ounces.*
Rob. Sambuc.	Elder Juice, 4 *Ounces.*
Rhabarbari,	Rhubarb, ½ *Dram.*

Take of the beſt Rhubarb, a Dram; Sal Polychreſtum, a Scruple and a half; and of the Syrup of Succory with Rhubarb, an

an Ounce; when bruiſed altogether, diſſolve them in two Ounces of Elder-flower-water, with two Drams of ſtrong Cinnamon-water. *Of which make a Draught.*

Take two Ounces of the Pulp of the beſt Tamarinds, with three Drams of the Cryſtals of Tartar finely pulverized, and mix them. *Of which let the Patient take a Dram every half Quarter of an Hour till he is pretty well purged.*

Take of the Leaves of choiſe Senna without Stalks, two Drams; of beſt Agaric, a Dram; and of Tamarinds, two Ounces; boil them with a ſufficient Quantity of Elder-flower-water in a cloſe Veſſel for fifteen Minutes; then add to five Ounces of the ſtrained Decoction, through a Cloth, a Dram of refined Nitre, and ſix Drams of the Syrup of Solutive Roſes with Senna. *Of which make a Draught.*

Take of Senna-leaves, three Drams; Tamarinds, two Ounces; and of Agaric, three Drams; infuſe them into a ſufficient Quantity of boiling Water for fifteen Minutes; to a Pint of which add an Ounce of the Syrup of Succory with Rhubarb. *Afterward let the Patient take an Ounce every half Hour, till he is purged.*

For the reſt *See* §. 334.

SECT.

Sect. 396. N. 4.

Epiſpaſtics.

Conſiſt of *Attrahents* to a Place: §. 135. N. 4.

——— *Derivants* thither: §. 135. N. 4.

——— *Propellents* from that Place: §. 135. N. 4. and §. 75. N. 5.

Veſicants.

See §. 75. N. 6.

Sect. 396. N. 5.

A diluting and refrigerating Medicine in this Caſe.

Take of the Roots of Sorrel, two Ounces; Graſs, and Viper's Graſs Roots, each three Ounces; Leaves of Brooklime, Wood-ſorrel, and Agrimony, each a handful; infuſe them in a ſufficient Quantity of boiling Water, for ſeven or eight Minutes; then add of Borage, Bugloſs, Roſe, and Violet Leaves, each a Pugil: Digeſt them in a cloſe Veſſel for half a Quarter

Quarter of an Hour, afterward ſtrain of the Decoction, and with three Pints thereof mix two Drams of refined Nitre, and three Ounces of Elder Juice. *Of which take three Ounces every Hour.*

Take of Elder-flower-water, fifteen Ounces; Elder Juice, two Ounces; and of refined Nitre, a Dram. Mix them. *Of which take an Ounce every Hour.*

Take of the bruiſed Seeds of Burdock, half an Ounce; Parſley, ſix Drams; and of Succory an Ounce; make them into an Emulſion with a ſufficient Quantity of Parſley-water, and in twelve Ounces of which diſolve a Dram of refined Nitre, and an Ounce of the Syrup of the five opening Roots. *Whereof take an Ounce every Hour.*

Take of unwaſhed Diaphoretic Antimony, a Dram; of Prunella Stone, half a Dram; and of Zedoary-root, a Scruple. Mix and make them into a Powder, to be divided into ſix Doſes: *One to be taken every three Hours in a Ptiſan.*

Sect. 398. N. 1. P. 98.

A thin Aromatic Decoction to be drunk hot.

Take of the three Saunders's, and Carline Thiſtle Root, each an Ounce; Parſley and Fennel Roots, each three Ounces; and of Reſt-harrow-root, two Ounces; infuſe them for Half an Hour in a ſufficient Quantity of boiling Water; then add Saſſaphras Wood, ſliced, two Ounces; the Leaves of Betony, Rue, Scabious, and Colt's-foot, each a handful. Let them ſtand in a hot Digeſtion for half an Hour, in a cloſe Veſſel, and ſtrain off five Pints of Liquor. *Of which let the Patient drink two Ounces hot every Hour.*

Sect.

SECT. 398. N. 1. 2. 3.

See §. 107. *to* 144.

For ABSCESSES.

SECT. 403. N. 1. 2. P. 100.

Ripeners.

1. *Simple Aromatic Gums.*

Gumm. Ammoniacum,	Gum Ammoniac.
— *Bdellium,*	—— Bdellium.
— *Elemni,*	—— Elemi.
— *Galbanum,*	—— Galbanum.
— *Opopanax,*	—— Opopanax.
— *Sagapenum,*	—— Sagapenum

2. *Emollients, Laxants, Humectants,* §. 54. N. 4.

Forms.

Take of Rice-meal, four Ounces; Vinegar, two Drams; and of Galbanum, diſſolved

diſſolved in the Yolk of an Egg, an Ounce; with a ſufficient Quantity of boiling Water for a Poulteſs; about the end add an Ounce of the Oil of white Lillies; and make a Cataplaſm.

Take four handfuls of freſh Sorrel-leaves, with an Ounce of freſh Butter, and boil them for a ſhort Time on a gentle Fire; afterward add two Ounces of fermented Bread, with half an Ounce of Gum Sagapenum diſſolved in the Yolk of an Egg. *Of which make a Cataplaſm according to Art.*

Take of Honey, boiled to a little greater Conſiſtence, four Ounces; Onions, roaſted under the Aſhes, three Ounces; and of fat Figgs, four Ounces; boil them in a ſufficient Quantity of Water for a Poulteſs, then add half an Ounce of Flax-meal, and make a Cataplaſm.

Take of ſhelled Oats, an Ounce; freſh Flax-meal, two Ounces; white Lilley-roots, three Ounces; and of Marſh-mallow-leaves, an Ounce; boil them in a ſufficient Quantity of new Milk, afterward add two Ounces of freſh Butter, and make a Cataplaſm.

SECT.

Sect. 403. N. 4.

A Decoction ſerves to excite a ſufficient Motion *for this Intention*, §. 398. N. 1.

Sect. 409. P. 102.

Take of ſower fermented Bread, two Ounces; *Venetian* Soap, ſliced, and of Cammomile-oil, by infuſion, each two Drams; with half an Ounce of Honey. *Mix and make them into a Cataplaſm.*

And what are ordered §. 403. 1, 2. are here proper.

Sect. 412.

Take of Herb trinity Aſhes, four Ounces; with ſix Ounces of Quick-lime; when bruiſed, mix them; then let them melt in a moiſt Place; afterward filtre, inſpiſſate, and put them in a Crucible on a ſtrong Fire; laſtly, pour them out in ſmall Stones, carefully kept in a dry cloſe Veſſel. Spread a ſmall Quantity of them, when ſcraped, upon a Pleget; and apply it to the Part for two Hours, afterward ſoften the Eſchar with Butter.

Lay

Lay a little Butter of Antimony upon the Apex of the Protuberant Abſceſs. *Or*, hold the infernal Stone to the ſame Apex for a ſhort Time.

In curing FISTULES.

SECT. 415. P. 103.

Melted Digeſtives.

Take of native Turpentine, two Ounces; and of the Yolks of Eggs, an Ounce; when mixed, add two Ounces of common Honey, half an Ounce of common Spirit of Wine, with four Ounces of common Water; and after warmed and well mixed inject it. *Or*,

Take an Ounce of *Arcæus*'s Balſam, with the like Quantity of the Yolks of Eggs; and when mixed, diſſolve it in eight Ounces of common Wine Spirit. *It is uſed as the former.*

Deterſives.

Take of the Honey of Roſes, two Ounces; of *Elixir Proprietatis* prepared with

with Salt of Tartar, half an Ounce; and of Barber's Lye, eight Ounces. Mix them. *Or*,

Take of round Birthwort-root, two Ounces; the dried Leaves of Scordium, an Ounce; and of bruiſed Juniper-berries, an Ounce; boil them with a ſufficient Quantity of weak Spirit of Wine in a tall Phial for an Hour; afterward ſtrain the Liquor, and to twenty Ounces of which add an Ounce of *Venetian* Soap. *It is to be uſed as the former.*

When the Fiſtula is clean, the following Injection ſerves to conſolidate it.

Injection.

Takeof the infuſed Oil of St. *John's*-wort, four Ounces; Aloes, Myrrh, and of Male Frankincenſe, each two Drams; boil them gently, then diſſolve the Mixture in two Ounces of the Yolks of Eggs; afterward cool it a little, and inject it into the clean Fiſtula.

In a GANGRENE.

SECT. 434. N. 1. P. 108.

An exciting Spirit in a Gangrene from a hot Cauſe or an Alcaline Conſtitution.

Take of freſh Citron Juice by Expreſſion, two Ounces; Orange Juice, an Ounce; freſh Mulberry Syrup, two Ounces; Citron-water, four Ounces; Balm-water, two Ounces; ſtrong Cinnamon-water, an Ounce; *Rheniſh*-wine, ſix Ounces; and a ſufficient Quantity of Sugar, if required. *Of which make a Mixture, and drink an Ounce every Hour, or every half Hour.* Or,

Take of Currant and Barberry Juice, each two Ounces; Spirit of Salt, half a Dram; Balm-water, ſix Ounces; and of *Rheniſh* Wine, ten Ounces. *Of which make a Mixture, and take an Ounce every Hour.*

If the Patient is ſeized with a cold Gangrene, and of a Phlegmatic or acid Temperature.

Take

Take of Volatile oily Salt, three Drams; of *Elixir Proprietatis* prepared with Salt of Tartar, two Drams; *Matthiolus*'s Water of Life, three Ounces; Citron-water, ſix Ounces; the Syrup of the five opening Roots, *Fernelius*'s Syrup of Mugwort, each an Ounce; with two Drams of the Confection of Alkermes. *Which mix and uſe after the ſame Manner with the former.*

SECT. 434. N. 2. P. 109.

In an Acid Conſtitution, §. 66. N. 12.
In an Alcaline one, §. 88. N. 5, 6.

SECT. 434. N. 3.

In an Alcaleſcent hot Conſtitution.

Take of *Rheniſh* Wine, a Pint; Cinnamon, Cloves, Mace, Nutmeg, each two Drams; digeſt them in a Sand-heat in a tall Phial, afterward put toaſted Bread into this Decoction.

In an Acid cold one.

Take of Volatile oily Sal[t] h[a]lf an Ounce; Spirit of Citron Peel, [t]wo Ounces;

ces; Spirit of Lavender, and Mint, each an Ounce; with two Ounces of Treacle Spirit. Which mix and put in toaſted Bread.

SECT. 435. N. 2.

Fomentation for a Gangrene.

Take of freſh Rue Leaves, four handfuls; Mallow Leaves, two handfuls; Sauce-alone Leaves, one handful; and of Flax-meal, an Ounce: Boil them in a cloſe Veſſel with a ſufficient Quantity of Water, then ſtrain the Decoction, and to two Quarts of which add two Drams of *Venetian* Soap: *Afterward make a Fomentation to be applied with Woollen-cloths.*

Take of Elder Vinegar, two Ounces; Elder-flower-water, ten Ounces; Sal Ammoniac, two Drams; with ſix Ounces of white *French* Wine: *Which mix and make a Fomentation of.*

Cataplaſm.

Take of Elder, Melilot, Marſhmallow, Camomile, and Marygold Flowers, each three Ounces; boil them in a ſufficient

ficient Quantity of Water for a Cataplaſm; and about the End of the Proceſs add an Ounce of Flax-meal; with an Ounce and a half of Linſeed Oil.

Sect. 438.

The following afford Materials for ſuch Condiments.

Sal Ammoniacus,	Sal Ammoniac.
—*Borax,*	Borax.
—*Gemmæ,*	Salt Gem.
—*Nitri,*	Nitre.
—*Maris,*	Sea Salt.
—*Regeneratus reſiduus a diſtillatione Sp. Sal. Ammon.*	Regenerated Salt after the Diſtillation of the Spirit of Sal Ammoniac.
Acetum *deſtillatum,*	Diſtilled Vinegar.
—— *Calendulæ,*	Vinegar of Marygold.
—— *Dracunacli hortenſis,*	—— Garden Dragons.
—— *Lavendulæ,*	—— Lavender.
—— *Roſaceum,*	—— Roſes.
—— *Rutaceum,*	—— Rue,
—— *Sambucinum,*	—— Elder.
—— *Scilliticum,*	—— Squills.
—— *Theriacale,*	—— Treacle.

Sp.

Sp. Nitri,	*Simplex, vel*
— *Salis,*	*cum triplo*
— *Sulphuris per Campanam,*	*Alcoholis, dulcis.*
— *Vitrioli,*	

Spirit of Nitre.	Simple, or
—— Salt.	with three
—— Sulphur by the Bell.	times the Quantity of
—— Vitriol.	Alcohol, Sweet.

Wines, especially *Rhenish.*

Proper Aromaticks here.

Abrotanum,	Southernwood.
Absinthium,	Wormwood.
Alliaria,	Sauce-alone.
Angelica,	Angelica.
Balsamita,	Costmary.
Carduus Benedictus,	Holy-Thistle.
Centaurium minus,	Lesser-Centory.
Chamædrys,	Germander.

Dictamnus,

Dictamnus Creticus,	Dittany of *Crete*
Geranium Robertianum	Herb Robert.
Lavandula,	Lavender.
Majorana,	Marjoram.
Marrubium album,	White Hore-hound.
Myrtus,	The Myrtle Tree.
Origanum,	Origanum.
Polium,	Poly.
Pulegium,	Penny-royal.
Roſmarinus,	Roſe-mary.
Ruta,	Rue.
Sabina,	Savin.
Salvia,	Sage.
Scordium.	Scordium.
Tanacetum,	Tanſey.
Thuya.	Thuya, or Tree of Life.

Take of the Leaves of Rue, Scordium, and Wormwood, each four Ounces; and of Mint Leaves, an Ounce; which boil in a cloſe Veſſel with enough of Water and Vinegar, each a like Quantity; to two Quarts of the ſtrained Decoction add half an Ounce of *Sal Gem,* with two Ounces of Treacle Wine Spirit; and make a Fomentation.

Take the ſame Ingredients and boil them to the Conſiſtence of a Cataplaſm, and about the end of the Proceſs add half an Ounce of Sal Ammoniac, two Ounces

of Flax meal, with an Ounce and a half of the infuſed Oil of Rue: Of which make a Cataplaſm, and when to be applied put a ſmall Quantity of Treacle Wine Spirit, or Spirit of Wine camphorated.

SECT. 448. P. 111.

Liquor.

Take of the Vinegar of Garden Dragons, ſix Ounces; Vinegar of Roſes, two Ounces; Treacle Spirit of Wine, four Ounces; Sea Salt, an Ounce; with twelve Ounces of the Decoction of Scordium, and mix them.

The following Medicines are exceeding good for ſoftening a Gangrenoſe Eſchare.

Take of the Leaves of Scordium, two handfuls; Mallow Leaves, one handful; Lavender and Marſhmallow Flowers, each an Ounce; and boil them in Vinegar to the Conſiſtence of a Cataplaſm, afterward add three Ounces of Flax meal, an Ounce of Linſeed Oil, with a Dram of Sal Ammoniac.

Unguentum Aureum, The Golden Ointment.

Ungu-

Unguentum Baſilicon, The Royal Ointment.

SECT. 450.

Cataplaſm.

Take of the Leaves of freſh male Southernwood, Roman Wormwood, Garden Rue, Scordium, Sauce-alone, Hemp, White Hore-hound, and Tobacco, each, half a handful; the Leaves of Henbane, a handful; the Flowers of Marſh Marygolds, the leſſer Centory, Melilote, Feverfew, and Tanſey, each two Ounces; and the Flowers of Marſhmallows and wild Poppies, each an Ounce; which boil with a ſufficient Quantity of Water in a cloſe Veſſel for fifteen minutes; afterward add of Flax meal, four Ounces; of the Oil of Rue by infuſion, two Ounces; Treacle Vinegar, and Treacle Spirit of Wine, each an Ounce; and of Sal Ammoniac, a Dram.

SECT. 456. P. 112

Take of Treacle Water, an Ounce; *Sylvius*'s Prophylactic Water, ſix Drams; *Mathiolus*'s Water of Life, an Ounce;

Rue Water, nine Ounces; *Fernelius's* Syrup of Mugwort, and of the five opening Roots, each an Ounce and a half; and of *Elixir Proprietatis*, prepared with Salt of Tartar, two Drams. *Of which make a mixture and take a Spoonful every half Hour upon drinking one or two Ounces of the following Julap.*

Take of Barley Water, a Quart; *French* Wine, a Pint; Ginger pulverized, two Drams, with three Ounces of *Jeruſalem*-Oak Syrup

For a SPHACELUS; or, COMPLETE MORTIFICATION.

SECT. 462. P. 113.

A Sharp Lixivium.

Take of Quick-lime made from Stones, one Part; cover it with three Parts of Pearl-aſh; which put into a Cellar and let them run *per deliquium*, afterward filtre the Liquor for uſe.

Or Common Quick-lime finely pulverized will anſwer the Intention as well.

But the fineſt Separations are made, if the dead Eſchars are conſumed and made

made to ſeparate from the ſound Parts, by the Application of ſome ſoft putrefying Remedy, while the live Parts are animated by an enlivening Fomentation. See § 435. N. 2.

SECT. 469. N. 5. P. 115.

Take of the Oils of Cinnamon and of Citron, each two Drops; of the Oil of Cloves, one Drop; with two Drams of fine Sugar, and make an Elæoſaccharum; to which add a Dram of red Coral with two Grains of pure Laudanum and make them into a Powder, to be divided into two Doſes. *One to be taken an Hour before going to reſt*, and, if the Patient does not ſleep, *let him take the other an Hour after.*

SECT. 471. N. 5. P. 117.

Take of Dragon's Blood, a Dram; of Gum Sarcocoll, two Drams; Blood Stone, half a Dram; with an Ounce of *Armenian* Bole; and pulverize them finely.

Take four Ounces of new ground Oat-meal, with half a Dram of Colco-

thar of Vitriol well calcined, and mix them well.

Take the Powder of Woolf's Claws well dried, and ſprinkle it all over the Wound.

For a BURNING *or* SCALDING.

SECT. 480. P. 119.

Fomentation.

Take of Vinegar of Litharge, two Ounces; *French* Brandy, twelve Ounces; with fourteen Ounces of Elder-flower-water; and mix them.

Take of the Flowers of Elder, Meliſlot, and Marſh-mallows, each, an Ounce; and boil them in ſuch a Quantity of Water as will make a Pound and a half of ſtrained Decoction; to which add of Treacle Water, two Ounces; Elder Vinegar, an Ounce; and of common Salt, a Dram; of which make a Fomentation. Dip warm Cloths in this, and apply them to the Part affected.

Cataplaſm.

Take of the Leaves of Mallows, Marſh-mallows, each two handfuls; and of Meliſlote

ſilote Flowers, two Ounces; which boil in a ſufficient Quantity of Water, and about the end of the Proceſs add an Ounce of Treacle, half an Ounce of Linſeed Oil, with as much Linſeed-meal as will give it the Conſiſtence of a Cataplaſm.

For a SCHIRROUS TUMOUR.

SECT. 490. N. 1. P. 121.

Fomentation.

Take of the Flowers of Marſh-mallows, Camomile, Miliote, and Elder, each a handful; the leſſer Centory, half a handful; the Leaves of Wormwood, White Hore-hound, Rue, and Savin, each a handful; White Briony Root, four Ounces; and Angelica-root, an Ounce; which boil in ſuch a Quantity of Water as will make two Quarts of ſtrained Decoction; afterward add four Ounces of Treacle Water. Apply warm Cloths dipt in this Fomentation to the naked Skin, covering them with a Sow's Bladder dipt in a little Oil.

Cataplaſm.

Make a Cataplaſm of the ſame Ingredients juſt mentioned, and add of ſtrain'd Galbanum, diſſolved with the Yolk of an Egg, three Ounces; Linſeed-meal, two Ounces; and Oil of Linſeed, three Ounces.

PLAISTER *for a* SCHIRROUS.

Take of Gum-Ammoniac, Galbanum, Sagapenum, and Opopanax, each two Ounces; which melt over a ſlow Fire and carefully add to them four Yolks of Eggs, two Ounces of yellow Wax, three Ounces of white Briony root-meal, and as much Oil of Rue, by infuſion, as will give it the due Conſiſtence of a Plaſter. †

---

† The four Gums ſhould firſt be melted and ſtrain'd, then add the Yolks of Eggs and the root, which ſhould be finely pulveriz'd and ſifted in; afterward add the Wax and Oil and boil them to the Conſiſtence of a Plaiſter.

Sect. 490. N. 4. P. 122.

As to Diet, the Patient ſhould live on new Milk, Butter-milk, Whey, freſh-Meat, all ſorts of Bread, and Pot Herbs, as in §. 35 .N. 1. ripe, mild, acido-ſweet Fruits, being all firſt boiled. The common Drink ſhould be a Decoction of the Roots of China, Saraſaparilla, the three Sanderſes, *&c.*

Anodynes.

Take of white Poppy-ſeeds bruiſed, two Ounces; Fennel-root, four Ounces; the Flowers of the Wild-poppy, ſix Drams; and of Mallow-leaves, a handful; which boil in ſuch a Quantity of Water, for fifteen Minutes, as will make a Quart of ſtrain'd Decoction; and add two Ounces and a half of the Syrup of the white Poppy. *Of which let the Patient drink three, or four Ounces at a time.*

Take of Sperma-ceti, red Coral, and unwaſhed Diaphoretic Antimony, each a Dram; and of pure Laudanum, two Grains; and make a Powder to be divided into four equal Doſes. *Of which*

Cataplaſm.

Make a Cataplaſm of the ſame Ingredients juſt mentioned, and add of ſtrain'd Galbanum, diſſolved with the Yolk of an Egg, three Ounces; Linſeed-meal, two Ounces; and Oil of Linſeed, three Ounces.

PLAISTER *for a* SCHIRROUS.

Take of Gum-Ammoniac, Galbanum, Sagapenum, and Opopanax, each two Ounces; which melt over a ſlow Fire and carefully add to them four Yolks of Eggs, two Ounces of yellow Wax, three Ounces of white Briony root-meal, and as much Oil of Rue, by infuſion, as will give it the due Conſiſtence of a Plaſter. †

---

† The four Gums ſhould firſt be melted and ſtrain'd, then add the Yolks of Eggs and the root, which ſhould be finely pulveriz'd and ſifted in; afterward add the Wax and Oil and boil them to the Conſiſtence of a Plaiſter.

Sect. 490. N. 4. P. 122.

As to Diet, the Patient ſhould live on new Milk, Butter-milk, Whey, freſh-Meat, all ſorts of Bread, and Pot Herbs, as in §. 35 .N. 1. ripe, mild, acido-ſweet Fruits, being all firſt boiled. The common Drink ſhould be a Decoction of the Roots of China, Saraſaparilla, the three Sanderſes, *&c.*

Anodynes.

Take of white Poppy-ſeeds bruiſed, two Ounces; Fennel-root, four Ounces; the Flowers of the Wild-poppy, ſix Drams; and of Mallow-leaves, a handful; which boil in ſuch a Quantity of Water, for fifteen Minutes, as will make a Quart of ſtrain'd Decoction; and add two Ounces and a half of the Syrup of the white Poppy. *Of which let the Patient drink three, or four Ounces at a time.*

Take of Sperma-ceti, red Coral, and unwaſhed Diaphoretic Antimony, each a Dram; and of pure Laudanum, two Grains; and make a Powder to be divided into four equal Doſes. *Of which*

let the Patient take one Morning and Evening during the Continuance of his Pain.

So far as to internal Medicines.

External Fomentation.

Take of the Flowers of Hen-bane, Melilot, Poppies, and Elder, each a pugil; which boil in ſuch a Quantity of Water as will make a Pint and a half of ſtrained Decoction; afterward add of Elder and Roſe Vinegar, each two Ounces; and of rectified Spirit of Wine, half an Ounce; and mix them.

Ointment for Unction.

Take of Vinegar of Litharge, an Ounce; expreſſed Oil of Hen-bane, and Poppy-ſeed, and of the infuſed Oil of Roſes, each two Drams: Mix and make them into an Ointment; afterward add ſix Grains of Opium.

Plaiſter.

Emplaſtrum de Minio, Lead Plaiſter.

Unguent. Diapomph. Ointment of Pompholyx.

Take of the freſh expreſſed Juice of Hen-bane-leaves, Garden Poppies, and of

of Phellandrium, each four Ounces; which boil to a due Conſiſtence over a ſlow fire, afterward add eight Ounces of white Wax, and an Ounce of the infuſed Oil of Roſes; and make them according to Art into a Plaiſter.

Or,

Take of Sugar of Lead, white Lead, and of the Amalgam of Mercury and Lead, each two Drams; white Wax, four Ounces; and of infuſed Oil of Roſes, three Drams; which make into a Plaiſter.

For a CANCER.

SECT. 507. N. 1. P. 125.

See the *Plaiſter* in §. 490. N. 4.

SECT. 507. N. 2. P. 126.

Take of Reſin of Jalap, ſix Grains; Diagridium, ſeven Grains; and unwaſhed Diaphoretic-antimony, twenty four Grains; which mix and make into Powder.

Take fifteen Grains of *Mercurius dulcis*, with twelve Grains of Diagredium;

and make a Powder to be taken once in a Week.

SECT. 507. N. 3.

Decocta ex Bardana,	Decoctions of Burdock.
—*China,*	—China.
—*Fœniculo,*	—Fennel.
—*Petroſelino,*	—Parſley.
—*Sarſaparilla,*	—Sarſaparilla.
—*Scorzonera,*	—Scorzonera.

Or,

Take of unwaſhed Diaphoretic-antimony, eight Grains; and of Sperma-ceti, a Dram; of which make a Powder to be divided into two Doſes. *One to be taken in the Morning, the other at Night.*

SECT. 509.

Fomentations and Unctions.

Take of Poppy, Roſe, and Elder-water, each two Ounces; Sugar of Lead, and of Liquid Laudanum, each a Dram; with two Drams of Treacle-water; and mix them.

Take of Vinegar of Lytharge, ſix Drams; Oil of Roſes, half an Ounce; *and make an Ointment.*

In DISEASES *of the* BONES.

SECT. 529. N. 1. P. 129.

Take of green heavy Shavings of Guajacum, ten Ounces; and of Salt of Tartar, half a Dram; which digeſt in three Quarts of common Water, for twenty four Hours; afterward boil them for the ſpace of two Hours, and add, when finiſhed, four Ounces of rectified Spirit of Wine. Cover them cloſe up, and let them boil a little longer; then ſtrain the Decoction and let the Patient drink of it.

Put

Put three Pints of Water upon the Reſiduum of the Decoction, and let it boil for four Hours.

Of the firſt Decoction let the Patient take four Ounces four times a Day, upon an empty Stomach, viz. *in the Morning at Seven, in the Morning Eleven, Four in the Afternoon, and at Seven in the Evening.*

Of the other Decoction let him drink at Pleaſure in lieu of common drink.

After the ſame manner are the Decoctions made of *Juniper*, *Saſſafras*, *Box*, and *Oak*: *Let Cloths* dipt in theſe Decoctions, warmed, *be uſed as Fomentations for the external Parts.*

Of the CURE *of* FEVERS *in* GENERAL.

SECT. 599. P. 144.

See 28. N. 1. 4.

SECT. 603. P. 146.

Fomentation.

Take of Quince-ſeed, N. ſix of Roſe, and Elder-flower-water, each three Ounces;

Ounces; and make an Emulſion; to which, when ſtrained, add half an Ounce of rectified Spirit of Wine, with a Dram of Liquid Laudanum.

Unguentum Aureum,	The Golden Ointment.
—*Baſilicum,*	The Royal Ointment.
—*Diapompholygos,*	The Ointment of Pompholyx.
—*Nutritum,*	The Ointment called *Nutritum.*
—*Populeum,*	The Ointment of Poplar.
—*Roſarum,*	Roſe Ointment.

SECT. 605. N. 1. P. 147.

Ptiſans.

Laxative Decoction.

SECT. 605. N. 2.

Take of Barley-water, twenty five Ounces; refined Nitre, a Dram; *Rheniſh*-wine, ſix Ounces; Currant, and Elder-juice, each two Ounces; and make them

them into a Mixture: *Of which take one, or two Ounces every fifteen Minutes.*

Take of Succory, Fumatory, and of Balm-water, each three Ounces; Spirit of common Salt, a Dram; Syrup of Mulberries, two Ounces; with half a Dram of refined Nitre; and make a Mixture: *Of which a Spoonful is to be taken every half Hour.*

Take two Drams of Cream of Tartar, with half a Dram of refined Nitre, and make them into a Powder: *Of which half a Scruple is to be taken every three Hours with a Pitſan.*

For the reſt, ſee §. 76. concerning *an Alcaline Putrefaction and* §. 105. *concerning too great a Velocity of the Blood.*

Sect. 605. N. 3.

Take of the freſh Herbs of Marjoram, of Mint, wild Thyme, and Roſemary, each two handfuls; the Flowers of *Roman* Camomile, red Roſes, Tanſey, and Lavender, each a handful; *Syrian* Marum, half a handful; the Roots of *Florentine* Orrice, Garden Angelica, and Maſterwort, each three Ounces; the Sheavings of Saſſafras-wood, two Ounces; and the bruiſed Seeds of Salery, three Ounces; which pound into a Powder to be

be ſpread in the Room where the Patient is.

SECT. 605. N. 10. P. 148.

Gentle Emetics.

Take of Barley-water, thirty ſix Ounces; Oxymell of Squills, three Ounces; Tartar of Vitriol, gently acid; two Drams; and make them into a Mixture. *Of which two Ounces is to be taken every half Hour.*

Or,

Take of Elder-juice, three Ounces; Vinegar of Squills, an Ounce; Balm-water, ſix Ounces; and Mix them. *Of which half an Ounce is to be taken every half Hour.*

Take of Emetic Tartar, five Grains; *for one Doſe.*

Take of Emetic Wine, an Ounce and a half; *for a Doſe.*

Take of Ipecacuanha pulverized, a Scruple; *for a Doſe.*

Take of Ipecacuanha pulverized, four Scruples; with three Ounces of white Wine, and boil them together in a tall Glaſs

Glaſs † for four Hours, then ſtrain the Liquor and give it *for a Doſe.*

Or,

Take of freſh Aſarabacca Leaves, when cut. N. five; and infuſe them for half an Hour in boiling-hot-water; afterward ſtrain the Decoction and give it *for a Doſe.*

Sect. 610. P. 150.

A Cooling Glyſter.

Take of Nitre, two Drams; Honey of Roſes, an Ounce; Whey of freſh Milk, twelve Ounces; and mix them up for a Glyſter.

Or,

Take of common Vinegar, an Ounce; Nitre, three Drams; Syrup of Solutive Roſes with Senna, two Ounces; Barley-water, nine Ounces; and mix them up for a Glyſter,

† The Glaſs muſt be covered while this Emetic Tincture is making, or elſe the Wine will ſoon be evaproated.

Or,

Or,

Take ten Ounces of skimed Milk, with two Ounces of the Syrup of white Roſes; and mix them up for a Glyſter.

Or,

Take of the common Emollient Decoction, eleven Ounces; refined Nitre, three Drams; Honey of Mercury, an Ounce and a half; and mix them up for a Glyſter.

SECT. 611.

Proper Medicines in a Febrile Languor.

Take of Oxymell of Squills, three Ounces; *Mathiolus*'s Spirit of Life, three Drams; Mint-water, four Ounces; ſtrong Cinnamon-water, an Ounce; and mix them: *Of which an Ounce is to be taken every Hour.*

Take of Diaſcordium, a Scruple and a half; *Andromachus*'s Treacle, a Dram and a half; the Syrup of the five opening-roots, two Ounces; Carduus-water, ſix Ounces;

Ounces; *which mix and take in the ſame manner as the former.*

Take of the Confection of Alkermes, a Dram; preſerved Ginger, ſix Drams; Contrayerva, and *Virginean* Snake-root, each, a Dram; the Syrup of the five opening-roots, as much as will make them up into a Preſerve. *Of which half a Dram is to be taken every Four Hours.*

Take of the *Counteſs* of *Kents* Powder, a Scruple and a half *every four Hours.*

Take of white Ginger, Winter Bark, Zedoary, Contrayerva, and *Virginean* Snake-root, each a Dram; the Troches of Vipers, two Drams; and make them into a fine Powder, to be divided into forty two Doſes. *Of which one is to be taken every fourth Hour.*

Take of Carduus Salt, half a Dram; Salt of Harts-horn, a Dram; red Coral, two Scruples; Oil of Cinnamon and Citron Bark, each three Drops; which mix and make into a Powder to be divided into ten Doſes, *and taken as the former.*

SECT.

SECT. 614. P. 151.

Bitter, Lactescent, Refrigerating Herbs.

Chondrillæ,	Gum-Cichory.
Cichorea,	Succory.
Hieracia,	Hawk-weed.
Intubi,	Endive.
Lactucæ,	Lettice.
Scorzonera,	Scorzonera.
Sonchi,	Sow-thistle.
Taraxaca,	Dandelion.
Tragopogona.	Vipers-grass.

In a FEBRILE CHILNESS.

SECT. 625. P. 153.

A proper drink in a Febrile Chilness.

Take of Barley-water, thirty Ounces; refined Nitre, two Drams; simple Oxymell, three Ounces; Spicy-clove-water, two Ounces; and mix them. *Of which two Ounces is to be taken hot every fifteen Minutes.*

Take of the four greater, and lesser cold Seeds, each two Drams; and make them

them into an Emulſion with a ſufficient Quantity of Water. To a Pint and a half of which add four Ounces of Fennel-water, two Scruples of Sal-prunell, two Ounces of the Syrup of the five opening-roots, with half an Ounce of the Syrup of Violets; *and take it in the ſame manner as the former.*

Take of Borage-water, one Pint; Roſe-flower-water, an Ounce; Elder-flower-water, half a Pint; Cinnamon-water, an Ounce and a half; *Matthiolus's* Spirit of Life, half an Ounce; Syrup of Mugwort, two Ounces; and make them into a Mixture: *Which take as before.*

The Decoction of Coffee.

——— ———*Saſſaphras-wood.*

——— ——— the *Saunderſes.*

And others of the like kind are here very proper, if toward the End you add a ſmall Quantity of any Aromatick.

Take of the three Saunderſes, each an Ounce; and boil them in a ſufficient Quantity of Water for fifteen Minutes; then add four Ounces of Fennel-root, two Ounces of Saſſaphras-ſhavings, half an Ounce of Liquorice; and let them boil a Moment; afterward ſtrain off two Quarts of the Decoction;

tion, and give it after the ſame manner as above directed.

In a FEBRILE ANXIETY.

SECT. 634. P. 157.

Proper Emetics in the Fever.

Take three Ounces of Oxymell of Squills, with five Ounces of Succory-water; and mix them up *into a Draught.*

Take of freſh Aſarabacca-leaves N. eight with a ſufficient Quantity of Carduus-water; which infuſe for four Hours; afterward take five Ounces of the expreſſed Tincture *for a Draught.*

Take twenty five Grains of white Vitriol, finely pulverized in a Glaſs of Ale.

Purgatives in Fevers.

Take five Drams of the Cream of Tartar in a ſufficient Quantity of warm Whey.

Take of the Cream of Tartar, two Drams; Sal-Prunell, twelve Grains;

Sal-

Sal-polychreſtum, ſixteen Grains; and make them into a Powder.

Take ſeven Grains of Scammony, with half an Ounce of Succory-water, and make them into an Emulſion; to which add twelve Drams of the Syrup of Solutive Roſes with Senna; *and take it for a Draught.*

Take of Tamarinds, three Ounces; Troches of Agaric, three Drams; Senna-leaves, a Dram; the greater Water-betony-leaves, half an Ounce; and make a Decoction thereof, with a ſufficient Quantity of Water; to half a Pint of which, when ſtrained, add half a Dram of Sal-Prunell; an Ounce and a half of the Syrup of Solutive Roſes with Senna: *Afterward take two Ounces every half Hour, till it begins to Operate.*

Take of Acido-ſweet Prunes, four Ounces; Tamarinds, an Ounce; Senna-leaves, two Drams; Water-betony-leaves, ſix Drams; and boil them in a ſufficient Quantity of Water, for half an Hour; afterward add to twelve Ounces of the ſtrained Decoction two Ounces of the Syrup of Succory with Rhubard: *And take three Ounces of which every half Hour, till it begins to operate.*

Take

Take a Dram and a half of *Sylvius's* Electuary of Prunes, with a Scruple of the Powder of Senna; and make them up into a Bolus.

Sylvius's Electuary of Prunes, ½ *Ounce.*
Confection of Hamech, ½ *Ounce.*
Galen's Hiera-picra, 1 ½ *Dram.*
Lenitive Electuary, *an Ounce*
Electuary of the Juice of Roſes, ½ *Ounce.*

Sudorifics in Fevers.

Are always Diluents and Aperients.

Take of the Roots of Smallage, half an Ounce; Burdock and China, each an Ounce; Succory, Graſs, Navew, Párſley, Turneps, Butcher's-broom, each half an Ounce; Sarſaparilla, an Ounce; Viper's Graſs, half an Ounce; the Leaves of Sorrel, Succory, Endive, and Dandelion, each a handful; Elder-leaves, two Ounces; the bruiſed Seeds of Smallage and Parſley, each an Ounce: Of which make three Pints of ſtrained Decoction: *Whereof let the Patient take three Ounces warmed every fifteen Minutes, till he gently ſweats.*

From this an infinite Number of other Forms of the ſame Nature may be compoſed.

Diuretics.

Watry-milk, e. g. three Parts of Water added to one Part of freſh Milk.
Whey.
Skimed Milk.
Birch Tear.
Freſh ripe Summer Juices diluted with Water.
Salt-petre.
Nitre antimoniated.
Sal Polychreſtum.
The preceeding Decoction may ſerve in lieu of Diuretics, if taken in a proper Quantity.

Abſterſives.

Are the ſame.

In a FEBRILE THIRST.

SECT. 640. P. 158.

Proper drinks in Fevers.

Take of common ſimple Barley-water, forty Ounces; Currant-juice, four Ounces; Spirit of Salt, as much as will give a grateful ſharpneſs, with an Ounce of Cin-

Cinnamon-water; and mix them for a common drink.

Take of the Gelly, Juice, and Syrup { Of Currants, Quinces, Black-cherries, Barberries, Mulberries, Raſpberries, Pomegranates, Lemons, Citrons, Oranges, Chineſe-apples. } Each four Ounces.

Prepare them as before; e. g.

Take of Quince-gelly, an Ounce; *Nicolai's* Mulberry Electuary, two Ounces; Syrup of yellow Sorrel, an Ounce; Borrage and Balm-water, each four Ounces; ſimple-water, a Pint and a half; *Rheniſh* Wine, three Ounces: And mix them.

Milk and Water.

Whey.

Skimed Milk.

Small Beer.

Coffee,

Wine, one Part added to twelve Parts of Water, with a little Citron-juice.

Sect. 641. P. 158.

Take two fine freſh Citrons, without their Seeds; ſlice them with their peel, throw away the white, fungous and fibrous Parts, and bruiſe them in a Quart of Barley-water; to which add, when ſtrained, an Ounce and a half of the Syrup of Mulberries; half a Pint of *Rheniſh* Wine, with two Ounces of toaſted Bread: Afterward preſerve the mixture in a cloſe Earthen Veſſel, for a common drink.

Or,

Take of the Syrup of Lemons, three Ounces; Spirit of Wine, an Ounce and a half; *Rheniſh* Wine, four Ounces; and clear Water, fourteen Ounces: *Of which make a Mixture for a common drink.*

For

For a FEBRILE NAUSEA.

SECT. 644. P. 159.

A proper Drink for the firſt kind.

See §. 640, 641.

A Drink for the ſecond kind with proper Medicines.

See §. 634.

For the fifth kind.

Take of the Quince-gelly, four Ounces; the Syrup of Lemons, two Ounces; *Matthiolus*'s Water of Life, an Ounce; Cinnamon-water, ſix Drams; Citron-water, ſix Ounces; Liquid Laudanum, ſixty Drops; and mix them: *Of which take an Ounce till the Nauſea ceaſes.*

Take a ſufficient Quantity of ſtrong Mint-water, *and drink an Ounce thereof cold every fifteen Minutes.*

Take a ſufficient Quantity of Quince-jelly, *and drink a Dram thereof every half Hour.*

Take of freſh Citron-juice, half an Ounce; *Rheniſh* Wine, an Ounce; and when well mixed, add a Dram of Salt of Wormwood; *which drink while the Mixture effervesces,*

Take thin ſlices of Citron, beſprinkled with Sugar and keep them in the Mouth.

In all the Species, Epithems, Fomentations, Cerats, and Stomachics are of great Service where there is no Inflammation.

Take of Aromatic Roſe Powder, compound Galangal Powder, and Abbats compound Powder of Rhodium, each an Ounce; which mix and ſow in a Piece of Linen, afterwards apply it to the Epigaſtric Region.

Take a ſufficient Quantity of *Galen*'s Stomachic Cerat, and ſpread it upon a Piece of Leather for a Stomachic Plaiſter: Which keep on as long as it ſticks.

Take of *Matthiolus*'s Water of Life, an Ounce; the Spirit of Angelica-root, *Sylvius*'s Carminative Spirit, and the Spirit of Mint, each two Ounces; with a ſlice of White-bread toaſted, and well crumbled; which mix and apply hot to the Epigaſtrium, above which lay a Swines Bladder

wetted

wetted with Oil, and fix it with a Ligature: *This is to be renewed every twelve Hours.*

In a FEBRILE WEAKNESS.

SECT. 667. P. 166.

Beef, Veal, Mutton or Chicken Broths, with a little Salt and Citron-juice.

New-milk.

Decoctions, §. 28. N. 1.

In an INTERMITTING FEVER.

SECT. 758. P. 192.

The proper Medicines here, are,

All *Tachenius's* Vegetable Salts, the chief of which are thoſe prepared of Worm-wood, Carduus, and Bean-ſtalks.

Nitre.

Antimonial Nitre, and unwaſhed Diaphretic-antimony.

Sal-ammoniac.

Sal-prunella.

Sal-polychreſtum.

Regenerated Tartar.

Tartariſed Tartar.

Soap of Tartar.

All Aromatic Herbs uſed in all their Parts. See *Whole* §. 75. N. 5.

§. 54. N. 4. eſpecially that upon *Reſolvents.*

Sect. 759. P. 192.

Emetics.

Take five Grains of Emetic Tartar, pulverized *for a Doſe.*

Take five Grains of Emetic Tartar, with enough of crumbled Bread to form the five Pills *for a Doſe.*

Take two Ounces of Emetic Wine, with ſix Drams of Oxymell of Squills, and mix them up *for a Draught.*

Take of Emetic Tartar, five Grains; Currant-gelly, half an Ounce; Oil of Cinnamon, one Drop; and make them up into a Bolus.

Pur-

Purgatives.

Powder.

Take two Scruples of *Cornachine's* Powder *for one Doſe* *.

Drink.

Take of the greater Pill Cochiæ, two Scruples; Syrup of Solutive Roſes, half an Ounce; Elder-flower-water, two Ounces; and mix them up into a Draught.

Pills.

Take of waſhed Aloes, twelve Grains; Myrrh, ten Grains; Opoponax, and Sal Gem, each five Grains; mix and make them up into nine Pills.

---

* Strong Phyſick often fails of its Operation, and gentle produces the deſired effects, which perhaps to ſome may ſeem a little *Paradoxical*, but whoever conſiders what occurs in the Operation of a Cathartick, muſt allow that a ſtrong Irritation haſtens the Periſtlatick Motion ſo readily, that they do not yield, and thus while they are under a ſpecies of Tenſion, the Fluids are hurried forwards into the Maſs of Blood which does not happen in Lenients.

SECT. 761. P. 193.

A never failing Antipyretic Sweat

Take of *Sal-polychreſtum*, two Drams; Syrup of the five opening Roots, two, Ounces; refined Opium, two Grains Carduus, Wormwood, Rue, Marjoram and Mint-water, each an Ounce; the Extract of Wormwood, two Ounces; and make them into a Mixture: *Of which take a Spoonful every fifteen Minutes, and drink afterward four Ounces of the following Decoction.*

Take of Maſter-wort-root, ſix Drams; Saſaphras-wood and red Saunders, each, two Ounces; the Leaves of the Golden-rod, two handfuls; the Flowers of the leſſer Centory, half an Ounce; and the bruiſed Seeds of the wild Carrot, ſix Drams. Infuſe them in a cloſe Veſſel for two Hours in boiling hot Water, afterward, let them boil a little, then ſtrain off a Quart of the Decoction, *which uſe as above directed.*

SECT. 763.

See 634, 640.

SECT. 767. P. 194.

Take of the beſt *Peruvian* bark pulveriſed, an Ounce; and divide it into twelve Doſes: *Of which take one every two Hours in a glaſs of Wine.*

Take three Ounces of *Peruvian*-bark, with twelve Ounces of common Water, and infuſe them for two Hours, afterward let them boil for an Hour; then add four Ounces of *French* Wine: Boil them for a ſhort time again in a tall Veſſel: *Afterward take an Ounce and a half of the Decoction, every two Hours when clear and fine.*

Take three Ounces of *Peruvian*-bark, and boil it for two Hours in a cloſe Veſſel, with as much common Water as will make a Pint of clear Decoction: *Which is to be taken as the former.*

Evaporate the preceeding Decoction to the Conſiſtence of Honey, afterward divide it into four Doſes: *Each of which is to be taken as the former.*

Diſſolve

Diſſolve the preceeding Extract in an Ounce of the Syrup of the five opening Roots: *Then take it in the ſame manner as you did the Extract.*

Take the former Extract and make it, with a ſufficient Quantity of Liquoriſe Powder, into Pills; each weighing four Grains: *All which take in the Intermiſſion.*

Sect. 768. P. 195.

Take of the Oils of Scorpions, Caſtor, Juniper-berries, Camphire Laurel, and Turpentine, Balſam of Sulphur terebinthinated, each half an Ounce; and mix them up into a Linement, *with which anoint the Stomach and Back Bone.*

Take ten Ounces of common broad leaved Plantain, with two Ounces of freſh Tormintile-root, and put them into as much boiling Water as will make a Quart of ſtrained Decoction: *Three Ounces of which drink every two Hours.*

Take of Roch-allum, a Dram; Nutmeg, two Drams; *Armenian* Bole pulveriſed, twelve Grains; and mix them up into a Powder; *Which is to be taken an Hour before the Fit.*

Epi-

Epithems.

Take of *Corinthian*-berries, the tops of Hops, Sea-ſalt, each two Ounces; and bruiſe them into a Poulteſs, *which apply to the Wriſts.*

Take two Ounces of green Rue tops, with two Drams of Muſtard Seed, and *apply them,* when bruiſed, *to the Wriſts.*

In a WATRY QUINCY.

SECT. 796. P. 204.

See { N. 1. §. 54. N. 4.
N. 2. §. 201.

In a SCHIRROUS QUINCY.

SECT. 797. P. 205.

Take of Oil of Tartar per deliquium. Let the Part be gently corroded by dipping a little Lint, applied to the end of a Quill in it.

This may be done more effectually by quick Lime, but the Application is attended with greater Danger.

In

In an INFLAMMATORY QUINCY.

SECT. 809. N. 2. P. 210.

Take eighteen Grains of Scammony, and make it into an Emulſion with a ſufficient Quantity of Water; to half an Ounce of which, add an Ounce and a half of the Syrup of Senna: *For a Draught.*

Take an Ounce of Senna, and make, with a ſufficient Quantity of Water, half a Pint of ſtrained Decoction; to which add of Nitre and Syrup of Senna, each an Ounce: *For a Glyſter.*

SECT. 809. N. 5.

Take of Elder, Roſe, and Marygold Vinegar, each an Ounce; with ſix Ounces of Elder-flower-water, and make them into a Mixture: *Of which the Vapours are to be received hot into the Mouth with a Funnel.*

SECT. 810.

Take of Duck-meat, ſix Ounces; freſh Lilly-leaves, five Ounces; thoſe of Garden-

Garden-poppies, eight Ounces; and Marſh-mallow Leaves, ſix Ounces; Elder and Melilot-flowers, each four Ounces; boil them in a ſufficient Quantity of Water, for a Decoction, and about the end of the Proceſs add two Swallows Neſts, with three Ounces of white Lilly Oil, and a ſufficient Quantity of Linſeed; for *making a Cataplaſm.*

This Decoction may ſerve in lieu of a Fomentation.

SECT. 811.

Take of the Decoction from the preceeding Cataplaſm, twelve Ounces; Elder Vinegar, two Ounces; Syrup of Marſh-mallows, two Ounces; with two Drams of refined Nitre; and mix them.

Take of fat Figs, N° 22. Marſh-mallow Leaves, two Ounces; and boil them for a conſiderable time; afterward uſe thirty Ounces of the ſtrained Decoction.

SECT.

SECT. 813. P. 211.

Nutritive Glyſters.

Take of Mutton Broth, ten Ounces; Salt Nitre, ten Grains; Spirit of Salt, ſix Drops; mix and make them into a Glyſter: *Which inject every eight Hours.*

In a TRUE PERIPNEUMONY.

SECT. 850. P. 226.

Take of Barley-water, forty Ounces; Nitre, two Drams; Oxymel, four Ounces; and mix them: *Of which let the Patient drink two Ounces hot, every fifteen Minutes.*

SECT. 851. P. 227.

Take of Pellitory, Agrimony, and Dandelion Leaves, each a handful; white Poppy and Fennel Seeds, bruiſed, each an Ounce; Liquoriſe, an Ounce and a half: Of which make fifty Ounces of ſtrained Decoction; *and take it as the former.*

SECT.

Sect. 853.

Take of Graſs, Butcher's-broom, Parſley and Fennel Roots, each two Ounces; thoſe of Maſterwort, two Drams; great Burdock and Paſley Seed, bruiſed, each an Ounce: Of which make forty Ounces of ſtrained Decoction *for the ſame uſe.*

Sect. 855. N. 2. P. 229.

The Diet.

Herbs,
Meal,
Peaſe,
Ripe Summer Fruit.
} See §. 35. N. 1.

Sect. 855. N. 3.

Steams §. 809. N. 5.

Sect. 855. N. 4.

Take of Vinegar of Squills, ſix Drams; Oxymell of Squills, three Ounces; *Sal-polychreſtum*, a Dram; Barley-water, eight Ounces; and of Hyſſop-water, four Ounces: Of which make a mixture;

and

and let the Patient drink an Ounce every Hour.

Take a Quart of Coffee, two Ounces of Honey, and half an Ounce of Elder Vinegar: Of which make a mixture; *and let the Patient drink as much as he pleases hot.*

SECT. 858. P. 231.

Aperient Deſterſive Medicines for a broken Impoſthume of the Lungs.

FOLIA *Adianthi vulgaris,*	The LEAVES of Maidenhair, common.
—*albi ſ. Rutæ muriæ,*	—White.
—*nigri,*	—Black.
—*aurei,*	—Golden.
Agrimoniæ,	Agrimony.
Alchimillæ,	Ladies-mantle.
Becabungæ,	Brook-lime.
Bellidis pratenſis,	Betony.
Betonicæ,	The Field Daiſy.
Borraginis,	Borrage.
Botryos,	*Jeruſalem*-oak.
Bugulæ,	Bugle.
Ceterach,	Spleenwort.
Chamædryos,	Germander.
Chamæpityos,	Ground-pine.

Cichorei.

FOLIA *Cichorei*,	The LEAVES of Succory.
Dentis Leonis,	Dandelion.
Endiviæ,	Endivie.
Eryſimi,	Hegde-muſtard.
Foeniculi,	Fennel.
Fumariæ,	Fumatory.
Hederæ terreſtris.	Ground-ivey.
Hepaticæ nobilis,	Noble Liverwort.
——*terreſtris*,	—Common.
Hippoſelini,	Alexanders.
Hyperici,	St. John's-wort.
Hyſſopi,	Hyſſop.
Iſatidis,	Woad.
Lactucæ,	Lettice.
Linguæ Cervinæ,	Harts tongue.
Marrubii albi,	White-horehound.
Morſi Diaboli,	Devil's-bit.
Nummulariæ,	Money-wort.
Ononidis,	Reſt-harrow.
Primulæ veris,	Prim-roſe.
Prunellæ,	Self-heal.
Pulmonariæ maculatæ,	Spotted Lungwort.
Saponariæ,	Sopewort.
Scabioſæ,	Scabious.
Scordii,	Scordium.
Sigilli Salomonis,	Solomon's-ſeal.
Sophiæ Chirurg.	Flix-weed.
Tuſſilaginis,	Colts-foot.
Valerianæ hortenſis,	Garden Valerian.
—*ſylveſtris*,	—Wild.

Ver-

FOLIA *Verbenæ*,	The LEAVES of Vervain.
Veronicæ,	Speed-well.
Vincæ pervincæ,	Periwinkle.
Virgæ aureæ,	The Golden Rod.

GUMMI *Ammoniacum*.	GUMS. Ammoniac.
Galbanum,	Galbanum.
Opopanax,	Opopanax.
Sarcocolla,	Sarcocoll.
Maſtiche,	Maſtich.
Myrrha,	Myrrh.
Olibanum,	Olibanum.
Terebinthina,	Turpentine.

Take of the Leaves of Agrimony, Golden Rod, Betony, and Garden Valerian, each a handful; thoſe of white Horehound, a fourth of a handful; the five Opening Roots, each an Ounce; the Flowers of the leſſer Centory, Agrimony, St. John's wort, each a handful; and make four Pints of ſtrained Decoction; *Of which let the Patient drink two Ounces every two Hours.*

Another.

Take of the Roots of Burdock, China, Sarſaparilla, each three Ounces; and boil them in a ſufficient Quantity of Water for half

half an Hour, afterward add three Ounces of Saſſafras-wood, then let them boil for a few Minutes again, and mix with three Pints of the ſtrained Decoction, two Ounces of the Syrup of the five Opeing Roots: *This Decoction is to be taken in the ſame manner as the former.*

Take two Drams of choice clear Myrrh, with one Scruple of the Yolk of a new laid Egg, and beat them for a conſiderable time in a Glaſs Mortar, afterward add two Scruples of the beſt Frankincenſe, and make them into Pills, each weighing three Grains; *Of which take one or two before the Decoction.*

Take two Drams of the beſt Myrrh, with one Dram of Spermi-ceti: Mix, pulveriſe, and divide them into twelve equal Doſes: *Of which take one Morning and Evening with the Decoction.*

Take of Myrrh, and Olibanum, each a Dram; and of Virgine Honey, two Ounces; mix them, *and take a Dram every Hour.*

Gentle Evening Opiates.

Take a Scruple of the compound Pill of Hounds-tongue, and divide it into ſix Pills: *Of which take one or two every Night before going to reſt.*

Take

Take of Storax Pill, the like Quantity; *and uſe it in the ſame manner.*

Take of Opium, thin ſliced, and gently dried, one Grain; red Coral, twelve Grains; Olibanum, ſix Grains; and mix them into a Powder, *to be taken at Night as formerly.*

Take of the Syrup of Diacodium, half an Ounce; *Matthiolus*'s Water of Life, a Dram; Hyſſop-water, an Ounce: *And make them into a Draught, to be taken before going to reſt.*

Take one Grain of Opium, and make it into two Pills: *Of which take one at Night.*

Take one Grain of Opium; four Drams of the Syrup of Maiden-hair; with an Ounce of red Poppy-flower-water: *And mix them up into a Draught.*

Emollient Steams.

Take of the Leaves of Mallows, Marſh-mallows, Mercury, and Pellitory, each two handfuls; Linſeed-meal, two Ounces; which boil in a ſufficient Quantity of Water, and receive the Steam by the Noſe.

SECT.

Sect. 859. P. 231.

See Decoction Second §. 858.

Take of the expreſſed Juice of Chervil and ſweet Milk, each four Ounces; with an Ounce of the Hyſſop Syrup: Which mix, *and let the Patient drink an Ounce every two Hours.*

Sect. 861. P. 232.

Take of the greater Soap-wort, two handfuls; freſh Endive, four handfuls; wild Succory Leaves, three handfuls; and boil them in as much Water as will make three Pints of ſtrained Decoction: *Of which let the Patient drink two Ouuces every two Hours.*

Sect. 866. P. 233.

Steam.

See 858.

Take of ſimple Oxymel, three Ounces; the Syrup of the five Opening Roots,

Roots, two Ounces; the Decoction of ground Ivy, ten Ounces; refined Nitre, a Dram; mix them, *and let the Patient drink an Ounce every Hour.*

Take of refined Laudanum, two Grains; the Flowers of Sulphur, Sperma-ceti, unwaſhed Diaphoretic Antimony, each a Dram; mix and make them into a fine Powder, to be divided into twelve equal Parts: *Of which let the Patient take one every three Hours, with an Ounce or two of the Preceeding Mixture.*

Take Flowers of Sulphur, two Drams; Olibanum, a Scruple; Sperma-ceti, half a Dram; unwaſhed Diaphoretic Antimony, a Dram; and divide them into twelve Doſes, when mixed and pulveriſed: *Of which let the Patient take one every Hour, with an Ounce of the former Mixture.*

Take of the Oil of ſweet Almonds, freſh drawn, an Ounce and a half; the Syrup of Violets, Virgins Honey, the Yolk of a new laid Egg, each half an Ounce: *Of which let the Patient take half an Ounce every Hour, when well mix'd, till the Spittle come.*

In

In a SPURIOUS PERIPNEUMONY.

SECT. 873. N. 2. P. 236.

A proper Glyſter.

Take of Honey, three Ounces; Nitre, a Dram; with the Yolk of an Egg; and eight Ounces of Barley-water. *Of which make a Glyſter.*

SECT. 873. N. 4.

Take of Fennel-roots, two Ounces; Graſs-roots, four Ounces; Pellitory and Agrimony Leaves, each a handful and a half; white bruiſed Poppy-ſeed, an Ounce; Liquoriſe, an Ounce and a half; and boil them for fifteen Minutes in as much Water as will make two Pints and a half of ſtrained Decoction. *Of which take two Ounces every two Hours.*

In a Pleurisy.

Sect. 887. P. 240.

See Decoct. §. 873. N. 4. §. 861. 859.

Sect. 890. N. 2. P. 244.

Fomentation.

Take of Mallow, Marsh-mallow, and Pellitory-leaves, each two handfuls; Garden-Poppy and Henbane-leaves, each a handful; Elder, Camomile, and Mellilot-flowers, each three Ounces; and boil them in a sufficient Quantity of Sweet Milk for a Fomentation.

Hence Bathings, warm Steams, *&c.* are here proper.

Liniments for anointing the Sides.

Take of the Sugar of Lead, half an Ounce; Vinegar, six Drams; Oil of Roses by infusion, an Ounce: *Mix and make them into a Liniment.*

Take two Ounces of the Poplar-Ointment.

Take

Take a ſufficient Quantity of the Plaiſter of Pompholyx, and ſpread it upon a Piece of Leather.

Sect. 890. N. 3.

Take of Colt's-foot and Mallow-leaves, each two handfuls; wild Poppy and Marſh-mallow-flowers, each half a handful; Parſley and Sarſaparilla-roots, each three Ounces; bruiſed Lint-ſeed, half an Ounce; Lettice and Carduus-ſeed, each an Ounce; and boil them in as much Water as will make three Pints of ſtrained Decoction. *Of which let the Patient drink two Ounces every Hour.*

Take of the four greater and leſſer Cold-ſeeds, each three Drams; white Poppy-ſeed, two Ounces; and make an Emulſion with a ſufficient Quantity of Barley-water: with fourteen Ounces, of which mix a Dram and a half of refined Nitre, and an Ounce of the Syrup of Maiden-hair. *An Ounce of this Decoction may be taken every Hour, or every fifteen Minutes.*

Take of wild Poppy and Elder-flower-water, each eight Ounces; Borrage-water, five Ounces; Crabs-Eyes, two Drams; Cryſtal Mineral, a Dram; wild

and white Poppy Syrups, each an Ounce. *Of which make a Mixture, and let the Patient drink two Ounces every half Hour.*

SECT. 903. P. 249.

Take of the Leaves of Scordium, Sauce alone, and of white Hore-hound, each two Ounces; and boil them in as much Water as will make a Quart of ſtrained Decoction: with which mix eight Ounces of the Oxymel of Squills, three Drams of Nitre, and an Ounce of Treacle Vinegar. *Of which let the Patient drink two Ounces hot, every ſeven, or eight Minutes.*

In an INFLAMMATION *of the* LIVER, *and the ſeveral kinds of* JAUNDICES.

SECT. 922. P. 255.

See §. concerning Reſolution. { 54. N. 4. / 75. N. 5. / 88. N. 5. 6. / 135.

SECT. 924. P. 256.

See §. { 54. N. 4. / 88. N. 5. 6.

SECT.

SECT. 927.

Proper Styptics.

A gentle Styptic.

Diſſolve a Dram of Roch-Allum in an Ounce of Plantain-water, afterward dip Tents in it, and put them up the Noſe.

A ſtronger one.

Diſſolve a Dram of the Sugar of Lead in an Ounce of Roſe-water, and make it ſerve the ſame Uſes.

A very ſtrong one.

Diſſolve a Dram of common Vitriol, in ſix Drams of Roſe-water, and Uſe it as the former Styptics.

SECT. 928. P. 257.

See 54. N. 4.

SECT. 930.

Proper Remedies

Acetoſa hortenſis,	Sorrel Garden.
— *pratenſis,*	—— common.
— *rotundifolia,*	—— round leav'd.
Aceloſella,	Wood Sorrel.
Atriplex Sylveſtris,	Wild Orach.
Bonus Henricus,	*Engliſh* Mercury.
Chondrilla,	Wild Endive.
Cichoreum agreſte,	Succory, wild.
—— *Sativum,*	—— Garden.
Dens Leonis,	Dandelion.
Endivia,	Endive.
Fumaria,	Fumatory.
Hieracium,	Hawk-weed.
Lactuca,	Lettice.
Oxylapathum,	Sharp-pointed Dock.
Portulaca,	Purſlain.

Syrup of Borrage, *two Ounces.*
—Succory with Rhubarb, *three Ounces.*
—Fumatory, *two Ounces.*
—Five Opening Roots, *two Ounces.*

Take of Tamarinds, an Ounce; Aci-do-ſweet Prunes, three Ounces; ſtoned Raiſens

Raiſens, and *Corinthian* Grapes, each two Ounces; Dandelion and wild Succory-leaves, each an Ounce; Viper's Graſs-root, four Ounces; and boil them for fifteen Minutes in as much Water as will make a Quart of ſtrained Decoction; with which mix a Dram of the *Sal Polychreſtum*, and twelve Drams of the Syrup of Succory with Rhubarb. *Afterward let the Patient drink an Ounce every half Hour, till it begins to operate.*

Take of the Syrup of Succory with Rhubard, an Ounce and a half; *Sal Prunella*, a Dram; Succory and Fumatory Water, each two Ounces; *and let the Patient take an Ounce every half Hour, when mixed, for the ſame Intentions.*

SECT. 942. P. 260.

In Summer.

Take of Ripe Mul-berries, Currants, Elder-berries, Cherries, and Barberries, each four Ounces; and boil their expreſſed Juice; afterward with an Ounce of which, mix the Yolk of an Egg, a Dram of Citron-juice, an Ounce of *Rheniſh* Wine, and make them up into a Draught, with a ſufficient Quantity of Sugar and toaſted Bread, crumbled very ſmall.

In Winter.

Take of the boiled Juice of the above Berries, an Ounce; Eleoſæcharum of Nutmegs, five Grains; Citron Water, two Ounces; *Rheniſh* Wine, an Ounce; the Yolk of an Egg, with a ſufficient Quantity of Sugar; and mix them up into a Draught, with a little Piece of toaſted Bread.

For the ſame.

Take of the freſheſt and beſt Leaves, and Stalks of Lettice, Endive, Dandelion, and Purſlain, each ſix Ounces; Leaves of Sorrel, three Ounces; waſh them clean, and ſhake off the Water; afterward eat them, when boil'd gently in a cloſe Veſſel with Mutton Broth, Butter, Salt and Nutmeg.

For an INFLAMMATION *of the* STOMACH.

SECT. 954. P. 265.

Lenient Potion, &c.

Take of freſh Trefoil Leaves, three Ounces; Mallow-leaves, an Ounce and a half; Oats, an Ounce; and boil them in as much freſh Milk Whey as will make twelve Ounces of ſtrained Decoction: To which add two Yolks of Eggs, with an Ounce of Currant-juice.

Glyſter.

Take of freſh Endive, Succory, Fumatory, Mallow, and Marſh-mallow-leaves, each a Handful; and boil them in as much Whey as will make ten Ounces of ſtrained Decoction. *Which uſe for a Glyſter, twice, or thrice a Day.*

For an INFLAMMATION *of the* INTESTINES.

SECT. 966. P. 271.

Food.

Take of the Roots of Viper's Grafs, Goat's-Beard, Skirwick, Parſley, Succory, each two Ounces; and boil them in Meat Broth; with thirty Ounces of which, mix two Yolks of Eggs, and a ſufficient Quantity of Salt.

Decoction.

Take of Garden Valerian Roots, two Ounces; Lovage, and Agrimony-leaves, two Handfuls; the Flowers of St. *John*'s Wort, a Handful; and boil them in as much Water as will make a Quart of ſtrained Decoction. *Of which drink two Ounces every Hour.*

A Glyſter may alſo be made of the ſame.

For a THRUSH.

SECT. 990. N. 1. P. 278.

Potion.

Take of Sweet blanched Almonds, bruiſed, two Ounces; Piſtachio Nuts, an Ounce; the greater and leſſer four Cold-ſeeds, bruiſed, each two Drams; ſhelled Oats, three Drams, and boil them in a cloſe Veſſel for an Hour; then add an Ounce of Liquoriſe Root, when skimed; and put them on the Fire again for a few Minutes; afterward ſtrain off a Quart of the Decoction: *Which let the Patient drink and rinſe his Mouth with.*

Or,

Take of Parſnip, Skirwick, China, Sarſaparilla, and Turnip Roots, each four Ounces; Barley an Ounce; bruiſe them ſmall, and boil them in as much Water as will make thirty Ounces of ſtrained Decoction; with which mix an Ounce of Marſh-mallow Syrup, *and uſe it as the former.*

Take

Take a ſufficient Quantity of Turnip Heads and Rinds, and ſcrape them with a Knife, afterward expreſs the Juice, and, when boil'd and skimed, mix with ſixteen Ounces thereof, two Yolks of Eggs, and four Drams of the Syrup of Violets: *Of which let the Patient drink half an Ounce every half Hour.*

For the proper Food

See §. 35. N. 1. 2.

Sect. 990. N. 2.

Take of Mallow, Bear's-breach, Marſh-mallow, Pellitory, Primroſe, Mercury, and Ladies Mantle-leaves, each two Ounces; Marſh-mallow Roots, an Ounce; Turnip-Heads, ten Ounces; and boil them in as much Water as will make Thirty ſix Ounces of ſtrained Decoction; with which mix four Yolks of Eggs, and two Ounces of the Honey of Roſes: *Afterward uſe it for a continual Gargle to waſh the Mouth.*

A Cataplaſm may be made of the remaining Feces and applied externally to the Jaws.

The ſame Ingredients may ſerve to make a Glyſter.

SECT. 990. N. 3.

Take of the Syrup of White-poppies, Cream of Sweet-milk, Roſe-water, each two Ounces; with two Yolks of Eggs: *Of which make a Mixture, and let the Patient continually keep a little of it in his Mouth.*

Or,

Take a ſufficient Quantity of Hartſhorn or Meat Gelly, pretty thick and cut in Slices; and keep it on the Tongue till diſſolved, *afterward ſwallow it down gently.*

Theſe ſerve to mollify Excoriations.

Or,

Take ſeven Ounces of the Decoction of freſh Agrimony Leaves, with an Ounce of the Honey of Roſes; *and mix them for the ſame Intentions.*

This ſerves to corroborate Laxative Fibres.

SECT.

SECT. 990. N. 4.

Take of Sharp pointed Dock-roots, an Ounce; *Peruvian* and *Tamarisk* Bark, each ſix Drams; Agrimony Leaves, a Handful; and boil them in as much Water as will make a Pint and a half of ſtrained Decoction; with which mix an Ounce of the Syrup of Kermes: *Afterward drink half an Ounce every Hour.*

This ſerves to corroborate the relaxed Inteſtines.

SECT. 990. N. 5.

Take a Dram and a half of Rhubarb, with an Ounce and a half of ſtoned Myrobalans; and boil them in as much Water as will make three Ounces of expreſſed Decoction; with which mix twelve Drams of the Syrup of Succory with Rhubarb *for a Draught.*

For a NEPHRITES.

SECT. 997. N. 2. P. 281.

Take of freſh Chervil, Brook-Lime and Pellitory-Leaves, each two Handfuls;

fuls; Wood Sorrel, Succory and Great Burdock Roots, each two Ounces; Red Cicers, an Ounce and a half; White Poppy and Carduus Seed, bruiſed, each ſix Drams; and boil them for half an Hour in as much Water as will make three Pints of ſtrained Decoction. *Of which let the Patient take two Ounces every fifteen Minutes.*

Take of Graſs Roots, ſix Ounces; bruiſed Melon-ſeed, an Ounce and a half; Liquoriſe, an Ounce; and boil them in ſuch a Quantity of Water as will make three Pints of ſtrained Decoction. *This ſerves for the ſame Uſes, and may be taken as the former.*

SECT. 1000. P. 282.

Proper Remedies.

Agrimonia,	Agrimony.
Alcea,	Vervain Mallow.
Alchimilla,	Ladies Mantle.
Althæa,	Marſh-mallows.
Becabunga,	Brook-lime.
Bellis minor,	The ſmaller Daiſy.
Bugula,	Bugle.
Chaerophyllum,	Chervil.
Daucus Sylveſtris,	Common wild Carrot,

Dens

Dens Leonis,	Dandelion.
Fœniculum,	Fennel.
Glycyrrhiza,	Liquoriſe.
Fraga,	Straw-berry-leaves.
Gramen,	Graſs.
Herniaria,	Rupture-wort.
Lactuca,	Lettice.
Lingua Cervina,	Hart's-Tongue.
Mercurialis,	Mercury.
Nummularia,	Money-wort.
Nymphaea,	Lillies.
Ononis,	Reſt Harrow.
Parietaria,	Pellitory.
Perſicaria,	Arſmart.
Scabioſa,	Scabious.
Virga aurea,	The Golden Rod.
Urtica,	Nittle.
Syrupus Althæae Fernelii,	Syrup of Marſhmallows.
— *Capillor. Veneris*,	— Maiden-hair.
— *Cichorei cum Rheo.*	—Succory with Rhubarb.
— *Papav. alb.*	— White Poppies.
—— *erratici*,	— Wild Poppies.
— *Violaceus*,	— Violets.
Sal Ammoniacus,	Sal Ammoniac.
— *Gemmæ*,	Sal Gem.
— *Marinus*,	Sea Salt.

In an APPOPLEXY.

SECT. 1025. P. 291.

Proper Waſhes and Gargals for the Mouth, in this Caſe.

Take of Maſter-wort, Pellitory of *Spain*, and Galangale Roots, each an Ounce; freſh Origanum, Rue, and Thyme Leaves, each a Handful; Lavender, and Feverfew Flowers, each an Ounce; and boil them in a cloſe Veſſel, with ſuch a Quantity of Water as will make three Pints of ſtrained Decoction, in which diſſolve three Drams of the Spirit of Sal Ammoniac.

Maſticatories.

Take of Maſtick, white Wax, and Ginger, each an Ounce; mix and make them into ſmall Lozenges.

Sternutories, &c. may be of the ſame Medicines.

SECT.

SECT. 1026.

Emetics.

Take two Ounces and a half of Emetic Wine, with an Ounce of Oxymel of Squills, and mix them up into *a Draught.*

Take ſeven Grains of the Cream of Emetic Tarter *for one Doſe.*

Take an Ounce of the expreſſed Juice of Horſe-Raddiſh, with two Ounces of the Oxymel of Squills, and mix them together *for a Draught.*

Take two Grains of *Mercurius Vita.*

Cathartic.

Take of Scammony and Reſin of Jalap, each ten Grains; rectified Spirit of Wine, two Drams; and mix with them, when bruiſed and diſſolved, ſix Drams of the Syrup of Solutive Roſes with Senna *for a Draught.*

SECT. 1028. P. 292.

A ſtimulating Vapor for the Noſe.

Take of the Tincture of Caſtor, and Spirit of Sal Ammoniac, each two Drams,

which

which mix and make the Patient ſmell often at.

Take of the ſharpeſt Vinegar and Tincture of Caſtor, each two Drams; *and mix them for the ſame Uſes.*

Take of the Oils of Roſemary, Tanſey, Lavender, Rue, and Wormwood, each four Drops; infuſed Oil of Caſtor, a Dram; Nerve Ointment, an Ounce; *Sal volatile Oleoſum*, a Dram: *And mix them into a Balſam, which apply to the Noſe and Temples.*

A Stimulating Glyſter.

Take of the Pulp of *Colocynth*, half a Dram; Tobacco Leaves, a Dram and a half; and boil them in a ſufficient Quantity of Water to ten Ounces; in which diſſolve two Drams of Sal Gem; *and make a Glyſter.*

Sect. 1030 N. 2. P. 293.

But chiefly of *Senna* and *Tamarinds.*

See §. 296. N. 2.

Sect. 1030. N. 3.

See §. 954, 966.

In a Palsey.

Sect. 1068. P. 304.

See 75. N. 5. §. 54. N. 4.

Sect. 1069. P. 305.

Take of Maſtich, Olibanum, and Amber, each half an Ounce; pulveriſe them, and put a Dram thereof on a burning Coal, and receive the Steam in a dry hot Woollen-cloath, *with which, afterwards, rub the Parts well.*

Take of the Spirit of Lavender, three Ounces; Sal Ammoniac, two Drams; Tincture of Caſtor, half an Ounce; Lavender Water, ſix Drams: *And rub the Parts thoroughly with them, when mixed.*

Take

Take of Cummin and Melilot Plaiſter, and of fine Galbanum, † each an Ounce; Oil of Caſtor, half an Ounce; make the a Plaiſter thereof, and apply it to Part affected, when well rubbed.

Take of the infuſed Oils of Wormwood, Dill, Camomile, Catment, Rue, ſmelling Trefoil, Caſtor, Saffron, Orrice, Earth-worms, Spikenard, and of Mineral Oil, each a Dram; *Agrippa's*, *Arthanitas's*, Martial and Nerve Ointment, each ſix Drams; and make a Liniment.

Emplaſtra acria,	Sharp Plaiſters.
De Cumino,	Of Cummin.
— *Galbano*,	— Galbanum,
— *Meliloto*, &c.	— Melilot, *&c.*

In a MADNESS.

SECT. 1126. P. 324.

Take of *Peruvian* Bark, two Drams; *Magellanic* Bark, three Drams; Conſerve of Roſemary, an Ounce; Syrup of Kermes, ſuch a Quantity as will make a Pre-

---

† The Galbanum muſt be ſtrained.

Preſerve: *Of which the Patient may take a Dram every three Hours.*

Or,

Take of *Sylvius*'s Diaſcordium, a Dram; *Elæoſaccharum*, made of Citron Oil, two Drams; preſerv'd Elicampane, an Ounce; the Syrup of the five opening Roots, ſuch a Quantity as will make a Conſerve: *which is to be taken as the former.*

Or,

Take of preſerved Ginger, three Ounces; preſerved Orange-peel, two Ounces; Nutmeg, half an Ounce; *Fernelius*'s Syrup of Mugwort, as much as will make a Preſerve: *Which is to be taken as the former two.*

Or,

Take of *Andromachus*'s Treacle, *Meſue's* Electuary of four Ingredients, each an Ounce; Conſerve of Wormwood, half an Ounce; Angelica-root, two Drams; Syrup of Clove-gilly-flowers, as much as will make a Conſerve: *Of which let the Patient take a Dram four Times a Day.*

Take

Take of the Barks of *Peru*, *Mallega*, Citrons, Oranges, *China*, and of Cinnamon, each an Ounce; the Tops of wild Thyme, Thyme, and *Syrian* Marum, each half an Ounce; the Flowers of *Arabian* Stœchuas, Lavender, and Tanſey, each an Ounce; the Woods of Aloes, and Saſſaphras, each ſix Drams, with three Quarts of Sack, and make medicated Wine: *Of which two Ounces may be taken four Times a Day upon an empty Stomach.*

In a CANINE MADNESS.

SECT. 1144. P. 333.

Glyſter.

Take of Nitre, two Drams; Elder-Vinegar, and Honey of Roſes, each an Ounce; Barley-water, ten Ounces; *and make a Glyſter.*

Take of common Salt, two Drams; Vinegar of Marygold-flowers, ſix Drams; common Honey, an Ounce; Rue-water, ten Ounces; *and make a Glyſter.*

For

For the SCURVY.

SCET. 1160. L. α. P. 350.

Cathartic.

Take of Tartar of Vitriol, Cream of Tartar, and of *Sal Polychreſtum*, each half a Dram; and make there of Powder, *to be taken in the Morning in a Glaſs of Whey; afterward drinking twelve Ounces of Whey.*

Another.

Take of *Sal Polychreſtum*, two Drams; the greater Pill of *Cochiæ*, a Scruple; Syrup of Solutive Roſes with Senna, ſix Drams; Succory-water, two Ounces; *and mix them up for a Draught.* *

Take of *Elixir Proprietatis*, prepared with Salt of Tartar, two Drams; Syrup of Solutive Roſes with Senna, ſeven Drams;

---

* This would be much more agreeable in Pills than a Draught, becauſe the latter occaſions a nauſea.

Drams; Fumatory-water, two Ounces; *and make thereof a Draught.*

Take of the greater Pill of *Cochiæ*, a Dram; and make it into twenty-one Pills: *Of which let the Patient take two before going to reſt, and five in the Morning before Breakfaſt.*

SECT. 1160. L. β.

Helmont's Tincture of Salt of Tartar, *a Dram to be taken with three Ounces of Wine.*

Harvey's Tincture of Salt of Tartar, *four Drams to be taken with three Ounces of Wine.*

Lewis's Tincture of Steel, *a Dram to be taken in a Glaſs of Wine.*

Tartar of Vitriol,
Cryſtals and Cream of Tartar,
Vitriol of Steel,
Sal-Polychreſtum,
} *The Doſe of each may be taken to half a Dram.*

All Vegetable Salts, *a Dram, to be taken in a Glaſs of Wine.*

Elixir Proprietatis prepared with Spirit of Vinegar,
—Salt of Tartar,
} *two Drams.*
—Aromatic Waters, *three Drams.*

Volatile, oily Aromatic Salts, *a Dram*
Venice Soap, *half an Ounce.*
Starkey's Soap, *half a Scruple.*
Simple Oxymel, *four Ounces.*
Simple Oxymel of Squills, *three Ounces.*
Compound Oxymel of Squills, *two Ounces.*

Conſerva Acetoſæ,	Conſerves of Wood Sorrel.
——— *Lujulæ,*	— common Sorrel.
Poma Aurantia,	Oranges.
——— Chinenſia,	*Chineſe* Apples.
——— *Citrea,*	Citrons.
——— *Limonia,*	Lemons.
——— *Granata,*	Pomegranates.

SECT. 1160. L. γ.

Soft SPECIFICIC ANTISCORBUTICS.

Abrotanum mas,	Southernwood, male.
——— *fœmina,*	——— female.
Abſinthium latifolium,	Worm-wood common.
——— *tenui folium,*	——— *Roman.*
Acetoſæ omnes Species,	Sorrel common, all kinds thereof.
Acetoſellæ omnes Species,	Wood-ſorrel, all ſorts of it.

Ager-

Ageratum,	Maudlin.
Agrimonia,	Agrimony.
Anagallis mas,	Brook-lime, male.
—*fœmina*,	——————female.
Artemisia,	Mugwort.
Balsamita,	Costmary.
Bardana,	Burdock.
Becabunga,	Sea Purslane.
Botrys,	*Jerusalemn* Oak.
Brassica rubra, capitata,	Red Cabbage.
Bunium,	Navew.
Buxus,	Box Tree.
Chærephyllum,	Chervil.
Chamædyrs, [*Trissago*,]	Germander.
Chamæpitys, [*Iva Arthritica*]	Ground-Pine.
Cichorea,	Succory.
Crambe,	Cole-wort:
Cuminoides,	Cummin.
Endivia,	Endivie.
Eupatorium Cannabinum,	Hemp.
Fæniculum,	Fennel.
Fumaria,	Fumatory.
Galegæ ambæ Species,	Goat's-Rue, both kinds.
Hedera terrestris,	Ground-Ivey.
Lapatha,	Sharp-pointed Dock.
Levisticum,	Lovage.

Majorana,	Marjoram.
Meliſſa,	Baulm.
Mentha,	Mint.
Naſturtium aquaticum,	Water-Creſſes.
—— *hortenſe,*	Garden-Creſſes.
Nummularia,	Money-wort.
Rheum Barbarum,	*Ruſſia* Rhubarb.
Salvia,	Sage.
Scabioſa,	Scabious.
Scordium,	Scordium.
Sophia,	Flix-weed.
Veronica,	Male Speed-well.
Urtica,	Thē Nettle.

Aromatic Odoriferous Apples.

Aurantia,	Oranges.
Citrea,	Citrons.
Granata,	Pomegranates.
Limonia,	Lemons.

Fruit.

Berberis,	Bar-berries.
Ceraſa matura quæcunque,	Ripe Cherries of all kinds.
Fraga,	Straw-berries.
Groſſulariæ,	Gooſe-berries.
Mori,	Mulberries.
Poma acido-dulcia,	Apples, Acido-ſweet
—— Armeniaca,	Apricocks.

—*Per-*

Poma Perſica,	Peaches.
Pruna matura quæcunque,	Ripe Prunes, of all ſorts.
Fructus Rubi vulgaris Cæſii,	Thorn-berries, black.
—— *rubri*,	——— red.
—— *Idæi*,	Raſp-berries.
—— *Sambuci*,	Elder-berries.
—— *Tamarindi*,	Tamarinds.
—— *Vitis Idaeæ*.	Bill-berries.

SECT. 1161.

SHARPER ANTISCORBUTICS.

Abſinthium,	Wormwood.
Acriviola,	*Indian* Creſs.
Allia,	Garlick.
Alliaria,	Sauce alone.
Arum,	Wake Robin.
Armoracia,	Horſe-raddiſh.
Cepæ,	Onions.
Chelidon majus,	The greater Celandine.
Cochlearia,	Scurvy-graſs.
Enula,	Ellicampane.
Eryſimum,	Hedge-muſtard.
Eruca,	Rocket,
Gentiana,	Gentian.
Gratiola,	Hedge-hyſſop,

Iſatis,	Woad.
Piperitis, [*Lepidium*,]	Dittander.
Porrum,	The Leek.
Ptarmica draco,	Sneezing-wort.
Raphanus hortenſis,	Garden-Radiſh.
——— *ruſticanus*,	Horſe-Radiſh.
Ruta,	Rue.
Sabina,	Savine.
Santonicum,	*Alexandrian* Wormwood.
Saponaria,	Sope-wort.
Sedum minus Vermiculare acre,	The leſſer Horſe-Leek.
Sinapi,	Muſtard.
Trifolium aquaticum,	Water-trefoil.

Expressed Juice.

Take of ſcraped Horſe-radiſh, four Ounces; freſh Scurvy-graſs, Money-wort, and Nettle-leaves, each four handfuls; expreſs the Juice, and when ſweetned with Sugar; *let the Patient take two Drams, four or ſix Times a Day.*

Spirit.

Take of the Seeds of Muſtard, Garden Radiſh, Gentian, Rocket, and of Garden Creſſes, each an Ounce; the Leaves of Scurvy-graſs, Dittander, Horſe Radiſh, each two handfuls; and add to them, when

when ſliced, and bruiſed, two Ounces of common Salt, an Ounce of the Flowers of Hops; and as much Spirit of Wine as will reach two Inches above the Surface of the Ingredients; afterward diſtill them thrice over.

Sal-volatile.

With the Preceeding, in lieu of the common Salt, and Hop-flowers, mix three Ounces of *Sal Ammoniac*, and ſeven Ounces of Pot-aſhes; afterwards diſtill them as above.

Ale.

Take of the freſh Leaves of Scurvy-graſs, Rocket, Hedge-muſtard, and Water Trefoil, each a handful; the freſh bruiſed Seeds of Garden-creſſes, and Garden-radiſh, each two Ounces; the Flowers of the leſſer Centory, an Ounce; Horſe-radiſh, five Ounces; and, when bruiſed, put them into half a Barrel of freſh working Ale: *Which afterward, uſe for common Drink.*

Wine.

Take of the freſh dug Root of Wake-Robin, half an Ounce; Horſe-radiſh, an

Ounce; Scurvy-graſs, and Water Treſoil, each a handful; Muſtard-ſeed, two Ounces; of *Rheniſh* Wine, three Quarts: *And make thereof a medicated Wine.*

SECT. 1162.

Gentle adſtringent Antiſcorbutics.

Capparis,	Caper Buſh.
Flos Geniſtæ,	The Flowers of Broom
Fraxinus,	The Aſh Tree.
Lapathum, omneſque ejus ſpecies.	Dock, *all kinds thereof.*
Lupulus,	The Hop.
Polypodium quercin.	Polypody of the Oak.
Rhabarbarum,	Rhubard.
Tamariſcus,	Tamarisk.

Gentle cooling Antiſcorbutics

Poma odorata.	*Aurantia,*	Odoriferous Apples, *viz.*	Oranges.
	Chinenſia,		Chineſe.
	Citrea,		Citrons.
	Granata,		Pomegranates.
	Limonia,		Lemons.

Acido-

Acido-ſweet Summer Fruit.

Acetoſa,	Sorrel.
Acetoſella, [*Lujula,*]	Wood-ſorrel.
Cichorea,	Cichory.
Endivia,	Endive.
Lactucæ,	Lettice.
Taraxaca,	Dandelion.

In heat.

Hydrogala,	Water and Milk.
Serum Lactis,	Whey.
Lac ebutyratum,	Skim'd Milk.

Tartar, and all ſorts of tartariſed Acids.

Hot and acrid Medicines.

See §. 1161.

SECT. 1163. P. 341.

GARGLES.

In Heat.

Take of Lemon-juice, and Honey of Roſes, each two Ounces; Spirit of

ſweet Salt, half a Dram; and of Rue Water, two Ounces: *Which mix for a Gargle.*

Take of the Spirit of common Salt, two Drams; and of Sage Water, eight Ounces: *Which mix for a Gargle.*

Take of the Juice of freſh Lemons, an Ounce; *Sal Ammoniac*, a Dram; and of Rue Water, ſix Ounces: *Which mix for a Gargle.*

In Cold.

Take of the Spirits of Treacle, and of Scurvy-graſs, each an Ounce; Honey of Roſe-mary, two Ounces: *And mix them.*

Take of the Spirit of Wine camphorated, half an Ounce; Tincture of Myrrh, an Ounce; Rob of Juniper, half an Ounce; Wormwood Water, four Ounces; and of *Sal Gem*, a Dram: *Which mix.*

Sect. 1164.

Take of Fumatory, Sorrel, Brook-lime, and Water Trefoil, each a handful; Whey and skimed Milk, each a Quart: *And make thereof a Decoction.*

Take

Take of Wood-ſorrel, a handful and a half; Betony, and Chervil, each half a handful; Tamarinds, an Ounce and a half; infuſe them, when ſliced, in three Pints of boiling hot Whey, for an Hour, afterward mix with the Infuſion, when ſtrained through a Linnen Cloth, the Syrups of Citron Juice, Raſp-berries and Violets, each an Ounce: *Of which drink an Ounce every Hour, and ſometimes every half Hour.*

In a CONSUMPTION.

SECT. 1200. N. 2. P. 353.

Take of the Conſerve of red Roſes, three Ounces; *Armenian* Bole, finely levigated, two Drams; and as much of the Syrup of Myrtles, as will make a Conſerve: *Of which take a Dram every two Hours.*

Take of the Tops of Plantain, three Ounces; Flowers of red Poppies, an Ounce and a half; and of the freſh Seeds of Plantain, an Ounce; afterward mix them with ſuch a Quantity of Sugar as will make a Conſerve: *And take the ſame Quantity as above directed.*

Take of Sorrel-leaves, two handfuls, and make a Decoction thereof with a Pint

Pint of Whey: *Afterward drink an Ounce thereof every Hour.*

Take of the Roots of Tormentil, two Ounces; Silver Cinquefoil, three handfuls; Leaves of red marſhy Cinquefoil, an Ounce; and of bruiſed Sorrel-ſeed, half an Ounce; and boil them for ſeven or eight Minutes, in ſuch a Quantity of Water as will make two Quarts of ſtrained Decoction, with which mix two Ounces of the Syrup of Myrtles: *And take afterward two Ounces every two Hours.*

Smooth Balſamics.

Take of ſweet Almonds, *Cocoa* Nuts, *Piſtachio* Nuts, and white Poppy-ſeed, each four Ounces; bruiſe them, and expreſs the Oil with as little Fire as poſſible: *Of which drink a Dram every two, or four Hours.*

Take half an Ounce of native Turpentine, and as much Liquoriſe as will make a Maſs proper for forming Pills: *One of which, weighing four Grains, is to be taken every fourth Hour.*

Or,

Take of native Turpentine, half an Ounce; Gum Tragacanth pulverized, five

five Drams; and as much white Starch as will make a Maſs of Pills: *Which are to be taken as above.*

Take half a Dram of *Lucatellus*'s Balſam, three Times every Day on an empty Stomach: *Drinking thereupon an Ounce of the following Infuſion.*

Balſamic Infuſion with Honey.

Take of the freſh Flowers of Betony, St. *John*'s Wort, and of Cows-lips, each a Pugil; and make an Infuſion thereof in a cloſe Veſſel, with hot Water for half an Hour, afterward mix with a Pint and a half of the Infuſion two Ounces and a half of *Marſeilles* Honey.

Sect. 1200. N. 3.

Take a Quart of ſpring Water, and one Pint of freſh Milk, ſweetned with Honey: *Of which make a Mixture, to be taken in lieu of common Drink.*

Take of freſh Milk, ſweetned with Honey, half a Pint; Bisket, an Ounce; and Sugar, two Drams: *Of which make a Mixture, and take it for common Food, four Times every Day.*

Take

Take of Crabs Eyes, two Drams; *Venetian* Soap, half a Dram; Barley-Sugar, two Drams; mix and them into a Powder, to be divided into twelve Doſes: *One to be taken always before the uſe of Milk, with Bread.*

SECT. 1209. P. 357.

Take of ſimple Oxymel, four Ounces; Tartar of Vitriol, a Dram; the Syrup of the five Opening Roots, two Ounces; Wormwood, Carduus, and Hyſſop-water, each four Ounces; and mix them: *Of which let the Patient drink three Ounces every two Hours.*

Take of the Woods of the three Saunders, each an Ounce; Saſſafras-wood, an Ounce and a half; the Roots of *China* and Sarſaparilla, each three Ounces; and the Flowers of the leſſer Centory, half an Ounce; boil them in a cloſe Veſſel, with Water for half an Hour; then add an Ounce of ſkined Liquoriſe; and let them boil for a ſhort Time again: *Afterward ſtrain off two Quarts of the Decoction.*

Take of the Roots of Avens, two Ounces; of Smallage, Burdock, Eryngo, Graſs, Liquoriſe, Spignel, Parſley, Valerian, and Madder-roots, each an Ounce; the Leaves of Agrimony, Mug-

Mugwort, Maiden-hair, Germander Ground-Pine, Hyſſop, Pellitory, Scabious, Colt's-foot, Nettle, and Chervil, each a handful; the Seeds of Smallage, St. *John's* Wort, and Piony, each an Ounce; the Flowers of Betony, St. *John's* Wort, and the leſſer Centory, each a Pugil; and make a Decoction of theſe, or ſome of them: *Of which drink three Ounces every three Hours.*

Take of Myrrh, finely powdered, two Drams; *Sperma-Ceti*, half an Ounce; and therewith mix, when well ground, half an Ounce of Native Turpentine; then add ſuch a Quantity of Male-frankincenſe Powder, as will form a Maſs of Pills: *Of which, let one, weighing three Grains, be taken every three Hours.*

Take of the Balſam of *Gilead*, and *Capivi*, each two Drams; and of the Yolk of an Egg, half an Ounce; when well mixed, add as much Liquoriſe Powder as will form a Maſs of Pills: *Of which take one, Morning, Noon, and Night, weighing two Grains.*

Take of Maſtich, Myrrh, and male Frankincenſe, each two Drams; and make a fine Powder thereof, which ſpread in an earthen Veſſel before a very ſlow Fire; afterward mix with this Powder, half an Ounce of inſpiſſated Liquoriſe-juice,

and

and the like Quantity of very fine Turpentine; about the end of the Operation, add a Dram of the Balſam of Mecha, and make a Maſs of, with a ſufficient Quantity of Liquoriſe Powder: *Of which take ſix Grains four Times a Day, on an empty Stomach, drinking thereupon ſix Ounces of the following Infuſion.*

Take of the Leaves of Agrimony, Betony, *Jeruſalem* Oak, Ground Ivey, Scabious, Colts-foot, and Speed-well, each half an Ounce; Liquoriſe, an Ounce and a half: *And make an Infuſion thereof with a Quart of boiling hot Water in a cloſe Veſſel.*

SECT. 1210.

See all the Preſcriptions in § 1209.

Take of the freſh Leaves of male Speed-well, a handful and a half, Pellitory, and Rue, each a handful; and of Garden Valerian, half a handful; bruiſed Poppy-ſeed, three Ounces; Parſley Roots, ſix Ounces; and make a Decoction with two Quarts of Water; afterward add, when ſtrained, two Ounces of the Syrup of Maiden Hair: *Of which, take four Ounces every three Hours.*

Take

Take of Cynoglos Pills, a Dram, and make it into Pills, each weighing four Grains: *Of which, one is to be taken at Night.*

A Conſolidating Paregoric, is to be given when the Pus begins to decreaſe.

Take of the freſh Leaves of Borrage, Comfrey, and Mallows, each a handful; the Flowers of Wild-poppies, Mullen, and St. *John*'s Wort, each an Ounce; the Roots of the greater Comfrey, half an Ounce; and Marſhmallows, an Ounce; the bruiſed Seeds of Melons, and white-poppies, each an Ounce; and of *Peruvian* Bark, ſix Drams; and make a Decoction thereof with two Quarts of Water: *Of which let the Patient drink three Ounces of this every fourth Hour.*

In a DROPSY.

SECT. 1233. P. 364.

Take of the Roots of Maſter-wort, long and round Birth-wort, Zedoary, and Hart-wort, each an Ounce; Ginger, ſix Drams; the Leaves of the leſſer Centory, two Ounces; Roſemary, an Ounce; *German* Hedge-hyſſop, ſix Drams; Laurel and Juniper-berries, each an Ounce and

and a half; Thyme, Wild-thyme, and *Syrian* Marum, each an Ounce; the Seeds of Wormwood, Tanſey, and *Alexandrian* Wormwood, each an Ounce; and make a fine Powder; then, with ſix Ounces of this Powder, and two Quarts of neat *French* Wine, make a medicated Wine: *Of which let the Patient drink two Ounces, four Times a Day upon an empty Stomach.*

Or,

Take of the preceeding Powder, two Ounces; Conſerve of Roſemary, an Ounce; and of the Syrup of Mugwort, ſuch a Quantity as will make a Conſerve; *Of which take half a Dram every four Hours.*

Or,

Take of the preceeding Powder, twelve Ounces; and of fine Ale, three or four Gallons, make a medicated Ale *for a common Drink.*

Or,

Take four Drams of the ſame Powder, with half a Pint of ſtrong white Wine, and make an Infuſion; *Of which the*

the Patient may drink an Ounce every two Hours.

To this Section belong

Elixir *Proprietatis.*

Salts, volatile, *oily.*
——————— *Aromatic.*
Spirits, volatile, acrid, *oily.*
——————————— *Aromatic.*
——————————— *Cephalic.*
——————————— *Hyſteric,*
——————————— *Stomatic,* &c.

See §. 75. N. 5. §. 54. N. 4. §. 135.

SECT. 1234. N. 365.

Take of the Oils of Citrons, Oranges, and Cinnamon, each three Drops; of Lavender and Juniper, each two Drops; and, with ſix Drams of Sugar, make an *Elæoſaccharum*; then mix therewith, of the Rob of Elder and Juniper, each three Ounces; Spirit of Salt, a Dram; Citron, Orange and Cinnamon-water, each two Ounces; and of Mint-water, ten Ounces; *afterward take an Ounce of this every two Hours.*

Take of the freſh expreſſed Juices of the freſh ſliced Herbs of Fumatory,

tory, Succory, Dandelion, and of common Sorrel, each a Pound; of Cream of Tartar, half a Pound; and boil them on a gentle Fire to one half; then mix with ten Ounces of this Decoction, ten Ounces of Elder-juice: *Of which half an Ounce is afterward to be taken every two Hours.*

Take of the Spirit of ſweet Nitre, half an Ounce; the Spirit of Scurvy-graſs, ſix Drams; the Syrups of Succory with Rhubarb, and of the five Opening-roots, each an Ounce; and of *Rheniſh* Wine, a Pint: *Of which*, when mixed, *drink an Ounce every two Hours.*

SECT. 1237. N. 3.

Take half a Grain of Turbith-mineral, with ten Grains of white Ginger; which mix and make a Powder thereof, *to be taken every Day, with a little of the Pulp of a toaſted Apple.*

Take one Grain of red Precipitate, with ſix Grains of Nutmeg; which mix and make a Powder thereof, *to be taken as the former.*

Take ſeven Grains of ſweet Sublimate, with eight Grains of *Magellanic*-bark; which mix and make a Powder thereof, *to be taken for the ſame Uſes, as the former.*

Take

Take half a Grain of emetic Tartar, with ſix Grains of Citron *Elæoſaccharum*; which mix and make a Powder thereof, *to be taken every third Day.*

Take two Parts of the mildeſt Emetic of Antimony; five Parts of Nitre; ſix Grains of Nitre, prepared with Sulphur; and make a Powder thereof, *to be taken every Morning.*

Take ten Grains of the Filings of Copper, with ſix Drams of *Sal Volatile-oleoſum*; mix and make a blue Tincture: *Of which twelve Drops is to be taken three Times a Day on an empty Stomach, with half an Ounce of the Syrup of the five Opening Roots.*

SECT. 1243. P. 367.

See §. 334.

SECT. 1245. P. 368.

Take two Ounces and a half of common Emetic Wine *for a Doſe.*

Take ſix Grains of Emetic Tartar *for a Doſe.*

Take ſeven Grains of Turbith-mineral *for a Doſe.*

Take

Take an Ounce of the freſh expreſſed Juice of middle Elder-bark, with half an Ounce of the Syrup of Violets, *for a Doſe.*

Take an Ounce of the Leaves of Sea Bind-weed, *and let them be eat at one Time.*

Take four Grains of *Elaterium*, with an Ounce of the Syrup of Buckthorn, *for a Doſe.*

SECT. 1247.

Take of the Reſin of Jalap, and Scammony, each a Dram; the Leaves of Senna pulveriſed, and the bruiſed Seeds of Baſtard-Saffron, each half an Ounce; and of rectified Spirit of Wine, a Pound; mix and make a Tincture thereof; with which mix, when ſtrained, ſix Ounces of the Syrup of Solutive Roſes with Senna: *Afterward let the Patient drink an Ounce every Morning.*

Take of *Boyle*'s purgative Moon and Crums of Bread, each four Grains; and make Pills thereof, each weighing two Grains. *Of which, take one every half Hour, till they begin to operate.*

SECT.

SECT. 1250. P. 570.

Take of the Filings of Iron, without Ruſt, Barks of *Peru* and *Magella*, each two Ounces; dried Rhubarb, half an Ounce; of generous *Rheniſh* Wine, a Quart; and make a medicated Wine: *Of which take two Ounces three Times a Day upon an empty Stomach.*

SECT. 1252. N. 2.

Take of the Roots of choice Briony, and Jalap, Leaves of Rue, Wormwood and Garden Artichoke, Flowers of Melilot, and the leſſer Centory, and the Roots of Onions, and Leeks, each two Ounces; make of theſe a Cataplaſm; and, toward the end of the Proceſs add, of Galbanium, diſſolved with the Yolk of an Egg, two Ounces; Linſeed, an Ounce; Oil of Linſeed, and of *Sal-Ammoniac*, each half an Ounce; *afterward mix them.*

Take four Drams of *Venetian* Soap, with twelve Ounces of Treacle Spirit of Wine, and mix them for a Fomentation, *to be applied with woollen Cloths.*

Take a ſufficient Quantity of common dry hot Salt, finely pulveriſed, *and apply it when*

when ſowed between folds of Linnen, afterward renew it when it begins to melt.

Take of Benjamin, Frankincenſe, Sarcocolla, and of the Reſin of Guaiacum, each half an Ounce; Camphire, half a Dram; Maſtich, an Ounce; and *Sal-Ammoniac*, two Scruples; mix and make them into a Powder; *and let the Steam thereof, when inflamed, be received by the naked Scrotum, afterward apply hot woollen Cloths above this Fume.*

In the GOUT.

SCET. 1275. L. α. P. 380.

See 1233.

SECT. 1275. L. β.

Take an Ounce of *Glauber*'s Alcaheſt; *Of which take nine Drops every Morning in Veal Broth.*

Take an Ounce of Broom-aſhes, and infuſe them in a Pint and a half of *Rheniſh* Wine, *afterward let the Patient drink half an Ounce of this Infuſion every Morning, when ſtrained.*

In

In DISEASES *incident to* UNMARRIED WOMEN, *vulgarly called the* GREEN-SICKNESS.

SECT. 1291--1297. N. 3. P. 388.

Aloë,	Aloes.
Myrrha,	Myrrh.
Bryonia,	Bryony.
Colocynthis,	The bitter Gourd.
Gumm. Ammon.	Gum Ammoniac.
—— *Bdellium*,	—— Bdellium.
—— *Sagapenum*,	—— Sagapenum.
—— *Opopanax*,	—— Opopanax.
—— *Galbanum*,	—— Galbanum.
—— *Aſa-fætida*,	—— Aſa-fætida.

All Elixirs of Propriety.

SECT. 1291--1297. N. 4.

All that belong to this Section, are mentioned in N. 3.

Ariſtolochia,	Birthwort.
Artemiſia,	Mugwort.
Cardiaca,	Motherwort.
Chamæmelum,	Camomile.
Juniperus,	Juniper.
Marjorana,	Marjoram.

Marum,	Marum.
Matricaria,	Feverfew.
Pulegium,	Penny-royal.
Ruta,	Rue.
Sabina,	Savin.
Salvia,	Sage.
Sambucus,	Elder.
Serpillum,	Wild-Thyme.
Tanacetum,	Tanſey.
Thuya,	The Tree of Life.
Thymus,	Thyme.

Alſo §. 75. N. 5. §. 54. N. 4.

SECT. 1291---1297. N. 5.

Emplaſtra de Cumino,	Plaiſters of Cumin.
——*Meliloto*,	——Melilot.
——*Galbano*,	——Galbanum.
——*Baccis Lauri*,	——Laurel-berries.
——*Labdano*,	——Labdanum.
——*Oxycroceo*,	——Oxycroceum.

Applied to the Soles of the Feet, Navel and the Groins.

Fomen-

Fomentation of Venetian *Soap, and the Decoction of Herbs.*

N. 4. §. 1291—1297.

Linimenta ex Unguento Martiato,	Liniments of martial Ointment.
— *Nervino,*	— Nerve Ointment.
— *Enulato ſine Mercurio.*	— The Ointment of Elecampane without Mercury.
— *Agrippæ,*	— The Ointment of *Agrippa.*
— *De Arthanita,*	— The Ointment of Arthanitas.

Diſtilled *Aromatic* Oils, *See* §. 75. N. 5. among Stimulants, are chiefly the

Oleum Stillatit. Baccar. Juniperi,	Diſtilled Oil of Juniper-berries.
— *Hyſſopi,*	— Hyſſop.
— *Macis,*	— Mace.
— *Majoranæ,*	— Majoram.
— *Origani* Cretici,	— Origanum of *Crete.*
— *Roſmarini,*	— Roſemary.
— *Sabinæ,*	— Savin.
— *Spicæ,*	— Lavender.
— *Succini,*	— Amber.
— *Tanaceti,*	— Tanſey.

Olea infusa Absinth.	Infused Oils of Wormwood.
— *Anethi,*	— Dill.
— *Chamæmeli,*	— Camomile.
— *Nepetæ,*	— Cat-mint.
— *Rutæ,*	— Rue.
— *Castorei,*	— Castor.
— *Crocini,*	— Saffron.
— *Irini,*	— Orrice.
— *Lumbricor-terrestr.*	— Earth-worms.

V. G.

Take of Martial and Nerve-ointment, each an Ounce; the Oil of Juniper-berries, a Dram; the Oils of Savine, Rue and Castor, each half an Ounce; and make a Liniment, in this Case, *to be applied to the Umbilicus, Pubis and Groins.*

Steams of the Decoction, N. 4. *recieved into the Womb.*

SECT. 1291--1297. N. 6.

See 1250.

For DISEASES, *incident to* WOMEN *with* CHILD.

SECT. 1300. P. 389.

Take of Citron and Orange Peel, each two Ounces; Cinnamon, six Drams; the Bark

of *Magella*, two Drams; of Sack, three Pints; and make a medicated Wine; *Of which take two Ounces when going to Bed.*

Take of *Sal volatile Oleoſum*, a Dram; the Tincture of Gum Lac, two Drams; and of the Tincture of Caſtor, half a Dram; *Of which take twelve Drops, in the Hyſteric Paroxyſm, when mixed.*

Take of freſh expreſſed Citron-juice; and of the Syrup of Kermes, each four Ounces; *Rheniſh* Wine, three Pints; Tincture of Cinnamon, two Ounces; and of the Tincture of Citron-peel, three Ounces: *Of which take an Ounce and a half, when mixed, in the Languor.*

Take of Currant-juice, Quince-juice, the Syrup of Barberries, Sorrel, and of the Syrup of Citron, each two Ounces; *Matthiolus*'s Spirit of Life, an Ounce; and of Citron-water, twelve Ounces; *Of which take an Ounce and a half, after mixed, when fainting.*

SECT. 1302.

Take of Poplar and Roſe-ointment, each an Ounce; *Nutritum*, ſix Drams; Sugar of Lead, a Scruple; the Oils of Roſes, Violets, and of St. *John*'s Wort,

each half an Ounce: Mix and make them into a Liniment, *proper for this Caſe.*

SECT. 1307. P. 390.

Take of Blood-ſtone, *Armenian* Bole, and of *Dragon's* Blood, each a Dram; the Syrup of Myrtles, an Ounce; pure Laudanum, three Grains; and of Plantain-water, ſix Ounces; *Of which,* when mixed, *take half an Ounce every fifteen Minutes, till the Pain begins to ceaſe, if it be ſuperable by a Medicine of this kind.*

In a DIFFICULT LABOUR.

SECT. 1324---1316. P. 391.

Liniments,

See §. 35. N. 3. §. 1302.

For DISEASES, *incident to* CHILD-BED WOMEN.

SECT. 1324--1342. P. 395.

Take of Crab's-Eyes, three Drams; red Coral, two Drams; Pearls, a Dram; pure Laudanum, three Grains; Syrup of Kermes,

Kermes, ſix Drams; Citron, Balm and Marjoram-water, each three Ounces: *Of which take half an Ounce, when mixed, every fifteen Minutes, till the Pain ceaſes, drinking after two Ounces of the following Decoction.*

Take of clean Barley and Oats, each an Ounce; and boil them for half an Hour, with three Pints of Water: Afterwards mix with the Decoction, when ſtrained, a Pint of *Rheniſh* Wine, two Ounces of Cinnamon-water, and an Ounce and a half of the Syrup of Kermes.

Take two Drops of the Oil of Cinnamon, with one Dram of Pearl Lozenge Sugar, and make it into an *Elæoſaccharum*; with which afterwards mix half a Dram of Pearls, one Dram of the Mother of Pearl, half a Dram of red Coral, and three Grains of pure Laudanum: Make them into a very fine Powder, to be divided into ſix equal Doſes; *of which take one every half Hour in a Glaſs of* Rheniſh *Wine, till the Pain ceaſes; afterwards take only one Morning and Evening, for two Days.*

SECT. 1337--1342. N. 1. P. 395.

Antacids.

See §. 66. N. 5. §. 76.

SECT. 1337--1342. N. 2.

Diluents.

See §. 54. N. 4.

SECT. 1337--1342. N. 3.

Diſcutients.

Take of Camomile, Elder, Melilot and Lavender-flowers, each two Ounces; of Saffron, one Dram; and boil them in ſweet Milk, to the conſiſtance of a Cataplaſm, with which, afterwards mix two Drams of *Venetian* Soap, and a ſufficient Quantity of crum'd white Bread.

SECT. 1338--1344. P. 396.

Take a ſufficient Quantity of the Spirit of Roſemary-flowers, *and apply it with Linnen Cloth.*

Take

Take of the Oil of ſweet Almonds, infuſed Oils of St. *John*'s Worts, Violets, and of Roſes, each half an Ounce; *and make them into a Liniment.*

Take of the Ointments of Roſes, Poplar, and *Nutritum*, each half an Ounce; *and mix them.*

For CHILDRENS DISEASES.

SECT. 1342--1348.

Take of Honey, *French* Wine, and Hydromel, each half an Ounce; and mix them up *for one Doſe*

Take of the Syrup of Succory with Rhubarb, three Drams; *Caſtile* Soap, half a Dram; of Balm-water, half an Ounce; and mix them up *for one Doſe.*

SECT. 1343--1349. P. 397.

Take of Cinnamon, Mace, Nutmeg, Maſtich, Olibanum, each two Drams; of Treacle Spirit of Wine, four Ounces; *and make a Tincture thereof.*

Afterwards take the Yolk of an Egg, half an Ounce of the preceeding Tincture, two Drams of Roſe-water; mix them up

with a little crumed Bread, *and apply them to the Stomach.*

Take of yellow Citron-peel, ſliced, half an Ounce; Nutmeg, two Drams; and of *Spaniſh* Wine, three Drams; mix them in the Mortar; *and apply them with a little crum'd Bread as above.*

SECT. 1346---1352.

Take of freſh drawn Caſſia, half a Dram; Rhubarb, three Grains; the Syrup of Succory, with Rhubarb, two Drams; and mix them up *for one Doſe.*

Take of *Calabrian* Manna, two Drams; the Syrup of Solutive Roſes, one Dram; of Elder Flower-water, half an Ounce; and mix them up *for one Doſe.*

Take of white Honey, three Drams; Syrup of Solutive Roſes with Senna, a Dram; of Succory-water, half an Ounce; and mix them up *for one Doſe.*

Take of the beſt Rhubarb, ſix Grains; choice Agaric, two Grains; of the Syrup of Violets, two Drams; and, when well mixed in the Mortar, add two Drams of Balm-water, *for a Doſe.*

Take a little of *Venetian* Soap, formed into a Globe or Cone.

Take

Take a ſmall Globe or Cone, made of Sugar.

Take Honey, boiled to a hard Conſiſtance, and form it into a *ſmall Suppoſitory.*

Take a little Tallow, and *form it like a ſmall Candle.*

Proper Cordials.

Take of Honey, a Dram; Sack, and the Yolk of an Egg, each two Drams; *and mix them up into a Draught.*

Take of Cinnamon-water, two Drams; *Elixir Proprietatis,* prepared with Salt of Tartar, ſix Drops; and of the Syrup of Kermes, one Dram: *Of which make a Draught.*

SECT. 1347---1353.

Take ſix Drams of freſh Milk Whey, with one Dram of Honey, and mix *them up for a Draught.*

Take two Ounces of freſh Milk Whey, a Dram and a half of *Venetian* Soap, with two Drams of Honey, *and make a Glyſter thereof.*

SECT. 1348--1354. P. 398.

Take a Dram of Linſeed-oil, with two Drams of the Syrup of Marſh-mallows; *and mix them up for one Doſe.*

Take of Olive-oil, and Syrup of Maiden-hair, each two Drams, *and mix them up for one Doſe.*

Take three Drams of the freſh drawn Oil of ſweet Almonds, and two Drams of the Syrup of Liquoriſe *for one Doſe.*

Take of Linſeed-oil, half an Ounce; the Yolk of an Egg, two Drams; Honey of Mercury, half an Ounce; freſh Milk Whey, an Ounce; *and make them into a Glyſter, to be applied once every Day till a Lubricity appears.*

Take an Ounce of the Ointment of Marſh-mallows, and half an Ounce of Lintſeed-oil; *and, with which, anoint the Child's Belly Morning and Evening.*

SECT. 1350--1356.

Take of Crab's Claws, *Oſteocolla*, Chalk, Pike's Jaw-bones, and of the Backs of Oyſter-ſhells, each two Drams; mix and beat them to a fine Powder: *Of which take ſeven Grains, twice or thrice a Day.*

Take

Take of wild Poppy-flower and Fennel-water, each two Ounces; Crab's Eyes, two Drams; *Venetian* Soap, ſeven Grains; and of the Syrup of Marſh-mallows, half an Ounce: *Of which give the Child, when awake, two Drams every Hour, firſt ſhaking the Glaſs.*

SECT. 1356---1362. P. 399.

Take of *Caſtile* Soap, two Drams; the Yolks of Eggs, half an Ounce; Crab's Eyes, three Drams; of Rhubarb, half a Dram; and, when well mixed in a Mortar, with four Ounces of Mint-water, and an Ounce and a half of the Syrup of Marſh-mallows; *let the Child take half an Ounce every Hour till the Symptoms ceaſe.*

Take of *Venetian* Soap, half a Dram; *Sal Gem*, three Grains; Honey of Roſemary, half an Ounce; and of Fennel-water, an Ounce and a half; *which mix and make a Glyſter of.*

Take of Cow or Ox's Gall, half a Dram; Honey of Mercury, half an Ounce; and of Mint-water, an Ounce and a half; *of which make a Glyſter.*

Oleagi-

Oleaginous internal Medicines.

See § 1348—1354.

Oleaginous external Medicines.

Ung. Martiat.	Martial } Ointment.
—*Nervin.*	Nerve }
Olea infusa Absinthii,	Oils by infusion of Wormwood.
—*Anethi,*	—Dill.
—*Chamaemeli,*	—Camomile.
—*Rutæ,*	—Rue.
Olea pressa Lauri,	Oils by expression of Laurel.
—*Macis,*	—Mace.
—*Nucis Myristicæ,*	—Nutmeg.
—*Palmæ,*	—Palm.

SECT. 1369—1375. P. 400.

Take a Dram of Opopanax, two Drams of the Yolks of Eggs, and mix them; afterwards add a Dram of *Venetian* Soap, an Ounce and a half of Mugwort, and three Ounces of Fennel-water: *Of which take a Dram every four Hours, every Day, or every other Day.*

Take of *Æthiop's* Mineral, and the Troches of Agaric, each a Dram; and of

of fine Sugar, half a Dram: Mix and make a Powder, to be divided into ten Parts: *Of which take one Morning and Evening upon an empty Stomach.*

Take of Carduus Salt, two Drams; the Syrup of the five Opening-roots, an Ounce; and of Fumatory-water, four Ounces: *Of which, when mixed, let the Patient take three Drams every three Hours.*

Take of the Seeds of common Wormwood, *Alexandrian* Wormwood, and of Tanſey, each two Drams; and of Honey, two Ounces: *Of which take two Drams, when mixed every Morning.*

SECT. 1370---1376.

Take of the Ointments of *Agrippa*, and *Arthanitas*, each an Ounce, and make a Liniment: *With a ſmall Quantity of which anoint often the Umbilicus.*

Take of Ox's Gall and pure Aloes, each a Dram; and of the Ointment of Marſh-mallows, an Ounce; *which mix up into a Liniment for the like uſes.*

Take of the Oils of Tanſey and Caſtor, each half an Ounce; of Nerve Ointment, an Ounce; *and mix them up for the like Intention.*

We are here to obſerve whether the Child's Belly be too much diſturbed; for that often happens; therefore we muſt take Care not to bring on a Dyſentery, by making too free with theſe Medicines

SECT. 1371---1377.

Take of Honey, two Ounces; *Sal Gem*, a Dram and a half; of Succory-water, four Ounces; *and mix them up for a Draught: Of which drink half an Ounce every Hour.*

Take a Scruple of calcined Hart's-Horn, with two Drams of the Syrup of pale Roſes upon an empty Stomach four Times a Day.

Take two Drams of Sea Coraline, and half a Dram of the Filings of Steel; *which make a Powder of, to be divided into ſixteen Doſes for the ſame uſe.*

Take of the Seeds of *Alexandrian* Worm-wood, Rue, Tanſey, and of common Wormwood, each a Dram; and of Sugar, three Drams; *Of which make a Powder, to be divided into ſixteen Doſes for the like Intentions.*

Take of freſh Mead, a Pound; the Seeds of *Alexandrian* Worm-wood, and Tanſey, each an Ounce; and make a medicated

dicated Wine; with which, when clear, mix two Ounces of white Honey; *afterward take an Ounce every Morning on an empty Stomach.*

Take eight Grains of *Æthiop's* Mineral, with two Grains of Vitriol of Iron, a little calcined; *and make a Powder to be divided into two Doſes; one to be taken in the Morning, and the other at Night upon an empty Stomach.*

Take ſeven Grains of *Mercurius dulcis*, with five Grains of Scammony; *which make a Powder of, to be taken in the Morning with Mead.*

Take four Grains of Tartar of Vitriol, and three Grains of Vitriol of Steel; *Of which make a fine Powder to be divided into three Doſes; one to be taken in the Morning, another about Noon, and the third at Night upon an empty Stomach.*

Take two Grains of common Vitriol, and half an Ounce of the Syrup of Violats; *which take for one Doſe, when mixed, in the Morning, upon an empty Stomach.*

SECT. 1372--1378. P. 401.

Take four Grains of Scammony, and ſix Grains of *Mercurius dulcis*,; *which mix and make a fine Powder for one Doſe.*

Take

Take of Jalap-root and *Æthiop's* Mineral, each twelve Grains; *Of which make a Powder to be taken as above.*

Take eight Grains of Agaric, and twelve Grains of *Æthiop's* Mineral: *Which pulverize very fine, and take as above directed.*

Take of Aloes, three Grains; Reſin of Jalap, one Grain; Vitriol of Steel, two Grains, *and make them into a fine Powder, to be taken as above directed.*

SECT. 1373---1379.

Take three Ounces of Lintſeed-oil *for a Glyſter.*

Take two Ounces of Honey, with the like Quantity of Succory-water and *make a Glyſter.*

Take three Ounces of the Docoction of Tanſey, and ſix Grains of Aloes: *which mix and make a Glyſter of.*

Take fifteen Grains of the Salt of Steel, and four Ounces of Succory-water: *which mix up for a Glyſter.*

Take of Honey, boil'd to the uſual Conſiſtence, four Ounces; Aloes, half an Ounce; and Salt of Steel, two Drams: *Which mix and make a ſmall Suppoſitory, to be applied after going to Stool.*

External

External Ointments.

See § 1370—1376.

SECT. 1377---1383.

Take of Nitre, twenty Grains; Spirit of Salt, five Drops; Syrup of Violets, an Ounce; of Elder-flower-water, three Ounces; *and foment the Gums with theſe when mixed.*

Take of freſh Milk Cream, and the Yolks of Eggs, each an Ounce; the Syrup of Violets, ſix Drams, and of Roſe-water, three Ounces: *Which mix for the ſame uſes.*

Take of freſh Roſemary and Elder-Flowers, each half a Pugil; put them in a Linen Bag, with a Piece of Lead to keep them at the Bottom, then put them in a long Cylindrical Glaſs, pour on freſh Milk, and digeſt them; *afterwards uſe the Cream ſwimming at Top for the inflamed Gums.*

SECT. 1378---1384.

Take three Drops of the Spirit of Hart's-horn, with two Drams of the Syrup of Kermes, *three Times every Day.*

In

In the SMALL POX.

SECT. 1392--1398. P. 405.

Take of Diaphoretic Antimony, preſerved with its own fixing Nitre, ſix Drams; *Mercurius dulcis*, half a Dram; *Sal-Polychreſtum*, one Dram: And make a fine Powder, to be divided into twenty-four equal Doſes; *One of which is to be taken every third Hour, drinking afterwards four Ounces of freſh Milk Whey.*

Take of the Flowers of Sulphur, one Dram; Cinnabar of Antimony, a Scruple; Diaphoretic Antimony with Nitre, and of *Sal Polychreſtum*, each a Dram and a half: *Which make a very fine Powder of, to be taken as above directed.*

SECT. 1394-1400. N. 2. P. 406.

Take of the Flowers of Mallows, Marſh-mallows, Dandelion, Mullen, and the Soap-wort of the Lychnis, each half an Ounce; of Linſeed-meal, two Drams; and boil them for a Glyſter, with as much Water as is ſufficient for twelve Ounces; *Which thruſt in every twelfth Hour.*

Wool-

Woollen Cloths, wetted in the ſame Decoction, afterwards wrung out, are to be applied hot to the inferior Body, Feet, Legs, round the Knees, Thighs and Groins.

The Noſtrils, Mouth and Jaws are to be rinſed, moiſtened and fomented with the ſame Decoction.

SECT. 1394--1400. N. 3.

Take of wild Poppy and freſh Elder-Flowers, each an Ounce; unground Oats, half an Ounce; and boil them in ſuch a Quantity of Water as to make twenty Ounces of ſtrained Decoction, with which mix half an Ounce of ſtibiated Nitre, that is, ſeparated from Diaphoretic Antimony, by waſhing and cryſtalliſing; an Ounce of freſh Citron-juice, and an Ounce and a half of the Syrup of Violets; *Of which let the Patient drink as much as he pleaſes.*

SECT.

SECT. 1394—1400. N. 4.

See 28. N. 1.

SCET. 1399--1405. N. 1. P. 418.

See 28. N. 1.

SECT. 1399—1405. N. 2.

See 1394—1400. N. 3.

SECT. 1399---1405. N. 3.

Take of the freſh expreſſed Juices of Succory, Lettice, Dandelion, and Fumatory, each two Ounces; the Juice of Viper's graſs-root, four Ounces; and of refined Nitre, a Dram and a half: *Of which, when mixed, drink an Ounce every Hour.*

Take of the Roots of Sarſaparilla, China, and of Graſs, each two Ounces; thoſe of Viper's Graſs, eight Ounces; of Elder-flowers, an Ounce; and boil them in ſuch a Quantity of Water, for an Hour, as will make three Quarts of ſtrained Decoction: *Of which drink five Ounces every Hour.*

SECT.

SECT. 1399--1405. N. 4.

Take of Melilot Plaiſter, Galbanum, and of Sagapenum, each an Ounce; which, when mixed, ſpread upon Leather, and apply it to the Soles of the Feet.

Take of leavened ſour Bread, ſix Ounces; Rue, a handful; bruiſed Muſtard-ſeed, ſix Drams; Salt and Vinegar, each half an Ounce; *and apply them, when mixed, Night and Day to the Soles of the Feet, and Calves of the Legs.*

SECT. 1399--1405. N. 6. P. 419.

Take an Ounce of white Poppy-ſeed *for a Draught.*

Take a Grain of pure Laudanum *for a Pill.*

Take a Grain of pure Laudanum, mixed with half an Ounce of Balm-water, *for a Draught.*

SECT. 1402--1408. P. 420.

See what is preſcribed for 1394—1400, *and* 1399—1405. N. 6.

In

For the STONE.

SECT. 1425. P. 428.

Pot-herbs are here of Service.

Borrago,	Borrage.
Chaerophylla,	Chervil.
Chondrilla,	Gum Cichory.
Lactuca,	Lettice.
Petroſelinum,	Parſley.
Radices Dauci,	Carrots.
——— *Raporum*,	Turnips.
——— *Siſari*,	Parſnips.
Scorzonera,	Viper's-graſs.
Sonchus,	Sow-thiſtle.
Taraxacum,	Dandelion.
Tragopogon,	Goat's-beard.

Theſe Herbs, or ſome of them boil'd with Meat Broth, are very proper Food in this Caſe.

Whey,
Milk,
Skimed Milk,
} Of Animals, feed only upon Graſs.

Are here exceeding Uſeful ſo long as they are continued, till the Belly is, and continues for ſome Time lax; although ſome

ſome debility has followed from hence; for this often Cures even an inveterate Evil.

Sect. 1426. --- 1432. P. 429.

Take of the Leaves of Mallows, Marſh-mallows, Mercury, Pellitory, Brank-Urſin, and of Orach, each four handfuls, and make a Decoction of them.

Glyſters and common Drinks are made of this Decoction, becauſe they relax, open, mollify and drive on with gentle Diuretics.

An oily Decoction for lubricating the Parts.

Take of ſweet Almonds, number thirty, Piſtachio Nuts, number twenty, ſhelled and bruiſed; and of bruiſed Poppy-ſeed, three Ounces: Boil them in a ſufficient Quantity of common Water for half an Hour; when well pounded altogether in a Mortar, add four Drams of *Venetian* Soap, and two Ounces of Liquoriſe: Let them boil for a ſhort Time again; afterwards ſtrain off three Pints of Decoction: *Of which drink half a Pint four Times a Day on an empty Stomach, and then walk a ſhort Way gently.*

An opiat, anodyne, and aperient Mixture.

Take of the Syrup of the five Opening-roots, an Ounce and a half; pure Laudanum, two Grains; refined Nitre, twenty Grains; and of Parſley-water, ſix Ounces: *Of which, when mixed, let the Patient drink half an Ounce every Hour.*

A propelling diuretic Decoction.

Take of bruiſed red Chich, two Ounces; Parſley-ſeed, an Ounce; the Roots of Graſs and Parſley, each four Ounces; the Leaves of Agrimony, Golden-rod, and of Male Speed-well, each half a handful; and of Liquoriſe, an Ounce: Boil them in ſuch a Quantity of Water for half an Hour, as will make three Pints of ſtrained Decoction, in which diſſolve two Drams of Nitre; *Afterwards let the Patient drink two Ounces thereof every Hour.*

In

In the VENEREAL DISEASE.

SECT. 1458 --- 1464. P. 437.

Bath.

Take of the freſh Leaves of Rue, Scordium, Sauce-alone, and of Mallows, each two handfuls; boil them in ſuch a Quantity of Water, as to make a Quart of ſtrained Decoction, with which mix a Dram of *Venetian* Soap, and ſix Drams of common Spirit of Wine. Beath the Yard and Scrotum in this Decoction, when warm, three or four Times a Day, for half an Hour: *Afterwards dip woollen Cloths in it and wring them, then apply them over the whole Pubis, Scrotum, and Perinaeum.*

Injections may be made of the ſame.

Take of the Honey of Roſes, an Ounce; pure Aloes, ten Grains; *Sal Ammoniac*, four Grains; annd of Fennel-water, ſix Ounces: *Which mix for an Injection.*

Purge.

Take a Dram of Jalap-root, and a Scruple of *Mercurius dulcis*: *Which make a Powder of for one Doſe.*

Take of Scammony, twelve Grains; Jalap-root, eighteen Grains; and of *Mercurius dulcis*, twenty-five Grains; which make a Powder of, *and take as above.*

Take two Scruples of the greater Pill of *Cochiæ*, and three Grains of white Precipitate; which mix and make nine Pills of, *to be taken early in the Morning.*

Emulsion.

Take of the four greater and leſſer Cold-ſeeds, each three Drams; and make an Emulſion thereof with Barley-water; afterwards mix with twenty-two Ounces of this Decoction, a Dram of Nitre, and half an Ounce of the Syrup of Diacodium.

Take of common Turpentine, an Ounce; Rhubarb, half an Ounce; and of dried Liquoriſe, ſuch a Quantity as will form a Maſs of Pills: One of which weighing four Grains, *is to be taken every Hour.*

SECT. 1460 ---- 1466. P. 437.

Take of the Flowers of Elder, Melilot, Camomile, wild Poppies, and of Marſh-mallows, each three Ounces; with which

which mix, when boil'd in skim'd Milk, an Ounce of Lintſeed-meal, half an Ounce of Lintſeed-oil, and an Ounce of Treacle Spirit of Wine, *for a Cataplaſm.*

SECT. 1461 ---- 1467.

Diſſipating Plaiſter.

Take of the Flowers of Sulphur, two Ounces; *Æthiop's* mineral, two Drams; Sugar of Lead, three Drams; of Melilot, Cummin, Galbanum, Ammoniac and Sagapenum Plaiſter, each half an Ounce: Of which make a Plaiſter of, and apply it to the Part affected, when ſpread upon Leather.

Take of the Flowers of Sulphur, half an Ounce; Sugar of Lead, a Dram; and of Shoe-maker's Wax, two Ounces: *Of which make a Plaiſter for the ſame uſes.*

Suppurating Cataplaſm.

Take of ripe ſoft Figs, half a Pound; freſh Honey, two Ounces; and of Galbanum, diſſolved in the Yolk of an Egg, an Ounce; of which make a Cataplaſm, by boiling them in a ſufficient Quantity of Water;

Take of the Powder of the dried Leaves of Scordium, two Ounces; white Vitriol, two Drams; Aloes, a Dram; which mix and make a Powder of, *to be ſpread upon the Ulcer, when opened and well wiped, to bring away the corrupted Matter.*

SECT. 1462 --- 1468.

Take of the Plaiſter of Melilot, and of *Diapompholygos*, each a ſufficient Quantity.

Take of *Vigo's* Plaiſter, with double the Quantity of Mercury, a ſufficient Quantity, *and apply it to the Part affected after ſpread upon Leather.*

SECT. 1463 --- 1469.

Take a Dram of Mercury ſublimate, and two Ounces of quick Lime-water; *Which mix and touch the Parts very gently with this Water once or twice.*

The Quantity of Lime-water may be increaſed by making it weaker.

SECT. 1466 --- 1472. P. 438.

Take of the freſh Leaves of Scordium, Wormwood, Sauce-alone, Rue, and of Roſemary, each two handfuls; the freſh Flowers

Flowers of Tanſey, leſſer Centory, bleſſed Thiſtle, each a handful and a half; the Roots of Maſter-wort, and black Hellebore, each an Ounce: Boil them in ſuch a Quantity of Water as will make five Pints of Decoction, with which mix an Ounce and a half of Caſtle Soap: *Afterwards foment the Parts with this Decoction.*

Take of the Honey of Roſes, four Ounces; Corroſive-ſublimate half a Dram; and of Rue-water, ten Ounces: *Which mix for the ſame uſe.*

SECT. 1468 --- 1474.

Take of the Roots of Graſs, China, and Sarſaparilla, each two Ounces; clean Barley, ſix Drams; and of Liquoriſe, an Ounce and a half; boil them in ſuch a Quantity of Water for two Hours as will make three Pints of ſtrained Decoction: *Of which let the Patient drink four Ounces every Hour.*

SECT. 1469 --- 1475.

Take ten Grains of *Mercurius dulcis, for a Doſe.*

Sect. 1473---1479. P. 439.

Take of the Leaves of Senna, an Ounce; Agaric, half an Ounce; the Seeds Baſtard-ſaffron, two Drams; and of Jalap-root, one Dram: Boil them in ſuch a Quantity of Water as will make twelve Ounces of ſtrained Decoction, *for a Clyſter.*

Take fifteen Grains of Scammony, and ſix Drams of the Syrup of Solutive-roſes with Senna: *Which mix for a Doſe.*

Take twenty-four Grains of *Sylvius*'s Diaſcordium, *for a Sweat.*

Sect. 1474---1480.

Take of pure Laudanum, three Grains; red Corral, a Dram; and of Barley Sugar, two Drams; which mix and make a fine Powder of, to be divided into ſix equal Doſes; *Whereof the Patient is to take one every fifteen Minutes, till the griping Pain and the Diarrhoea ceaſe.*

Or,

Take of Diaſcordium, a Dram; Syrup of Diacodium, two Drams; and of Citron-water, four Ounces; *Which mix*

and

and let the Patient take half an Ounce off every fifteen Minutes till the above Symptoms go off.

Take two Ounces of *Andromachus's* Treacle, *and apply it to the Abdomen, when ſpread upon Leather, for the ſame Intention.*

SECT. 1475 --- 1485. P. 439.

See §. 1426 — 1432.

In the RICKETS.

SECT 1489 ---- 1495. P. 443.

The beſt Food.

1. Biſket well leavened with a little Saffron, Nutmeg, Cardamum, Cinnamon, the Seeds of Salery, and the like grateful, corroborating and aromatic Medicines.

2. Pidgeons, Fowls, Rabbets, Mutton, Veniſon and Veal, gently roaſted, and cut ſmall, afterwards mixed with Biſket, Salt, little Parſley, Thyme, Nutmeg or the like.

3. Rice, Millet, Barley boiled with Water, and Raiſons of the Sun; after-

wards preſerved with a little Wine, and gentle Aromatics.

The moſt proper Drink.

Red aſtringent, ripe *French* Wine, given to an Ounce *three or four Times a Day.*

Hippocratis's Wine given likewiſe to half an Ounce *at the ſame Time.*

Freſh Ales, as { *Brunſwick* Mum. *Engliſh* Beer. *Dutch* Ale ſold for twelve *Florence.*

Theſe may be mixed in Summer with an equal Quantity of medicinal Steel-water; but eſpecially with the medicinal Waters of the Spaws.

Take of the freſh gathered Leaves, of male Fern, dried in the Sun, three Pound; Marjoram, Balm and Mint, each two handfuls; and of the freſh Flowers, dried in the Sun, of Melilot, Trefoil, Elder, and of Roſes, each two Ounces; reduce them to a fine Powder, mix them with a double Quantity of Oat Chaff, then put them into a Linen Tick, and make Beds and Pillows for the Children to lie upon; but take particular Care to drie theſe Beds and Pillows often, and keep them from wet.

Take

Take of Benzoin, Maſtich, Olibanum, Amber and of Incenſe, each an Ounce; which mix, and pound into a fine Powder; ſpread a little Piece of burning Coal upon this Powder to make it ſmoak, over which Smoak hold woollen Cloths, or Flannels; *with which afterwards rub the Parts.*

Take of *Ipecacuana*, a Scruple; and of Sugar, two Drams, infuſe them for a Night in a Glaſs of *French* white Wine, and in the Morning ſtrain off the Infuſion. *Let this be repeated every fourth Day, for five Times.*

Take of choice Rhubarb, half an Ounce; ſhelled Citron *Myrobalans*, three Drams; and of the Troches of Agaric, two Scruples: Infuſe them cold in two Quarts of ſtrong Ale, for twenty-four Hours: *Which Infuſion uſe as a common Drink for four Weeks; but if it is too purgative, dilute the Infuſion with an equal or greater Quantity of Ale, according as it wants.*

Strengthening, drying, exciting and antiſcorbutic Herbs for curing the Rickets.

Agrimonia,	Agrimony.
Betonica,	Betony.
Capparidis, *Cortex ex radice*,	Cappar-buſh. *The Bark of its Root.*

Ceterach,	Spleen-wort.
Chichoreum,	Succory.
Cuſcuta,	Dodder.
Diapenſia,	Sanicle.
Endivia,	Endive.
Filix mas,	The Male Fern.
Hepatica,	Liver-wort.
Lingua-cervina,	Harts-tongue.
Meliſſa,	Baulm.
Myrobalani pruna,	Myrobalans. *The Fruit.*
Oſmunda Regalis,	Oſmund Royal.
Polypodium,	Polypody.
Quercus, folia, glandeſque,	The Oak. *Its Buds and Acorns.*
Rhabarbarum,	Rhubarb.
Rubi folia et radix,	The Bramble. *Its Leaves and Root.*
Ruta muraria,	White Maiden-hair.
Scabioſa,	Scabious.
Tamariſci cortex, flores, folia,	Tamarisk. *The Bark, Flowers, and Leaves.*
Trichomanes,	*Engliſh* Maiden-hair.
Veronica,	Speed-well.

Medicated *Ales*, *Wines*, and *Infuſions* may be advantagiouſly prepared of theſe; alſo *Preſerves* and the like. *V. G.*

Take of Agrimony, Spleen-wort, Fern-root, Harts-tongue, Polypody-root, and of white Maiden-hair, each two Ounces:

When

When mixed and cut ſmall, put them into a Linen Bag, which infuſe cold, in ſix Quarts of Ale.

Or,

Take of the Leaves and Flowers of Betony, three Ounces; Bark of Caparbuſh-root, Tamariſk, and of the common Bramble, *Engliſh* Maiden-hair, each two Ounces; and of the Filings of Steel, half an Ounce: Make a cold Infuſion thereof with a Gallon of Wine: *Of which take an Ounce three Times a Day.*

Give every Night ten Grains of *Boyle's Ens Veneris* in a Glaſs of *Canary* Wine *for three Weeks.*

Take of the Filings of Steel, an Ounce; of very ſharp diſtilled Vinegar, ten Ounces; and of Sugar, three Ounce; boil them twenty-ſix Hours in a tall Phial, and preſerve the Infuſion in a Glaſs Veſſel when filtrated: *Six Drops of this Infuſion may be given Morning and Evening in a Glaſs of Sack.*

BRITISH
4 NO 85
MUSEUM

INDEX
OF
DISEASES

	Page
Abdomen, Wounds of	91
Anxiety febrile	135
Appoplexy	177
Abſceſs	103
Birth, difficult	214
Bones, Diſeaſes of	125
Burning, or Scalding	118
Cancer	123
Canine, or Dog-Madneſs	183
Child-bed Women, Diſeaſes of	214
Children, their Diſeaſes	217
Conſumption	195
Contuſions	93
Convulſions	85
Diſeaſes of a weak and lax Fibre	1
——— rigid and claſtic Fibre	11
——— from the too rigid and contracted Fibres of the Viſcera	18
——— ſpontaneous, from an acid Humour	25

Diſeaſes

Diſeaſes from a ſpontaneous Viſcidity 32
——————————— Alcali 53
——— from a too great Velocity of the Blood 60
——————— languid Motion of the Blood, and a Plethora 61
——— of the Bones 125
——— incident to unmarried Women 209
——————— Women with Child 212
——————— Child-bed Women 214
——————— Children 217
Dropſy 201
Entrails, ſtiff and rigid 18
Febrile Anxiety 135
——— Chilneſs 133
——— Nauſea 141
——— Thirſt 138
——— Weakneſs 143
Fevers in general 126
——— intermitting 143
Fibre, weak and lax 1
——— rigid and elaſtic 11
Fiſtules 106
Gangrene 108
Gout 208
Head, Wounds of 87
Hemorrhagy 83
Jaundices, ſeveral kinds of 164
Inflammation 98
——————— of the Stomach 169

Inflammation of the Inteſtines 170
Liver, Inflammation of and the ſeveral kind of Jaundices 164
Lues Venerea, or the Pox 235
Madneſs 181
——— canine 183
Nauſea febrile 141
Neptritis 174
Obſtructions 61
Pains 85
Palſy 180
Peripneumony, true 152
——————— ſpurious 161
Plethora 61
Pleuriſy 162
Quincy, inflammatory 150
——— ſchirrous 149
——— watry 149
Rickets 241
Schirrous Tumour 119
Scurvy 184
Small-Pox 228
Sphacelus, or, complete Mortification 116
Stomach Inflammation of 169
Stone 232
Thirſt febrile 138
Thorax, Wounds of 91
Thruſh 171
Wounds of the Abdomen 19
——————— Head 87
——————— Thorax 91

IN-

INDEX

OF

Indications and Forms.

A.

ABSTERGENT in Wounds 78
Abſtergents, what and their Compoſition 24
Abſterſives, in a febrile Anxiety 138
Acids Saline, 33
——————native 33
——————fermented 34
——————produced by Fire 34
——Abſorbents of, and their Compoſition 24
——Immutants, or Correctors of. 29,30
——Diluents of 21,29
——Obtundents of, and their Compoſition 29
——————aromatic oily 30
——————gelatinous 30
——————oily. 30
Acido-auſtere Foſſils 9
——————Vegetables 4
Alcaheſt of *Glauber*, in the Gout 208
Alcaline Salts 34
——————fixt 34
——————volatile 35
Ale medicated, antiſcorbutic 191
——————ſtimulating for a ſpontaneous Viſcidity 50
——————for attenuating the Lymph in a Dropſy 202
——————purging, ſtrengthening in the Rickets 243

Ale medicated, exhilerating, ſtrengthening, drying of what compounded 244,245
Animals antacid for Food 25,28
——— with aceſent-juices, ruminant and non-ruminant, what and their Uſe 55,56
——— with alcaleſcent-juices 56
——— ſtimulating 45
Anodynes 60,69
——— in a ſchirrous Tumour 121, 122, 123
Antacids 25,32
——— for Infants 220,221
——— for Women in Child bed, labouring under Diſorders from the Milk 215,216,53,54,28,29,30
Anthelmintics, See Worms
Antinephritics, genuine 174,175
Antiſcorbutics, ſharp 189
——— hot 186,187,193
——— gentle cooling 192,193
——— gentle aſtringent 192
——— proper for the Rickets 243
——— gentle ſpecific 131,186
Antiſpaſmodics in Wounds 85,86
Aperients for the Stone 233
——— deterſive in ulcerated Lungs 154,157
Aperients { in Intermitting Fevers. { ſaline 143
alcaline 143
aromatic 144
mineral 144
diluent 145
mild, oily 145
Apophlegmatics for diminiſhing the Preſſure, on the Brain in an Apoplexy 177
Aqueous emollients 15,17
Aromatics well ſeaſoned, proper in a ſpontaneous Viſcidity 32,33
——— acrid, in a Plethora 61
——— ſtimulating 36,45
Aromatic ſeaſonings for Food in a ſpontaneous Viſcidity 33

Aromatic ſtimulating-water in a ſpontaneous Viſcidity 49
Aſtringents in Hemorrhagies for coagulating the Blood 84
———————— for contracting the Mouths of the Veſſels 84
Aſtringent Liquor in Hemorrhagies of the Noſe 165
——— Powder in Amputations 117
Attenuants, in Obſtructions mercurial, 61,62
——— diterging in a Scurvy, ariſing from a Viſcidity of the Fluids 184,185
Attrahents 62

B.

BALSAM reſembling that of *Arcæus*'s 76
———————— *Lucatellus*'s 77
——— in an Apoplexy, from a Viſcidity, to be rubbed upon the Noſtrils and Temples 179
Balſams, ſoft vulnerary, for clean Wounds 75,76
——— natural 75
——— artificial ſimple 75
——— artificial compound 76
Balſamics ſmooth, in a Phthiſis 196
Bark *Peruvian*, different Preparations for Intermitting Fevers 147,148
Barks, aromatic ſtimulating 44
Bath for viſcid-juices 52
——— the privy Parts in a Gonorrhœa 235
Beds for the Rickets, aromatic 242
Bilious ſtimulating Medicines 51
Bliſters, what 190
——— for ſuppurating the Small-Pox, to be applied to the Soles of the Feet 231
Bolus, purging antiphlogiſtic 99
——— in a febrile Anxiety 137
——— Lues venerea for abating the Impetus of a Salivation 240
Bones denudated, a Tincture for preſerving them from the Air and Putrefaction 88

Bread, Cream of for a weak Perſon 3
——— for a weak and lax Fibre, Decoction of 2
——— Jelly of 3

C.

CARDIAC warm refreſhing Potion in a Gangrene, from an acid cold Conſtitution 109
Cataplaſm, in an Abſceſs, maturating 103,104
——— ſoftening, emollient, &c. in an inflammatory Quincy 150,151
——— laxative, emollient for a Thruſh 172
——— ſuppurating for Veneral Bubos 237
——— reſolving in a Burning or Scalding 118,119
——— laxative, penetrating, reſolving for Contuſions 95
——— emollient, and oppoſing a Corruption in a gangrenous Eſchar 114
——— emollient, diaphoretick anodyne in a Gangrene 115
——— correcting a beginning Corruption in a Gangrene 113,114
——— oppoſing the Ingreſs of putrid Matter into the Veins 110,111
——— ſtrong diſcutient in a Hydrocele 207
——— diſcutient anodyne, &c. in an Inflamation of the Yard 236,237
——— narcotic, demulcent 74
——— diſcutient in Child-bed Women afflicted with Diſorders from the Milk 216
——— emollient, reſolvent for a ſchirrous Tumour 120
Cauſtics, opening Abſceſſes 105
——— in a ſchirrous Quincy 149
——— for Venereal Chankers 238
——— ſharp for a Sphacelus 116
Cicatrizers 82
Clyſter, in an inflammatory Quincy, nouriſhing 152
——— purging 150

Clyſter, in an inflamatory Quincy, laxative, emollient, detergent, &c. 172,173
——— in an Apoplexy from a Viſcidity, ſharp 179
——— for the Stone, aperient, laxative, emollient, expellent, its Compoſition 233
——— in Fevers, refrigerating 130
——— in Infants, for lubricating the Inteſtines 220, 221
——— for ſoftening the Hardneſs of the Meconium 219
——— in a Lues venerea, abating the impetus of the Salavation 240
——— in a ſpurious Peripneumony 161
——— in a canine Madneſs, refrigerating 183
——— in the ſmall Pox, laxative 228
——— in an Inflammation of the Stomach, lenient, emollient, &c. 169
——— for expelling Worms 226
——— for Wounds of the Abdomen 92
Conſerve, in a febrile Languor, aromatic, exciting, &c. 132
——— in a lax Fibre Aſtringent 8
——— in a ſpontaneous Viſcidity, ſtimulating 47,48
——— in a Dropſy, attenuating 202
——— in a Madneſs from Debility, corroborating cardiac, &c. 181,182
——— in a Conſumption, incraſſating, ſtiptic, &c. 195
——— for deſtroying Worms 223
——— in a Conſumpton aperient, deterging 195
——— refrigerating, ſtiptic, &c. 196
Contuſions, Digeſtives for 87,88
Corroding Elixir for a Wound 80
Corroſives for a Wound, gentle 78
——— ſtronger 79
——— ſtrongeſt 79
——— in a Hemorrhagy 83,84

Cray-

Cray-fiſh Soop 20
Cream of Bread, how prepared 3

D.

DECOCTION, in a ſpontaneous alcali, lenient, aceſcent 58,59
—— —— in a febrile Anxiety 137
—— —— in the Falling of the apthous Cruſt, corroborating 173
—— —— after the Thruſh, corroborating 174
—— —— in the Stone, expelling diuretic 234
—— —— —— —— —— —— lubricating, oily 233
—— —— in a Cancer, aperient, diluent, mild 124
—— —— in Contuſions, purging, cooling 93
—— —— in a weak and lax Fibre, aſtringent 7
—— —— in a rigid and elaſtic Fibre, dietetic 12
—— —— —— —— —— —— —— —— —— —— —— —— pharmaceutic, emollient 14
—— —— in an Intermitting Fever, aſtringent 147
—— —— —— —— —— —— —— —— —— —— —— —— ſudorific 146
—— —— in a febrile Chilneſs 133,134
—— —— in a ſpontaneous Viſcidity, ſtimulating 46
—— —— moiſtening 21
—— —— in a Dropſy, attenuating 203,204
—— —— in a Jaundice, gently purging 166,167
—— —— in a Inflammation, thin, aromatic to be drunk warm. 102
—— —— —— —— —— —— —— —— —— —— —— —— diluting, refrigerating 100,101
—— —— —— —— —— —— —— —— —— —— —— —— purging, evacuating, revulſive 99
—— —— for the Inteſtines balſamic, deterging 170
—— —— in a Lues venerea, to be drunk ſome Days before the Salivation 239
—— —— in a Nephritis, antiphogiſtic, lenient 174,175
—— —— in Diſeaſes of the Bones, of Guaiacum, abſtergent, penetrating, &c. 125,126

Decoction of Bread, for a weak and lax Fibre 23
——— of Bread, for a rigid Fibre, lenient, humecting 2,3,8
——— in a ſpurious Peripneumony, gently opening, &c. 161
——— in a true Peripneumony, diuretic, emollient 152,153
——— in a ſuppurated Peripneumony, emollient, and gently aperient 152,159
——— in a true ſuppurated Peripneumony, the Impoſthume being broke, a ſtrong aperient, &c. 159,160
——— in a Conſumption, ſtiptic, refrigerating, 196
——— in a Pleuriſy, a Gangrene threatening, aperient, &c. 164
——— laxative, reſolvent, &c. 163
——— for Women after Labour, cardiac 215
——— in an obſtinate Schirrous, anodyne 121
——— in a cold Scurvy, lenient, antiſiptic 194
——— in ripening an Abſceſs, moderating the Motion of the Blood 102,105
——— expelling the inflammatory Stimulus in the Small-Pox 229
——— in a ſtrong and rigid Viſcera, reſolvent 23,24
——— for a broken Impoſthume of the Lungs, deterſive, aperient 156,157
——— in a Vomica pulmonis, balſamic, vulnerary 198,199
——— in Wounds, aſtringent 66
——— aperient 66
——— attenuating 63
——— correcting an Acidity 65
——— an Alcali 65
——— a Viſcidity 65
——— an oily State 65
——— ſtimulating 64
——— inſpiſſating 64
——— laxative 66

— mitiga-

Decoction in Wounds, mitigating 64
——— correcting by its peculiar Virtue 65
——— of the Head, attenuating, diluting, aqueous 90
Decoctions, vulnerary and drinks 63,66
Derivatives, 63
Deterſives in Fiſtules 106,107
——— in a pulmonary Ulcer, aperient 154
Diaphoretics, ſee Sudorifics
Diet, See Food
Digeſtives, for Wounds 78
Digeſtives, in Contuſions 87,88
——— in Fiſtulas, liquefied 106
Diluents 21,22
——— in a Cancer, aperient, mild 124
——— for Child-bed Women, labouring under Milk Diſorders 20,21,216
Diuretics, what 97
——— in a febrile Anxiety 138
Draught in an inflammatory Quincy purging 150
——— antiphlogeſtic, purging, evacuant, revulſive 98,99
——— in a febrile Anxiety, purging 135,136
——— after the Thruſh, purging, corroborating 174
——— for Contuſions, purging, ſtrong cooling 93
——— in New-born Infants, for expelling the viſcous, caſeous Filth in the Inteſtines 217,218
——— for lubricating the Inteſtines 220
——— for correcting the Hardneſs of the Meconium 219
——— for expelling the Meconium, cordial 219
——— for expelling the Meconium, purging 218,219
——— in a Lues Venerea, for abating the Force of the Salavation 240
——— narcotic, very gentle 70

Draught, ſomewhat more hypnotic 70,231
——— in a Febrile Nauſea from the nervous Fluid 142
——— in the Rickets, emetic 243
——— in a beginning Scurvy, purging 184
——— for ſuppurating the Small-Pox, narcotic 231
——— for killing Worms 224,225
——— in an Ulcer of the Liver, depurating 167
——— in a broken Ulcer of the Lungs, evening gentle Anodyne 158
——— in Wounds of the Head, purging 89
——— in a febrile Anxiety, purging 135,136
Draughts for the Stone, laxative, aperient, expellent, &c. 233
——— for weak and lax Fibre 2,4
——— for a rigid Fibre, lenient, humectant 11,15
——— in the Rickets at Meals 242
——— in a Schirrus, at Meals 121
Drink, in a ſpontaneous Alcali, acid, abſtergent, ſaponacious 59,60
Drops, narcotic in a Draught 72,73
——— for pregnant Women in a hyſteric Paroxyſm 213
——— in ſtrong and rigid Viſcera, reſolvent 23

E.

Ecoprotics, or gentle cooling purges 66
Eggs, their Whites, how to be made Uſe of in a lax habit of Body 2
Elements, proper for making a ſtrong Fibre 1,4
Elixir, in Wounds, corroding 80
Emetics, See Womits
Emmenagogues, what 209
Emollients, what 21
——— purgative 66
——— aqueous 15,17

Emollients, for the Stone, aperient, laxative, expellent
——— for a gangrenous Eſchar 114
——— ſub-farinaceous 15,17
——— ſub-oleaginous 15,17
——— laxitive 66
——— endowed with a antiphlogiſtic Quality in an inflammatory Jaundice 166,167
——— expellent for the Stone 234
Emulſion, antiphlogiſtic, diluent and refrigerating 100,101
——— in a ſpontaneous alcali, aceſcent, linient 58,59
——— in a rigid Fibre, emollient 14
——— in a febrile Chilneſs 133,134
——— in a Gonorrhœa, refrigerating 236
——— ſtrong narcotic 73
——— mild narcotic 70
——— a little narcotic 70
——— in a Pleuriſy, laxitive, reſolving 163
Enema ſee Glyſter
Ens veneris of *Boyle* in the Rickets 245
Epithem in intermmitting Fevers 149
——— in a Gangrene from a cold acid humour invigorating 109,110
——— from a hot Alcali ſtimulating 109
——— for new born Infants to expell the pituitous ſaburra 218
——— in a Wound narcotic 73,74
——— in a febrile Nauſea from the nervous fluid 142
Epellents for the Stone 234
Epulotics 82
Eſchar gangrenous, Emollients for 114
Exſiccants or Driers 80
——— for wounds ibid
Extract in lax Fibres, aſtringent 8
——— in a ſpontaneous viſcidity, ſtimulating 46,47

F

Fierceneſs of ſome Animals, Cauſe of 2
Flowers ſtimulating aromatic 40
Fomentation for an ulcerated Cancer 125
——— for Contuſions, digeſtive 87,88
——— laxating, penetrating, reſolving 93
——— in Fevers for an external irritating acrimony, mucous, mild, oleagenous, and aperient 126, 127
——— for a Gangrene to prevent the putrid Matter from entring the Blood 110
——— correcting a beginning putrefaction 113
——— for a Gonorrhæa in Women, detergent
——— for a Hydrocele, diſcutient 207
——— in a Pleuriſy, laxative, reſolvent 162
——— in a fixed Schirrus, anodyne 122
——— in the ſmall Pox for expelling the varilus ſtimulus 229
——— in wounds of the Abdomen for the Intines 91,92
——— narcotic demulcent 74
——— in a Burning or Scalding reſolving 118
——— for a ſchirrous Tumour, reſolvent, emollient 119
——— in the green Sickneſs, ſtimulating 211
Food acrid in a languid Motion of the Blood and a Plethora 61
——— which the beſt for thoſe affected with a Thruſh 171,172
——— for a ſanguineos Apoplexy, and Medicine 167,170,180
——— for the Stone 232
——— for a lax Fibre 1,4
——— for a rigid Fibre 11,14
——— in gangrenous acid temperament, ſtrenthening 25,28,108

Food

Food acrid, in an Ulcer of the Liver 168,169
——— in an inflammation of the Inteſtines 170
——— in a Peripneumony tending to an abſceſs 11,14,153
——— in a pulmonary Phthiſis 197
——— in the Rickets 241
——— in a Schirrus 121
Forms of Aſtringents 7,10
——— Antalcalines 58,60
——— Humectants 19,20
——— Narcotics 69,74,157,158
——— antiphlogiſtic purgatives 98,99,135, 137,150,184
——— Reſolvents 22,23,24
——— Stimulants 46,53
——— Emetics 129,130,135,144,204,205
Foſſils, accido-auſtere 9
Fruits ripe, for a rigid Fibre, moiſtening and relaxing 11,12
Fumes, ſee Vapours
Fumes aromatic, in a Hydrocele, diſcutient 208
——— in a Palſy, with which Woollen Cloaths are to be fumigated for friction 180
——— for the Rickets, with which Woollen Cloaths are to be fumigated

G

Gangroneus Eſchar, Emollients for 114
Gargariſm, in an inflammatory Quincy, attenuating, nitrous 151
——— laxative fat 151
——— in a Thurſh, laxative detergent, &c. 172
——— when falling off, demulcent, 173
——— in an Apoplexy for diminiſhing the preſſure on the Brain 177

Gargarism, in a Thrush, detergent 171
——— demulcent 172
——— in an Apoplexy, lessening the pressure of the Brain 177
——— for Infants in detention, emollient 227
——— in a hot scorbutic humour 193,194
——— in a cold scorbutic humour 194
Gellies of Bread, for a weak Person 3
——— fruits sub-acid, nitrous demulcent, aqueous 139
Gums cicarizing 83
——— for a broken Imposthume of the Lungs, deterfive, aperient 156
——— in the green Sickness, purgative or sterine 209

H

Helmont's bilious stimulating Powder 51
Herbs, alcalescent, for seasoning eatables 56
——— poisonous ibid
——— for the Stone, the best, moist and mild 232
——— the most tender 12,13
——— for curing the Rickets 243
——— for a febrile Viscidity, lactescent, bitter, frigid 133
——— for the rest, see Vegetables
Humectants, what 19
Hydrogals, in a pulmonary Phthisis 197,198
Hydrogogues, in a Dropsy, strong 205,206
Hypnotics 69-74-157,158

I.

INfusions, bilious, of the *Porcupine* bezar 51
——— for a lax Fibre, astringent 7
——— for a sharp scorbutic Humour, balsamic, antiseptic, &c. 195

Infuſions, for a pulmonary Vomica, vulnerary, balſamic 200
Injection, in a Convulſion, diluting the coagulated and extravaſated Blood 86
——— in a clean Fiſtula, conſolidating 107
——— in Fiſtulas, digeſtive 106
——— deterſive 106,107
——— for a venereal Gonorrhæa 235
——— for diluting, coagulated and extravaſated Blood, in Contuſions from a Wound 86,87
Inſects, acrid, ſtimulating 45
Iron, Solution of in the Rickets 245
Juice, expreſſed from mild and more acrid antiſcorbutic Herbs, a form of 190
Juices of ripe Fruits, diluted with Water, for a rigid and elaſtic Fibre, what 11,12
Julap, in a Gangrene from heat, reviving 108
——— for pregnant Women, in a languor, cardiac 213
——— in a febrile Thirſt, pleaſant 138-140
Julaps, ſee Potions, Ptiſans

L.

Lacteſcents, for a febrile Viſcidity, bitter, frigid 133
Laxatives, what 66
Laxatives for the Stone 233
Lenients, what 21
Linctus, in Peripneumony, for promoting the Spitting 152
Liniment, for an open Cancer, mild Saturine 125
——— in pregnant Women, for varices, hæmorrhoids, &c. 213,214
——— in Intermitting Fevers, to anoint the Spine 148
——— for lubricating the Inteſtines of Infants 220
——— for the inflamed Nipples of thoſe that ſuckle 217

Liniment, for a Palſy, nervine 181
——— for a difficult Birth, emollient 214
——— in a Pleuriſy, laxative, reſolvent, &c. 162
——— in a fixed Schirrus, anodyne 122
——— for deſtroying Worms 223
——— in the Green Sickneſs 211,212
Liquor, for Venereal Shankers, cauſtic 238
——— for a Hæmorrhagy of the Noſe, ſtyptic 165
——— in a Gangrene, the Part being cut open, hot, reſiſting the Corruption 114
——— in a Palſy, penetrating, ſtimulating, for frictions. 180
——— in the Gout, vinous, ſaline, 208
Lixivium, in a Sphacelus, acrid 116

M.

Maſticatories in an Apoplexy, for diminiſhing the preſſure on the Brain 177
Materials for ſuch Condiments as correct a beginning putrefaction, in a Gangrene 111,113
Mealy Medicines 13,14
Medicines proper for making a ſtrong Fibre 1,4
Mercurials, in an Obſtruction, attenuating 61,63,204
——— in a fixed Schirrus, mild 123
Mercurius dulcis, in a Salavation, a proper Doſe 239
Milk for the Feble, what kind and how to be uſed 1
Milk diet in a Conſumption 197
Mixture in a ſpontaneous alcali, ſaponaceous abſtergent-acid, ſub-oleagenous 58,60
——— antiphlogiſtic, diluting and refrigerating 100,101
——— in the Stone, narcotic, aperient 234
——— in Fevers from an exceſſive cold Air, ſub-acid, nitrious 127,128
——— in intermitting Fevers, ſudorific ſeldom failing 146
——— in a febrile chilneſs 133,134
——— in a Gangrene, from a cold cauſe, ſtimula-

mulating, acid 109
——— cardiac hot 116
——— for Women with Child, cordial, aromatic 213
——— in an uterine flux or flooding aſtringent 214
——— in a Dropſy, cordial, attenuating 204
——— in a Jaundice, antiphlogiſtic and laxative 167
——— for infants labouring under diſorders from the acidity of the Milk 217,218
——— antacid 220
——— in a febrile languor, acrid, ſtimulating
——— in a lues venerea, anodyne, to ſtop a diarrhæa in a mercurial Salivation 240
——— narcotic, what 72
——— cold 73
——— in a febrile Nauſea from a diſorder of the Spirits, auſtere, anodyne 141
——— for Child-bed Pains, cordial and anodyne 214, 215
——— anthelmentic 222, 230
——— in ſtrong and rigid Viſcera, reſolving 23
——— in a pulmonary Vomica, preventing a Purulence 198
——— in a Conſumption, balſamic 196,197

N.

NARCOTICS, what, and their different Forms 69-75,157,158
——— ſtrong 70-75
——— mild 69,70
——— when the Small-Pox are ſuppurating, to be taken in the Evening, while the Fever increaſes 23
Nutriment, ſee Food
Nutritum, for an ulcerated Cancer 125

O.

OIL, in a pulmonary Phthiſis, expreſſed from the ſofteſt Balſamics 196
Oils, ſtimulating, aromatic, acrid, diſtilled 36
——————————— empyreumatic by the Retort 37
——————————— expreſſed ibid
——————————— native ibid
— for the Belly, emollient 66
— for Wounds, balſamic 75
Oily Medicines, external for Children labouring under Diſorders from acrid Milk 222
——————— internal 220-222
Opiates, in the Small-pox, to be taken in the Evening, while the Diſtemper is violent 231
—— for a broken Impoſthume of the Lungs gentle Evening 157,158

P.

PAregorics, very mild 69,70
Parts of Animals, aromatic, acrid, ſtimulating 45
——————————— emollient, oily, mild 16
——————————— antacid 28,29
Peruvian Bark, for intermitting Fevers, various Preparations of 147,148
Pills, in a lax Fibre, aſtringent 10
— in a ſpontaneous Viſcidity, bilious, ſtimulating 51
— in a venereal Gonorrhæa, balſamic 236
——————————— purging ibid
— in a Dropſy, ſtrong purging 206
— narcotic 71
— in a pulmonary Phthiſis, balſamic 196,197
— in a beginning Scurvy, purgative 185
— in a ſtrong rigid Viſcera, reſolving 23

Pills, for an Ulcer of the Lungs, aperient, deterſive 157
——— anodyne to be taken in the Evening 157
—— in a pulmonary Vomica, balſamic, anti-purulent 199
Plaiſter, red defenſive 77
——— in a Lues Venera, for ſtopping a Diarrhæa in a mercurial Salivation 241
——— in a febrile Nauſea from the nervous fluid, ſtomachic 142
——— in a Palſy, ſharp aromatic 181
——— in a Pleuriſy 163
——— in a Schirrus, emollient, reſolving 120
——— in a fixed Schirrus, lead, mercurial, mild 122,123
——— in ſwelled venereal Teſticles 238
——— for ſuppurating the Small-pox to be applied to the Soles of the Feet 231
——— in the Green-ſickneſs, ſtimulating 210
——— in Wounds, proper for applying Balſams 77
——— adheſive 82
——— in a venereal Bubo, diſſipating 237
——— circatrizing 82
——— for Contuſions, digeſtive 87
——— laxating, penetrating, reſolving 95
Plants, ſee Vegetables
Porcupine Bezar, infuſion of 51
Potion in an Inflammation of the Stomach, linient, &c. 169
Powder, for amputations, aſtringent 117
——— narcotic, cardiac, to be taken before the Operation ibid.
——— antiphogiſtic, refrigerating, reſolving 101
——— in a febrile Anxiety, purging 135,136
——— in running veneral Bubos, deterging 238
——— in a Cancer, aperient, mild 123,124
——— purging 123

Powder for a Contuſion, ſtrong cathartic, cooling 93
——— in Fevers, from an exeſſive hot Air, ſubaciditnrous, 128
——— from a humid Air, temporating, aromatic ibid
——— in intermitting Fevers, aſtringent 148
——— in a lax Fibre, aſtringent 10
——— in a ſpontaneous Viſcidity, ſtimulating 50
——— in a veneral Gonorrhæa, purging 236
——— *Helmont*'s, bilious ſtimulating 51
——— in a Hydrocele, diſcutient like Smoak, or dry Vapour 208
——— diſcutient from common Salt 207,208
——— in a Dropſy, emetic 205
——— for Infants, antacid 220
——— in an Inflammation, refrigerating, reſolving 101
——— in a febrile Languor, exciting, acrid, aromatic, &c. 132
——— in Lues Venera, when a Diarrhæa happens in a Salivation, aſtringent, anodyne 240
——— for raiſing a Salivation 239
——— in a Palſy, aromatic, to fumigate Cloaths for friction 180
——— in a Peripneumony, the Spitting being ſuppreſſed, antiphlogiſtic, by gently reſolving 160
——— in a pulmonary Phthiſis, antaced 198
——— for Women, after delivered, antacid, &c. 216
——— in the Rickets, to fumigate Cloths for friction 243
——— in a fixed Schirrus, anodyne 121,222
——— in a beginning Scurvy, cathartic 184
——— in the Small-pox, to expel the variolous mulus 228
——— for expelling Worms 225,226
——— for killing Worms 225
——— for deſtroying and driving Worms out of the Body 225

Powder, in ſtrong and rigid Viſcera, reſolving 24
——— for an Ulcer of the Lungs, anodyne to be taken in the Evening 158
——— aperient, deterſive 157
——— in Wounds, narcotic 71
Propellents, what, ſee Stimulants 63
Ptiſan, in Wounds, aſtringing 66
——— aperient ibid
——— attenuating 63
——— correcting an Acidity 65
——— an Alcali ibid
——— a Viſcidity ibid
——— an oily State ibid
——— ſtimulating 64
——— inſpiſſating ibid
——— laxative 66
——— mitigating 64
—— in Fevers from hot Air, aqueous, ſub-acid, nitrous 127,128
—— in a Febrile chilneſs 133,134
—— in a Gangrene, from a hot Cauſe, reviving 108
——— cold Cauſe, cordial, hot, refreſhing 115,116
—— for Women with Child, cordial 212,213
—— in a Dropſy, cordial, pleaſant, aromatic 203,204
—— in a febrile Nauſea, from ſharp, putrid, &c. Matter 141,142
See 135-140
—— in a Pleuriſy, refrigerating, reſolving, &c. 163,164
—— in a true Peripneumony, naturally reſolvable, ſmooth 152,153
— the Spitting being ſuppreſſed, reſolving, antipyretic 159
——— degenerating into an Ulcer, moving the Cough 153,154
—— in the Gout, vinous, ſaline 208
—— in the Rickets, to be taken at Meals 242

Ptiſan, in a ſharp Scurvy, ſmooth, antiſeptic 195
—— in a febrile Thirſt 138-140
—— in the ſuppuration of the Small Pox, antipyretic, aperient, &c. 230
—— anthelmintic 223,224
—— in a pulmonary Vomica, vulnerary, balſamic 200
Ptiſans and Decoctions, vulnerary 63-66
Purgatives, in a febrile Anxiety, proper 135-137
—— in a dangerous ſanguineous Apoplexy, antiphlogiſtic 93-98,99-180
—— attenuating 178
—— for a Cancer 123,124
—— for Contuſions, ſtrong, cooling 93,94
—— in an intermitting Fever 145
—— in an Inflammation 98,99
—— antiphlogiſtic, evacuating, revulſive 98
—— for a febrile Nauſea, from Viſcidities, &c. 135,136,141,142
—— for a beginning Scurvy 184,185
—— in Wounds of the Head, for reſorbing the extravaſated Blood into the Veins 89
Putrefaction, beginning in a Gangrene, Correctors of 111-115
—— in a Gangrene, prevented from returning into the Veins 109,110

R.

Reſolvents, what, and their Compoſition 22
—— internal 19-25-40
Ripeners 103
Rob, of ſub-acid, nitrous, demulcent, aperient Fruit, what 139
Roots, ſtimulating aromatic 41,42

S.

SALT volatile, dry, alcaline, aromatic, ant-acid, artificial 30,31
——— oily, antiſcorbutic 191
——— in a ſpontaneous Viſcidity, ſtimulating 49
Salts, in intermitting Fevers, aperient, alcaline and compound 143,144
—— ſtimulating acid, fermented 33,34
——— produced by Fire 34
——— native 33
——— alcaline, fixed 34,35
——— volatile 35
——— compound ibid
Saponaceous ſtimulants 22-52
Sarcotics 81,82
Saturnines, in a fixed Schirrus, anodyne 112,113
Sauces, acrid, in a Plethora aromatic 61
Seeds, aromatic ſtimulating 42,43
Soaps, in Obſtructions, attenuating, native, of Oil and Alcali, what 61,62
——— compounded, of an Oil and Alcali, what 62
——— fuliginous, volatile ibid
—— artificial and natural, compoſition of ibid
Soop of Cray-fiſh, linient, emollient 20
—— Meat, humecting, lenient, emollient, reſolving 20
——— in an Inflammation of the Inteſtines, medicinal 170
—— of Fleſhes, refer a lax Habit of Body, what, and how prepared 2
Spirit, in a Gangrene, ſtimulating 108-111
—— antiſcorbutic 190,191
—— of Hart's-horn for Children in Convulſions 227
—— in a ſpontaneous Viſcidity, ſtimulating 48,49
—— for pained or inflammed Nipples 216

Stimulants, what, and their Compoſition 33-51
——— acid Saline, fermented 34
——— ——— produced by Fire ibid
——— ——— native 33
——— alcaline Saline, fixed 34,35
——— ——— volatile 35
——— animal 45
——— bilious 51
——— compound 36-41
——— ——— ſaline 35
——— of Inſects acrid 45
——— ſaline 33-35
——— ſaponaceous 22-51
——— vegetable 38-45
Stimulating Oils, acrid aromatic, or empyreumatic 36,37
——— ——— by Expreſſion 37
——— ——— diſtilled by the Retort ibid
Stimulating, aromatic Barks 44
——— Flowers 40
——— acrid Parts of Animals 45
——— Plants, what 38,39
——— Roots 41,42
——— inflammable fermented Spirits 38
——— Roſins or Gums 44,45
——— acrid Inſects 45
Stiptics, in a Hemorrhagy of the Noſe 165
Strengtheners, what 1-10-28
Sub-farinaceous emollients 15-18
Sub-oleaginous ibid
Sudorifics, what 96,97
——— in a febrile Anxiety, proper 137
Sudorific antiphlogiſtic, ſeldom failing 146
Suppoſitories, in Infants, for expelling the Meconium 218,219
Syrups, ſmooth, emollient 17,18

Syrups, of ſub-acid, nitrous Fruits, what 139

T.

TEpefactions, in a Pleuriſy 162
Tincture, in a ſpontaneous Viſcidity, ſtimulating 90
——— in a Dropſy, ſtrong Cathartic 206
——— of Copper, in a Dropſy, diuretic and ſolvent 205
——— of Steel, in the Rickets, ſtrengthening 245
——— of Maſtich, for preſerving the Bones, when laid bare, from the Air and Putrefaction 88

U.

VApour, in an Inflammatory Angina, to be taken in at the Mouth 150
——— in an Appoplexy from Viſcidity, ſtimulating the Noſtrils 178
——— in a Hydrocele, aromatic, dry, diſcutient 208
——— in a Peripneumony, upon a ſuppreſſion of the Spittle, emollient 158,159,160
Vapours, for a Rigidity, emollient 18
——— for the Green-Sickneſs, uterine 212
——— in an Ulcer of the Lungs, emollient 158
Vegetables, Acido-auſtere 4-6
——— alcaliſcent for ſeaſoning 53
——— eatable ibid
——— poiſonous ibid
——— gently Purging 166
——— ant-acid 25-27
——— in a Nephritis, antiphlogiſtic, emollient, proper 175
——— ſharper antiſcorbutic 193
——— antiſcorbutic, hot 193
——— cold 192
——— gently aſtringent 182

Vegetables, proper in the Cure of the Rickets
——————— ſpecifically, mild 186-188
——— mealy, ſoft 13
——— ſoft, antiphlogiſtic, emollient 175
——— very ſoft, called Pot-herbs 12,13
——— ſoft, mealy 13
——— for a febrile Viſcidity, lacteſcent, bitter, cold 133
Veſicatories 52
——— ſee Bliſters
Victuals, ſee Food, Drink, Ptiſans
Uuguents, cicatrizing 82
——— emollient 14-18
——— for ſoftening a gangrenous Eſchare 114
——— for a ſharp, irritating Cauſe in a Fever, ſof oleous, &c. 126,127
——— for killing Worms 223-227
Uuguent, Golden 81,82
——— Royal 81
——— for Contuſions, digeſtive 87
——— drying 80
——— in a fixed Schirrus, anodyne, ſaturnine, ſoft, for Unction 122
Vomit in the Rickets 243
Vomits, in a febrile Anxiety, proper 135
——— in an Appoplexy, for attenuating the Viſcidity 178
——— in an intermitting Fever 144
——— in a Fever from a Surfeit, gentle 129, 130
——— in a Dropſy 205,206
——— in a febrile Nauſea from Viſcidities, &c. 135

W.

WATER, aromatic, ſtimulating, in a ſpontaneous Viſcidity 49

Wine medicated, ant-acid 25
——— antiſcorbutic, 191,192
——— for a lax Fibre, aſtringent 89
——— in a ſpontaneous viſcidity, ſtimulating 50
——— for Diſtempers incident to Child-bed Women, aromatic 215
——— in a Dropſy, attenuating 202
——— ſtrengthening 207
——— in a Madneſs from debility of Body 182
——— in the Rickets, ſtrengthening, &c.
——— for killing Worms 224,225
Wines, for a lax Fibre, proper 3,4
Worms, Medicines for killing them 224,225
——— expelling them 225,226
——— deſtroying their Neſt 222,223

FINIS.

BRITISH
4 NO 35
MUSEUM